

CERN-PH-EP-2012-355

Submitted to: NPJ

---

## Measurement of hard double-parton interactions in $W(\rightarrow l\nu) + 2$ jet events at $\sqrt{s} = 7$ TeV with the ATLAS detector

The ATLAS Collaboration

### Abstract

The production of  $W$  bosons in association with two jets in proton–proton collisions at a centre-of-mass energy of  $\sqrt{s} = 7$  TeV has been analysed for the presence of double-parton interactions using data corresponding to an integrated luminosity of  $36 \text{ pb}^{-1}$ , collected with the ATLAS detector at the LHC. The fraction of events arising from double-parton interactions,  $f_{\text{DP}}^{(\text{D})}$ , has been measured through the  $p_{\text{T}}$  balance between the two jets and amounts to  $f_{\text{DP}}^{(\text{D})} = 0.08 \pm 0.01$  (stat.)  $\pm 0.02$  (sys.) for jets with transverse momentum  $p_{\text{T}} > 20$  GeV and rapidity  $|y| < 2.8$ . This corresponds to a measurement of the effective area parameter for hard double-parton interactions of  $\sigma_{\text{eff}} = 15 \pm 3$  (stat.)  $^{+5}_{-3}$  (sys.) mb.

# Measurement of hard double-parton interactions in $W(\rightarrow \ell\nu) + 2$ -jet events at $\sqrt{s} = 7$ TeV with the ATLAS detector

The ATLAS Collaboration

**Abstract.** The production of  $W$  bosons in association with two jets in proton–proton collisions at a centre-of-mass energy of  $\sqrt{s} = 7$  TeV has been analysed for the presence of double-parton interactions using data corresponding to an integrated luminosity of  $36 \text{ pb}^{-1}$ , collected with the ATLAS detector at the LHC. The fraction of events arising from double-parton interactions,  $f_{\text{DP}}^{(\text{D})}$ , has been measured through the  $p_{\text{T}}$  balance between the two jets and amounts to  $f_{\text{DP}}^{(\text{D})} = 0.08 \pm 0.01$  (stat.)  $\pm 0.02$  (sys.) for jets with transverse momentum  $p_{\text{T}} > 20$  GeV and rapidity  $|y| < 2.8$ . This corresponds to a measurement of the effective area parameter for hard double-parton interactions of  $\sigma_{\text{eff}} = 15 \pm 3$  (stat.)  $^{+5}_{-3}$  (sys.) mb.

PACS numbers: 12.38.Aw, 11.80.La, 13.85.-t, 12.38.Qk, 14.70.Fm

## 1. Introduction

Double-parton interactions (DPI) in hadron-initiated processes have been discussed in theoretical studies since the first days of the parton model [1–3]. These studies have subsequently been refined and reformulated in the framework of perturbative quantum chromodynamics (QCD) for a variety of processes such as double Drell–Yan production, four-jet production, and  $W$  production associated with two jets [4–10]. Potential correlations in colour and spin space have been analysed theoretically [11], and evolution equations for multi-parton distribution functions have been derived [12]. The formalism [7, 8] to deal with double-parton interactions in hadronic interactions at a centre-of-mass energy  $\sqrt{s}$  may be summarised, assuming perturbative factorisation, by

$$d\hat{\sigma}_{Y+Z}^{(\text{DPI})}(s) = \frac{m}{2\sigma_{\text{eff}}(s)} \int dx_{i_1} dx_{j_1} dx_{i_2} dx_{j_2} [f_{i_1 j_1}(x_{i_1}, x_{j_1}, \mu_F) f_{i_2 j_2}(x_{i_2}, x_{j_2}, \mu_F) d\hat{\sigma}_{i_1 i_2 \rightarrow Y}(x_{i_1}, x_{i_2}, s) d\hat{\sigma}_{j_1 j_2 \rightarrow Z}(x_{j_1}, x_{j_2}, s)], \quad (1)$$

where  $d\hat{\sigma}_{Y+Z}^{(\text{DPI})}$  is the differential double-parton interaction cross section for the inclusive production of a combined system  $Y + Z$  at a given  $\sqrt{s}$ , and the  $d\hat{\sigma}_{k_1 k_2 \rightarrow Y(Z)}$  is the differential partonic cross section for the production of a system  $Y$  or  $Z$  in the collision of partons  $k_1$  and  $k_2$ . The symmetry factor  $m$  is equal to one if  $Y = Z$  and equal to two if  $Y \neq Z$ . The  $f_{ij}(x_i, x_j, \mu_F)$  are the double-parton distribution functions (DPDFs) evaluated at a specific factorisation scale,  $\mu_F$ . The integration over the momentum fractions  $x_i$  and  $x_j$  of the two partons from the same proton is constrained by energy conservation such that  $x_i + x_j \leq 1$ . A summation over all possible parton combinations is implicitly assumed. Typically, the DPDFs are expressed in terms of the conventional single parton distributions using a factorised *ansatz* [7, 8], namely

$$f_{ij}(x_i, x_j, \mu_F) = f_i(x_i, \mu_F) f_j(x_j, \mu_F) (1 - x_i - x_j) \Theta(1 - x_i - x_j), \quad (2)$$

where the factor  $(1 - x_i - x_j)\Theta(1 - x_i - x_j)$  implements the kinematic constraint and  $\Theta(x)$  is the Heavyside step function. The effective area parameter for double-parton interactions,  $\sigma_{\text{eff}}(s)$ , is defined at the parton level and, in the formalism outlined here, is independent of the process and of the phase-space under consideration. Naively, it can be related to the geometrical size of the proton, leading to an estimate of  $\sigma_{\text{eff}} \approx \pi R_p^2 \approx 50$  mb, where  $R_p$  is the proton radius. Alternatively,  $\sigma_{\text{eff}}$  can be connected to the inelastic cross section, which would lead to  $\sigma_{\text{eff}} \approx \sigma_{\text{inel}} \approx 70$  mb at  $\sqrt{s} = 7$  TeV [13, 14].

A number of measurements of  $\sigma_{\text{eff}}(s)$  have been performed in  $pp$  or  $p\bar{p}$  collisions at centre-of-mass energies of 63 GeV [15], 630 GeV [16], 1.8 TeV [17, 18] and 1.96 TeV [19]. The measured values range from about 5 mb at the lowest energy to about 15 mb at Tevatron energies. Attempts to understand these values have used non-trivial correlations between the two scattering systems to explain the differences between these measured values [20, 21].

In the scientific programme of the Large Hadron Collider (LHC), issues related to multi-parton interactions have attracted increasing attention [22–35]. This surge of interest is due to the higher centre-of-mass energy leading to enhanced parton densities and therefore to an

anticipated larger impact of such effects on a multitude of physics signatures. The high energy and high luminosity available at the LHC also implies that multiple interactions should occur at higher transverse momentum,  $p_T$ , offering the possibility to further study these interactions in a variety of processes. This paper presents a measurement of  $\sigma_{\text{eff}}$  in  $pp$  collisions at  $\sqrt{s} = 7$  TeV performed with the ATLAS detector [36], using events with two jets produced in association with a  $W$  boson.

## 2. Theoretical background

The quantity  $\sigma_{\text{eff}}$  parameterises the double-parton interaction part of the production cross section for a composite system ( $Y + Z$ ) in hadronic collisions. Assuming no correlations between the two systems, the differential cross section  $\hat{\sigma}_{Y+Z}^{(\text{tot})}$  for the production of  $Y + Z$  consists of a direct part,  $\hat{\sigma}_{Y+Z}^{(\text{SPI})}$ , originating from single-parton interaction, and a double-parton interaction contribution,  $\hat{\sigma}_{Y+Z}^{(\text{DPI})}$ ,

$$d\hat{\sigma}_{Y+Z}^{(\text{tot})}(s) = d\hat{\sigma}_{Y+Z}^{(\text{SPI})}(s) + d\hat{\sigma}_{Y+Z}^{(\text{DPI})}(s) = d\hat{\sigma}_{Y+Z}^{(\text{SPI})}(s) + \frac{d\hat{\sigma}_Y(s) \cdot d\hat{\sigma}_Z(s)}{\sigma_{\text{eff}}(s)}, \quad (3)$$


where  $d\hat{\sigma}_Y(s)$  and  $d\hat{\sigma}_Z(s)$  correspond to the differential cross sections of processes  $Y$  and  $Z$  respectively and the symmetry factor  $m$  from Equation (1) has been set equal to two.

After integrating the differential cross sections in Equation (3) over the phase space defined by the selection cuts on the  $Y$  and  $Z$  systems as appropriate for the analysis and solving the equation for  $\sigma_{\text{eff}}$ ,

$$\sigma_{\text{eff}}(s) = \frac{\hat{\sigma}_Y(s) \cdot \hat{\sigma}_Z(s)}{\hat{\sigma}_{Y+Z}^{(\text{DPI})}(s)} = \frac{\hat{\sigma}_Y(s) \cdot \hat{\sigma}_Z(s)}{\hat{\sigma}_{Y+Z}^{(\text{tot})}(s) - \hat{\sigma}_{Y+Z}^{(\text{SPI})}(s)}. \quad (4)$$

With the exception of the direct component,  $\hat{\sigma}_{Y+Z}^{(\text{SPI})}(s)$ , for which theoretical input (for example in the form of a Monte Carlo – MC – event generator) needs to be employed, all quantities in Equation (4) may be directly taken from data, provided that the simple factorisation picture is applicable. This assumes that the proposed correlation in the DPDPs, the factor  $(1 - x_i - x_j)$  present in Equation (2), is close to 1. There will be other effects which will eventually lead to a breakdown of this simple picture in some corners of phase space; for example total energy conservation, flavour conservation rules, or, more intricately, complicated interactions between the initial- or final-state partons [24, 37–40] which potentially correlate the two systems in a non-trivial way. However, for certain processes and selection cuts, such effects may turn out to be negligible. In the following, when referring to data and integrating over the hadronic final states,  $\hat{\sigma}(s)$  will be replaced by  $\sigma(s)$ .

For the case of  $W+2$ -jet production discussed in this paper, the cross sections at leading order are related to Feynman diagrams such as those depicted in Figure 1. In general, calculations of the differential cross sections for the production of any system  $Y$  are inclusive. In particular, in the calculation of the leading-order  $W$  cross section, the production of additional jets is implicitly included. These extra jets may populate a phase space constrained from below by the factorisation scale  $\mu_F$ . In this study, in which jets are defined by a transverse



**Figure 1.** Examples of leading-order Feynman diagrams for the direct (left) and double-parton interaction (right) components in the production of a  $W^+ + 2\text{-jet}$  system. These contributions are defined in Equation (3) with the identification  $Y \rightarrow W^+$  and  $Z \rightarrow 2\text{ jets}$ .

momentum requirement of  $p_T > 20$  GeV, this implies that the cross sections entering the calculation of  $\sigma_{\text{eff}}$  correspond to the production of a  $W$  boson with no accompanying jets, of a  $W$  boson accompanied by exactly two jets and a hadronic final state consisting of exclusive two jets.

### 3. Strategy of the analysis

The cornerstone of the analysis is the extraction of the fraction of  $W + 2\text{-jet}$  events produced in  $pp$  interactions in which the jets originate from a hard DPI. This fraction is subsequently used to determine the value of  $\sigma_{\text{eff}}$ . The sample of  $W + 2\text{-jet}$  candidate events is selected from data recorded by the ATLAS detector with the  $W$  boson identified through its leptonic decays into  $e\nu$  and  $\mu\nu$ . The fraction  $f_{\text{DP}}^{(\text{D})}$ , where the superscript D refers to detector level, of  $W + 2\text{-jet}$  events originating from DPI is defined by

$$f_{\text{DP}}^{(\text{D})} = \frac{N_{W_{0j}+2j_{\text{DPI}}}}{N_{W+2j}} = \frac{N_{W_{0j}+2j_{\text{DPI}}}}{N_{W_{2j}} + N_{W_{0j}+2j_{\text{DPI}}}}, \quad (5)$$

where  $N_{W+2j}$  is the total number of  $W + 2\text{-jet}$  events,  $N_{W_{2j}}$  is the number of events in which the production of the two jets is directly associated with the production of the  $W$  boson (single-parton interaction), and  $N_{W_{0j}+2j_{\text{DPI}}}$  is the number of events in which the production of the two jets originates from DPI. In order to extract  $f_{\text{DP}}^{(\text{D})}$ , a minimisation fit to the distribution of an observable is performed. The observable is chosen such that it shows good discriminating power between the direct production of a  $W$  boson with two jets ( $W_{2j}$ ) and the production of a  $W$  boson in association with zero jets in addition to another parton-parton scatter resulting in two jets ( $W_{0j} + 2j_{\text{DPI}}$ ). The fit is performed to the normalised, detector-level, background-corrected data distribution of the observable using two normalised templates, denoted by  $A$  and  $B$ .

Template  $A$  represents the expected contribution to the distribution of the chosen observable from  $W_{2j}$  events, and Template  $B$  that from  $W_{0j} + 2j_{\text{DPI}}$  events. The fit function

is given by  $(1 - f_{\text{DP}}^{(\text{D})}) \cdot A + f_{\text{DP}}^{(\text{D})} \cdot B$ . The details of how the templates are constructed and how the fit is performed, together with supporting MC studies, are described in Section 6. The relevant part of the equation defining  $\sigma_{\text{eff}}$ , Equation (4), reads

$$\sigma_{\text{eff}} = \frac{\sigma_{W_{0j}} \cdot \sigma_{2j}}{\sigma_{W_{0j}+2j_{\text{DPI}}}}. \quad (6)$$

Here,  $\sigma_{W_{0j}}$ ,  $\sigma_{W_{0j}+2j_{\text{DPI}}}$  and  $\sigma_{2j}$  are the production cross sections of  $W_{0j}$ ,  $W_{0j} + 2j_{\text{DPI}}$  and exclusive dijet (2j) events, respectively. These cross sections are related to the respective number of events  $N$  through the relation

$$\sigma = \frac{N}{\mathcal{A} C \varepsilon \mathcal{L}}, \quad (7)$$

where  $C$  denotes the corrections for unfolding to the particle level including reconstruction effects,  $\mathcal{A}$  is the geometrical acceptance,  $\varepsilon$  is the trigger efficiency, and  $\mathcal{L}$  is the integrated luminosity. The assumption of factorisation between the  $W$  boson and the 2j system leads to some simplifications. First, the kinematics of the  $W$  boson does not influence the kinematic distributions of the DPI system, either at the detector level or at the hadron level, once corrections involving the impact of jets on  $W$  reconstruction and vice versa have been made. Secondly, the kinematics of the jets originating from DPI may be modelled by the kinematics of single-scatter dijet events. Therefore

$$\mathcal{A}_{W_{0j}+2j_{\text{DPI}}} \cdot C_{W_{0j}+2j_{\text{DPI}}} = \mathcal{A}_{W_{0j}} \cdot C_{W_{0j}} \cdot \mathcal{A}_{2j} \cdot C_{2j}. \quad (8)$$

Finally, the  $W_{0j} + 2j_{\text{DPI}}$  and  $W_{0j}$  events are collected using the same trigger selection. Taken together, this results in luminosity and efficiency cancellations and  $\sigma_{\text{eff}}$  is given by

$$\sigma_{\text{eff}} = \frac{N_{W_{0j}} N_{2j}}{f_{\text{DP}}^{(\text{D})} \cdot N_{W+2j}} \cdot \frac{1}{\varepsilon_{2j}} \cdot \frac{1}{\mathcal{L}_{2j}}. \quad (9)$$

In a previous phenomenological study [10] it was suggested to use the transverse momentum of the  $W$  boson,  $p_{\text{T}}^W$ , as the key observable to distinguish double-parton scattering production of  $W+2\text{-jet}$  events from the direct production channel. This observable suffers from experimental inaccuracies due to the fact that the kinematics of the  $W$  boson must be reconstructed from the missing transverse momentum,  $E_{\text{T}}^{\text{miss}}$ . Alternatively, one could try to use the  $p_{\text{T}}$  distribution of the individual jets, but their discrimination power is limited by uncertainties stemming from the jet energy scale. This leaves correlations between the jets or between the jets and the kinematics of the  $W$  as further possibilities, one being the azimuthal correlation of the two leading jets in the transverse plane. In the picture of DPI production advocated here, the kinematics of the  $W$  boson and the dijet systems are decorrelated. Therefore, the momenta of the two jets must compensate each other in the transverse plane, orienting them back-to-back in azimuthal angle, rendering, in principle, this angular separation between the jets a useful observable. However, due to the distortion of this variable by various systematic effects, in particular multiple proton–proton interactions

(pile-up) and the underlying event, in this analysis the balance in transverse momenta of the two jets is used instead, quantified by

$$\Delta_{\text{jets}} = |\vec{p}_{\text{T}}^{J1} + \vec{p}_{\text{T}}^{J2}|, \quad (10)$$

where  $\vec{p}_{\text{T}}^{J1}$  and  $\vec{p}_{\text{T}}^{J2}$  are the transverse momentum vectors of the two leading jets. Anticipating a potentially large dependence of  $\Delta_{\text{jets}}$  on the jet energy scale, another observable, the transverse momentum of the dijet system normalised by the sum of the individual transverse momenta,  $\Delta_{\text{jets}}^{\text{n}}$ , is constructed,

$$\Delta_{\text{jets}}^{\text{n}} = \frac{|\vec{p}_{\text{T}}^{J1} + \vec{p}_{\text{T}}^{J2}|}{|\vec{p}_{\text{T}}^{J1}| + |\vec{p}_{\text{T}}^{J2}|}. \quad (11)$$

The distribution of  $\Delta_{\text{jets}}^{\text{n}}$  is employed to drive the fit from which  $f_{\text{DP}}^{(\text{D})}$  is obtained, while the distribution of  $\Delta_{\text{jets}}$  allows further checks.

#### 4. The ATLAS detector

The ATLAS detector [36] comprises a superconducting solenoid surrounding the inner detector (ID), as well as electromagnetic and hadronic calorimeters and a large superconducting toroid magnet system instrumented with muon-detection chambers. The ID system is immersed in a 2 T axial magnetic field and provides tracking information for charged particles in a pseudorapidity range matched by the precise measurements of the electromagnetic calorimeter. The silicon pixel and microstrip tracking detectors cover the pseudorapidity<sup>‡</sup> range  $|\eta| < 2.5$ . The transition radiation tracker, which surrounds the silicon detectors, can perform tracking up to  $|\eta| = 2.0$  and contributes to electron identification. The liquid-argon electromagnetic calorimeter is divided into one barrel ( $|\eta| < 1.475$ ) and two end-cap components ( $1.375 < |\eta| < 3.2$ ). It uses an accordion geometry to ensure fast and uniform response, and fine segmentation for optimum reconstruction and identification of electrons and photons. The iron/scintillator tile hadronic calorimeter consists of a barrel covering the region  $|\eta| < 1.0$ , and two extended barrels in the range  $0.8 < |\eta| < 1.7$ . The muon spectrometer is based on three large superconducting toroids with coils arranged in an eight-fold symmetry around the calorimeters, covering a range of  $|\eta| < 2.7$ . Over most of this range, precision measurements of the track coordinates in the principal bending direction of the magnetic field are provided by monitored drift tubes. At large pseudorapidities ( $2.0 < |\eta| < 2.7$ ), cathode strip chambers with higher granularity are used in the innermost station. The ATLAS detector has a three-level trigger system consisting of level-1, level-2 and the event filter (L1, L2 and EF). The L1 trigger rate at design luminosity is approximately 75 kHz. The L2 and EF triggers reduced the recorded event rate in 2010 to approximately 200 Hz.

<sup>‡</sup> ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the  $z$ -axis along the beam pipe. The  $x$ -axis points from the IP to the centre of the LHC ring, and the  $y$ -axis points upward. Cylindrical coordinates  $(r, \phi)$  are used in the transverse plane,  $\phi$  being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle  $\theta$  as  $\eta = -\ln \tan(\theta/2)$ . The rapidity of a particle with respect to the beam axis is defined as  $y = \frac{1}{2} \ln \frac{E+p_z}{E-p_z}$ .

## 5. Event selection

The dataset collected in 2010, corresponding to approximately  $36 \text{ pb}^{-1}$  of integrated luminosity, is used in this analysis. The rate of overlapping uncorrelated proton–proton interactions occurring within the same bunch crossing (also referred to as pile-up) gradually increased up an average of about two interactions per bunch-crossing throughout the data-taking period. The selection of  $W$  events is based on the leptonic  $W \rightarrow e\nu$  and  $W \rightarrow \mu\nu$  decay channels and follows the one already described in Ref. [41], where more details can be found. It differs in the requirements on the jet transverse momentum and rapidity. The objects required for the different samples and templates needed in the analysis were selected as described in the following.

To select electron candidates, clusters formed from energy depositions in the electromagnetic calorimeter are required with matched tracks in the inner detector, with the further requirement that the cluster shapes are consistent with electromagnetic showers initiated by electrons. Such electron candidates were required to have transverse momenta  $p_{\text{T}}^{\ell} > 20 \text{ GeV}$  and  $|\eta| < 2.47$ . Electrons reconstructed in the transition region between the barrel and end-cap calorimeters ( $1.37 < |\eta| < 1.52$ ) or falling into inactive regions of the calorimeter were excluded. The standard isolation requirement on electron candidates [42] was applied to improve multi-jet background rejection.

Muon candidates were selected by requiring  $p_{\text{T}}^{\ell} > 20 \text{ GeV}$  and  $|\eta| < 2.4$ . They were reconstructed requiring both the muon spectrometer and the inner detector information. Additional requirements were applied to the number of hits used to reconstruct the track in the inner detector. Furthermore, the  $z$ -coordinate of the muon longitudinal impact parameter with respect to the interaction vertex was required to be less than 10 mm. A selection requirement was applied to the significance of the track transverse impact parameter to ensure that the muon was prompt. The standard isolation requirements were applied to the muons [43] to improve multi-jet background rejection.

To select events with a  $W$  boson, in addition to requiring exactly one lepton ( $e$  or  $\mu$ ) in the event, requirements were imposed on  $E_{\text{T}}^{\text{miss}}$  and the transverse mass,  $m_{\text{T}}$ . The  $E_{\text{T}}^{\text{miss}}$  was calculated using the reconstructed physics objects, the remaining energy deposits in the calorimeter, and the inner detector tracking information. The  $m_{\text{T}}$  is defined in terms of the missing transverse energy and the charged lepton transverse momentum as  $m_{\text{T}} = [2p_{\text{T}}^{\ell}E_{\text{T}}^{\text{miss}}(1 - \cos \Delta\phi_{\ell, E_{\text{T}}^{\text{miss}}})]$ , where  $\Delta\phi_{\ell, E_{\text{T}}^{\text{miss}}}$  is the angle between the lepton transverse momentum and the missing transverse momentum. Events were required to have  $E_{\text{T}}^{\text{miss}} > 25 \text{ GeV}$  and  $m_{\text{T}} > 40 \text{ GeV}$ .

Jets are defined using the anti- $k_r$  algorithm [44] with radius parameter  $R = 0.4$ . The jets were reconstructed from clusters built from calorimeter cells, initially not accounting for different calorimeter response to electrons and hadrons, and subsequently calibrated [45]. Jets were required to have  $p_{\text{T}} > 20 \text{ GeV}$  and  $|y| < 2.8$ . All jets within  $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} = 0.5$  of a selected electron or muon were removed from the analysis. The number of jets originating from pile-up interactions was reduced by applying a selection requirement on the jet-vertex fraction (JVF), which is defined for each jet in an event. After associating tracks to jets with a



matching in  $\Delta R(\text{track}, \text{jet})$ , requiring  $\Delta R < 0.5$ , the JVF was computed for each jet as the scalar sum of the transverse momenta of all matched tracks from the interaction vertex divided by the total jet-matched track transverse momentum from all vertices. Jets were removed from the analysis if  $\text{JVF} < 0.75$ . This selection was not applied to jets that lie outside the acceptance of the inner detector or to those jets without matching tracks.

With these selections, the following samples have been constructed:

- $W+0\text{-jet}$  sample, consisting of events passing either the  $W \rightarrow e\nu$  or  $W \rightarrow \mu\nu$  selection and where no jets are found in addition to the  $W$  decay products;
- $W+2\text{-jet}$  sample, consisting of events passing either the  $W \rightarrow e\nu$  or  $W \rightarrow \mu\nu$  selection and where exactly two jets are found in addition to the  $W$  decay products;
- dijet sample, which consists of events recorded with exactly two jets. The selected events were taken using the Minimum Bias Trigger Scintillators and Zero Degree Calorimeters, which have been shown [46] to be unbiased and fully efficient for jet-based measurements. A subset of this sample with negligible pile-up, corresponding to the first  $184 \mu\text{b}^{-1}$  of data taking, was used to calculate the  $N_{2j}$  term described in Equation (9).

## 6. MC simulation

The treatment of MC simulation and background estimation is based on that described in Ref. [41]. The MC samples of events in this analysis were produced with CTEQ6L1 [49] parton distribution functions. The simulation of detector effects was performed with GEANT4 [47]. These simulated event samples [48] were used for the background and signal estimates. They were reweighted such that they matched the data in the number of reconstructed vertices per event.

To simulate the  $W$  boson signal, samples of events were generated using ALPGEN [50] with the MLM [51] matching scheme, interfaced with HERWIG [52] v6.510 and JIMMY [53] v4.31 (AUNET2 tune), together referred to as A+H+J samples. SHERPA [54] v1.3.1, with the CKKW [55] merging, and with the default underlying event tune, was also used to simulate  $W$  events.

MC generators populate the activity in a hard-scattering event with additional parton-parton scatters, the average number of which depends on the assumed lowest- $p_T$  threshold of additional soft partons and the available phase space. The extra scatters are commonly called multi-parton interactions (MPI). Some of the scattered partons will materialise as jets of hadrons above a certain  $p_T$  threshold. Others will result in extra hadronic activity added to the original hard scattering in the event. In this analysis, a threshold on the  $p_T$  of the scattered parton,  $p_T^{\text{max}}$ , is introduced, whose purpose is to separate these two classes of hard and soft scatters.

In the A+H+J simulation, a sample of events without DPI may be obtained by removing events with two or more additional  $2 \rightarrow 2$  parton scatters with a parton-level  $p_T$  above a preset  $p_T^{\text{max}}$ . In SHERPA, the `ML_HANDLER` switch is used to switch off the effects of DPI.

As for potential sources of physics background to the  $W$  signal, PYTHIA6 [56] was used

to produce MC samples for the modelling of multi-jet and  $Z \rightarrow \ell\ell$  physics contributions. POWHEG [57] was used to model the  $t\bar{t}$  background contribution. MC@NLO [58] was used to provide MC samples for the modelling of single top quark and diboson contributions.

### 6.1. Sample composition


The contributions of electroweak backgrounds ( $Z \rightarrow \ell\ell$  and diboson production), as well as  $W \rightarrow \tau\nu$ ,  $t\bar{t}$  and single top quark production to both channels are estimated using Monte Carlo simulation. The absolute normalisation is derived using the total theoretical cross sections and corrected using the acceptance and efficiency losses of the event selection. These backgrounds amount to about 5% of the selected events in the electron channel (dominated by the  $W \rightarrow \tau\nu$  contribution), and about 8% in the muon channel (dominated by the  $Z \rightarrow \ell\ell$  contribution). The contributions from non-physics backgrounds were considered to be negligible. The background contributions to the selected events can also come from multi-jet production processes in which a lepton is either produced through the decay of a hadron containing a heavy quark, the decay-in-flight of a light meson to a muon, or through a coincidence of hadronic signatures mimicking the characteristics of a lepton. The shape and normalisation of the distribution of various observables in multi-jet backgrounds are determined using data-driven methods in both analysis channels. For the  $W \rightarrow e\nu$  selection, the background shape is obtained by reversing certain requirements on shower shape in the calorimeter in the data selection procedure to produce a multi-jet enriched sample. Similarly, to estimate the multi-jet contribution to  $W \rightarrow \mu\nu$ , the background shape is obtained from data by inverting the requirements on the muon impact parameter and its significance to produce a multi-jet enriched sample. These multi-jet-enriched samples give the shapes of the distributions of multi-jet background observables. Their normalisation in the selected data sample is determined by fitting a linear combination of the multi-jet  $E_T^{\text{miss}}$  shape, and that for the leptonic contribution, to the observed  $E_T^{\text{miss}}$  distribution. The multi-jet background was thus estimated to contribute about 14% of the selected events in the electron channel and 6% in the muon channel in the selected  $W+2\text{-jet}$  sample.

Figure 2 shows the distributions of the two key observables  $\Delta_{\text{jets}}^{\text{n}}$  and  $\Delta_{\text{jets}}$  obtained in selected  $W+2\text{-jet}$  events. The data are compared with the results from the SHERPA and A+H+J MC samples with their default MPI treatment, after adding the background contributions, which are also shown in the plots.

### 6.2. Templates

The fit, from which  $f_{\text{DP}}^{(\text{D})}$  is extracted, is performed by comparing the distribution of  $\Delta_{\text{jets}}^{\text{n}}$  at detector level in background-corrected data with two templates.

- Template A “DPI-off” – normalised distribution of the discriminating variable for a sample in which the two jets originate from a primary scatter. The main sample for Template A was produced by A+H+J. To construct Template A, it is necessary to remove hard MPI candidate events from the generated sample. Relevant events contain the  $W$




**Figure 2.** The (a, b)  $\Delta_{\text{jets}}^n$  and (c, d)  $\Delta_{\text{jets}}$  distributions at detector level for events passing the  $W+2\text{-jet}$  selection cuts. The distributions from data (dots) are compared with (a, c) A+H+J and (b, d) SHERPA signal MC (histogram) predictions. In addition, physics backgrounds, also shown, have been added in due proportion to the MC histogram.

boson as well as at least two outgoing partons, *i.e.*, partons that stem from the hardest scatter, or that originate from a secondary scatter. Events containing two or more secondary partons above a defined cutoff scale,  $p_T^{\text{max}} = 15$  GeV, are classified as DPI events and therefore rejected. The value of  $p_T^{\text{max}}$  and its impact on the analysis are further discussed in Section 7.4.

An alternative modelling of Template A was obtained using the SHERPA MC sample where MPI has been switched off altogether. This removes all secondary perturbative parton scatters, which effectively produce transverse momenta in the range  $p_T > 3.5$  GeV, but it retains the initial-state radiation off the incoming legs of the hard matrix element, the generation of intrinsic transverse momentum and the fragmentation of beam remnants.

As an example, the distributions of  $\Delta_{\text{jets}}^n$  and  $\Delta_{\text{jets}}$  for simulated  $W+2\text{-jet}$  events are displayed in Figure 3. These distributions were obtained from A+H+J, both inclusively and with DPI switched off (*i.e.* Template A). The distributions show sensitivity to the effect of double-parton scattering, especially at low values of  $\Delta_{\text{jets}}^n$  and  $\Delta_{\text{jets}}$ .



**Figure 3.** Comparison of the shapes of (a)  $\Delta_{\text{jets}}^n$  and (b)  $\Delta_{\text{jets}}$  distributions, at detector level, for selected  $W \rightarrow \ell\nu + 2\text{-jet}$  events as expected in A+H+J, with DPI on and off (Template A). The lower panels show the respective ratios of the DPI-on and DPI-off expectations.

- Template *B* “DPI-only” – normalised distribution of the discriminating variable for a sample in which both jets originate from a DPI scatter. The dijet sample described in Section 5 was used to approximate the DPI template. The fractional difference between the final results when using the dijet PYTHIA6 MC as Template *B* in place of dijet data was found to be well below the percent level.


## 7. Strategy validation

For the purpose of validation studies, the inclusive A+H+J sample was employed to mimic the data and its distribution was fitted as a combination of Templates *A* and *B*. As for the fits to the data distributions, Template *A* is based on the A+H+J sample with  $p_T^{\text{max}} = 15$  GeV and Template *B* is based on the dijet data sample. The fitted value for  $f_{\text{DP}}^{(\text{MC})}$  thus obtained, once corrected for pile-up effects, can be compared to the expected fraction of DPI directly extracted at the parton level from the event record of the A+H+J sample.

### 7.1. DPI at detector level in the MC simulation

The fit of the combination of Template *A* and Template *B* to the nominal A+H+J  $\Delta_{\text{jets}}^n$  distribution yields

$$f_{\text{DP}}^{(\text{MC})}(\Delta_{\text{jets}}^n) = 0.051 \pm 0.003 \quad (\text{stat.}). \quad (12)$$



**Figure 4.** Distribution of (a)  $\Delta_{jets}^n$  and (b)  $\Delta_{jets}$  in the inclusive A+H+J pseudo-data (dots) compared to the results of fitting  $\Delta_{jets}^n$  by a linear combination of Template A (dashed line) extracted from this sample and of Template B obtained from the dijet data (blue solid line). The result is shown as the green histogram. The bins to the right of the vertical dash-dotted line were excluded from the fit. The pseudo-data and the overall fit have been normalised to unity, Template A to  $1 - f_{DP}^{(MC)}(\Delta_{jets}^n)$  and Template B to  $f_{DP}^{(MC)}(\Delta_{jets}^n)$ .

In the fit to the distribution of  $\Delta_{jets}^n$ , events with  $\Delta_{jets}^n > 0.93$  (corresponding to the last two bins of the fit) were ignored, since they represent configurations with two nearly parallel jets and therefore rather test the parton shower model. The fit minimisation, when performed to the  $\Delta_{jets}$  instead of the  $\Delta_{jets}^n$  distribution, resulted in a value  $f_{DP}^{(MC)}(\Delta_{jets})$  that was within 13% of  $f_{DP}^{(MC)}(\Delta_{jets}^n)$ . The resulting description of the distributions in  $\Delta_{jets}^n$  and  $\Delta_{jets}$  by the combination of the Templates A and B, using  $f_{DP}^{(MC)}(\Delta_{jets}^n)$ , are shown in Figure 4.

## 7.2. Influence of pile-up

In order to account for the influence of pile-up, the extraction of  $f_{DP}^{(MC)}$  was repeated after selecting only events with the requirement of exactly one reconstructed vertex, imposed on both the inclusive A+H+J sample and Template A. A subset of dijet events from earlier data-taking periods, where the effects of pile-up were smaller, was used to model Template B. In this way, the fitted value of  $f_{DP}^{(MC)}$  represents the DPI rate that would be extracted in the absence of pile-up. The result is

$$f_{DP}^{(MC)}(\Delta_{jets}^n) = 0.059 \pm 0.007 \text{ (stat.)}, \quad (13)$$

which is in good agreement with that obtained from a fit to the  $\Delta_{jets}$  distribution. The ratio,  $r_{pile-up}$ , of the  $f_{DP}^{(MC)}$  value with the one-vertex requirement to that without the requirement, without accounting for the effect of correlations $\S$ , is  $r_{pile-up} = 1.17 \pm 0.15$  (stat.). A direct extraction of  $f_{DP}^{(D)}$  using only single  $pp$  interactions is not possible due to the small numbers

$\S$  The impact of including the correlations is estimated to result in a maximum reduction of the statistical uncertainty on  $r_{pile-up}$  to 0.12.

of events in the data. For this reason, the ratio is used to correct  $f_{\text{DP}}^{(\text{D})}$  to the result that would have been obtained in the case of single interactions. The statistical uncertainty on  $r_{\text{pile-up}}$  is duly propagated as a systematic uncertainty whenever appropriate.

### 7.3. Transition from detector level to parton level

An important question, central to this analysis, is whether the  $\sigma_{\text{eff}}$  extracted at detector level can be related to the same quantity at the parton level. This is relevant because the value of  $\sigma_{\text{eff}}$  used in theoretical applications is typically defined at parton level only. This question can be translated into how close the DPI rate at parton level,  $f_{\text{DP}}^{(\text{P})}$ , is to the extracted DPI rate at detector level in the MC samples,  $f_{\text{DP}}^{(\text{MC})}$ . The parton-level DPI fraction is defined as

$$f_{\text{DP}}^{(\text{P})} = \frac{N^{\text{P}}(W_{0\text{j}} + 2\text{j}_{\text{DPI}})}{N^{\text{P}}(W_{0\text{j}} + 2\text{j}_{\text{DPI}}) + N^{\text{P}}(W_{2\text{j}})}, \quad (14)$$

where the various  $N^{\text{P}}$  are the number of corresponding events at parton level. Here, the jets are directly identified with outgoing partons, with a fiducial acceptance chosen such that it matches that of the jets at detector level,

$$p_{\text{T}}^{\text{P}} \geq 20 \text{ GeV}, \quad |y^{\text{P}}| \leq 2.8 \quad \text{and} \quad \Delta R_{\text{P}\ell} > 0.5, \quad (15)$$

where  $\ell$  denotes charged leptons and P the partons, as recorded at the generator level. The parton-level counting of the quantities  $N^{\text{P}}(W_{0\text{j}} + 2\text{j}_{\text{DPI}})$  and  $N^{\text{P}}(W_{2\text{j}})$  was performed in the inclusive A+H+J MC sample after selection of  $W+2\text{-jet}$  events, and yielded


$$f_{\text{DP}}^{(\text{P})}(\Delta_{\text{jets}}^{\text{n}}) = 0.064 \pm 0.001 \quad (\text{stat.}), \quad (16)$$

which is within 10% of the equivalent quantity at detector level,  $f_{\text{DP}}^{(\text{MC})}$ .

### 7.4. Effect of $p_{\text{T}}^{\text{max}}$ value


There could be sizable differences between the DPI-off samples provided by A+H+J and SHERPA. The origin of these differences has been identified as the difference in the extent to which softer MPI, at scales below the dijet transverse momenta, are included in the samples. In SHERPA, the only option is to switch off all such secondary interactions, while in A+H+J this can be steered through the  $p_{\text{T}}^{\text{max}}$  cut. In the A+H+J samples, events are removed from the inclusive sample if the  $p_{\text{T}}$  in secondary parton-parton scatters is above  $p_{\text{T}}^{\text{max}} = 15 \text{ GeV}$ . All softer MPI scatters are left in the sample. In contrast, in the DPI-off SHERPA sample, *all* secondary parton scatters are switched off, corresponding roughly to a  $p_{\text{T}}^{\text{max}} \approx 3.5 \text{ GeV}$ . To see how closely the two models can agree,  $p_{\text{T}}^{\text{max}}$  in A+H+J was reduced to 3.5 GeV. Despite intrinsic differences in the MPI modelling, this choice replicates the SHERPA results to within 10%, as is discussed in Section 7.5.

In this particular analysis, it is desirable to include these soft MPI partons in both templates. In Template B they are present by default, and in Template A they must also be allowed as they do form a contribution to the direct production of  $W + 2\text{-jet}$  events in nature, which Template A is set up to model. However, there is also an upper constraint



**Figure 5.** Variation of the extracted fraction of double-parton scattering from the  $\Delta_{\text{jets}}^{\text{n}}$  distribution in the A+H+J MC simulation,  $f_{\text{DP}}^{\text{(MC)}}$  (black points), as a function of the transverse momentum cut imposed on the scattered partons,  $p_{\text{T}}^{\text{max}}$ . The band illustrates the statistical component of the uncertainty of  $f_{\text{DP}}^{\text{(MC)}}$ , relative to the reference sample with  $p_{\text{T}}^{\text{max}} = 15$  GeV, estimated by subtracting the statistical uncertainty of the reference sample in quadrature. The value,  $f_{\text{DP}}^{\text{(P)}}$ , of the fraction of double-parton scattering obtained directly at the parton level (see Equation (16)) is also shown as a dashed line.

on this threshold, since  $W_{0j} + 2j_{\text{DPI}}$  events where the jets have  $p_{\text{T}}$  above 20 GeV should not enter Template A. To determine the optimal  $p_{\text{T}}^{\text{max}}$ , alternative predictions for Template A with different  $p_{\text{T}}^{\text{max}}$  values were constructed from the inclusive A+H+J sample. Fits to  $\Delta_{\text{jets}}^{\text{n}}$  distributions with different values of  $p_{\text{T}}^{\text{max}}$  in the A+H+J sample forming Template A were obtained. At low  $p_{\text{T}}^{\text{max}}$  values,  $\leq 7.5$  GeV, the fits do not show good agreement with the A+H+J distribution, since then partons from soft MPI are removed in Template A and the hard jets become more correlated. This leads to an underestimation of  $f_{\text{DP}}^{\text{(MC)}}$ . Conversely, at high  $p_{\text{T}}^{\text{max}}$ , genuine  $W_0 + 2j_{\text{DPI}}$  events are not removed when constructing Template A, also leading to an underestimation of the extracted  $f_{\text{DP}}^{\text{(MC)}}$ . These two competing effects are visible in Figure 5, which shows  $f_{\text{DP}}^{\text{(MC)}}$  extracted as  $p_{\text{T}}^{\text{max}}$  is varied, along with the value of  $f_{\text{DP}}^{\text{(P)}}$ , as defined in Equation (16). Therefore, the fit with the best agreement between  $f_{\text{DP}}^{\text{(P)}}$  and  $f_{\text{DP}}^{\text{(MC)}}$  determines the value of  $p_{\text{T}}^{\text{max}} = 15$  GeV chosen as default for the construction of Template A in this analysis. In this case, the value of  $f_{\text{DP}}^{\text{(P)}}$ , as defined in Equation (16) (and indicated by the dotted line in Figure 5), is within 10% of the value  $f_{\text{DP}}^{\text{(MC)}}(\Delta_{\text{jets}}^{\text{n}}) = 0.059 \pm 0.007$  obtained from the templates fit. This implies that, when using the optimal  $p_{\text{T}}^{\text{max}}$  derived above, the value of  $f_{\text{DP}}^{\text{(MC)}}$  (and therefore  $f_{\text{DP}}^{\text{(D)}}$ ) can be regarded as a measurement at the parton level with an associated 10% uncertainty.



**Figure 6.** Distribution of  $\Delta_{\text{jets}}^n$  in the inclusive A+H+J pseudo-data (dots). (a) A+H+J with  $p_T^{\text{max}} = 3.5$  GeV and (b) SHERPA were used to provide Template A. Other details are as in the caption to Figure 4.

### 7.5. Model dependence of Template A

The effect of generator modelling is found by comparing the results for  $f_{\text{DP}}^{(\text{MC})}$ , when SHERPA is used to provide Template A,  $f_{\text{DP}}^{(\text{S})}$ , rather than A+H+J,  $f_{\text{DP}}^{(\text{AHJ})}$ . In this case for the A+H+J sample, the  $p_T^{\text{max}}$  parameter was set to 3.5 GeV to keep the samples comparable. The results of these fits, after applying the pile-up correction  $r_{\text{pile-up}}$ , are  $f_{\text{DP}}^{(\text{S})} = 0.031 \pm 0.008$  and  $f_{\text{DP}}^{(\text{AHJ})} = 0.034 \pm 0.006$ . The quoted uncertainties are statistical and correlated between the two. However, the difference is smaller than either of the uncertainties and thus the results are consistent. The results of the two fits to the inclusive A+H+J sample are shown in Figure 6.

### Extraction of $f_{\text{DP}}^{(\text{D})}$

Turning now to the data itself, the backgrounds are subtracted using the MC and data-driven estimates of Section 6.1. The parameter  $f_{\text{DP}}^{(\text{D})}$  was extracted from a fit to the distribution of  $\Delta_{\text{jets}}^n$  in the data sample of  $W+2\text{-jet}$  events after this physics background subtraction. After applying the pile-up correction  $r_{\text{pile-up}}$ , this yields

$$f_{\text{DP}}^{(\text{D})}(\Delta_{\text{jets}}^n) = 0.076 \pm 0.013 \text{ (stat.)}, \quad (17)$$


with  $\chi^2/N_{\text{dof}} = 37/28$ . The result quoted above is in good agreement with the result of a fit to the distribution of  $\Delta_{\text{jets}}^n$ . The resulting distributions obtained with  $f_{\text{DP}}^{(\text{D})}(\Delta_{\text{jets}}^n)$  are shown in Figure 7.

The systematic uncertainties on this extracted value of  $f_{\text{DP}}^{(\text{D})}$  are discussed in the following.

### Theoretical uncertainty

The uncertainty due to generator modelling is estimated by comparing the results for  $f_{\text{DP}}^{(\text{S})}$  with  $f_{\text{DP}}^{(\text{AHJ})}$ . To be conservative, the statistical uncertainty on  $f_{\text{DP}}^{(\text{S})}$  is propagated





**Figure 7.** Distribution of (a)  $\Delta_{jets}^n$  and (b)  $\Delta_{jets}$  in the background-subtracted data (dots) compared to the result from the best fit for  $f_{DP}^{(D)}(\Delta_{jets}^n)$ . The result is shown as the green histogram. In (a), the bins to the right of the vertical dash-dotted line were excluded from the fit. Data and the overall fit have been normalised to unity, Template A (dashed line) to  $1 - f_{DP}^{(D)}(\Delta_{jets}^n)$  and Template B (blue solid line) to  $f_{DP}^{(D)}(\Delta_{jets}^n)$ .

as a symmetric systematic uncertainty on  $f_{DP}^{(D)}$  due to the modelling. An additional uncertainty is due to the choice of  $p_T^{\max}$ . The systematic uncertainty due to the variation of this value is obtained by demanding that  $f_{DP}^{(MC)}$  and  $f_{DP}^{(P)}$  are consistent within statistical uncertainties. From Figure 5, upward and downward variations of  $p_T^{\max}$  by 2.5 GeV and 5 GeV, respectively, are deduced. The value of  $p_T^{\max}$  was varied by these two amounts, resulting in a variation in  $f_{DP}^{(MC)}$  of 0.003. The two uncertainties discussed above were added in quadrature to estimate the total theoretical uncertainty of 0.004.

### Jet energy scale and resolution

The overall impact of the jet energy scale on  $f_{DP}^{(D)}$  was determined by shifting the jet energy upwards and downwards in the MC samples by the jet energy scale uncertainty [46] and repeating the fit. The variations were found to be +0.009 and -0.008, respectively. The larger of these two was symmetrised to provide the systematic uncertainty on  $f_{DP}^{(D)}$  due to that on the jet energy scale. Similarly, the overall impact of the jet energy resolution on  $f_{DP}^{(D)}$  was determined by degrading the jet energy resolution in the Monte Carlo samples by the jet energy resolution uncertainty, and re-performing the fit. The variation in  $f_{DP}^{(D)}$  in this case, assumed to be symmetric, was found to be 0.005.

### Physics backgrounds and lepton response

The impact of both physics background modelling and lepton response was considered via a direct comparison of  $f_{DP}^{(D)}$  obtained separately in the  $W \rightarrow e\nu$  and  $W \rightarrow \mu\nu$  channels. Half of the obtained difference, which was at the sub-percent level, was taken as a measure of the associated uncertainty. The uncertainty associated with background subtraction was also determined by varying the background normalisation and shape. The multi-jet background

shape was varied in both channels by using MC instead of data-driven methods to estimate it, with no reversal of cuts. The shift in  $f_{\text{DP}}^{(\text{D})}$  in this case was  $-0.001$ . The normalisation of the multi-jet background was varied in the  $W \rightarrow e\nu$  channel by taking the relative normalisation of the background contribution from two independent methods of background estimation – this led to a relative variation of about 50%. For the  $W \rightarrow \mu\nu$  channel, in which multi-jet background is better understood, a fractional shift of 20% was assumed in the background normalisation. The shift in  $f_{\text{DP}}^{(\text{D})}$  when the multi-jet background normalisation was increased was found to be  $+0.008$ . The uncertainty associated with the normalisation of electroweak and top backgrounds was evaluated by increasing the predicted cross sections of these processes by their theoretical uncertainty of 5% [41], resulting in a  $+0.001$  variation in  $f_{\text{DP}}^{(\text{D})}$ . Symmetrising and then adding these uncertainties in quadrature yields the total uncertainty due to physics backgrounds and lepton response on  $f_{\text{DP}}^{(\text{D})}$  of 0.008.

### Pile-up

The systematic uncertainty due to this effect was evaluated by propagating the statistical uncertainty on the pile-up correction,  $r_{\text{pile-up}}$ , as determined in Section 7.2, resulting in an uncertainty on  $f_{\text{DP}}^{(\text{D})}$  of 0.010.

### Impact of $W + 1$ jet

It was verified that the contribution of  $W + 1$ -jet configurations from the hardest scatter supplemented with a single jet from a secondary scatter formed a negligible contribution to the DPI rate at parton level, as well as in the modelling of Template A.

The individual contributions to the systematic uncertainty on  $f_{\text{DP}}^{(\text{D})}$  are summarised in Table 1. The contributions are added in quadrature, yielding

$$f_{\text{DP}}^{(\text{D})} = 0.076 \pm 0.013 \text{ (stat.)} \pm 0.018 \text{ (sys.)}. \quad (18)$$

The extracted value of  $f_{\text{DP}}^{(\text{D})}$  is consistent with the value of  $f_{\text{DP}}^{(\text{MC})}$  extracted in Section 7, within the quoted uncertainties and hence with  $f_{\text{DP}}^{(\text{P})}$  at the parton level, as discussed in Section 7.3. This implies that the MC models studied in the analysis describe the rate and kinematics of the DPI contribution well.

## 8. Hadron-level studies


Since  $\sigma_{\text{eff}}$  and  $f_{\text{DP}}^{(\text{P})}$  are intrinsically parton-level quantities, they are not directly observable. Conversely,  $f_{\text{DP}}^{(\text{D})}$  contains residual dependencies on detector resolutions and efficiencies. This renders a direct comparison with theoretical models impossible. To allow the results of this study to be used for comparisons with MPI models in the future, the key distributions have been corrected for detector effects to the final-state hadron level. The hadron-level requirements mirror the selection described in Section 5, except that cuts were applied to hadron-level quantities in MC simulation. Hadron-level jets were constructed by running

**Table 1.** Summary of the fractional uncertainties on  $f_{\text{DP}}^{(\text{D})}$ .

Systematic source	Uncertainty [%]
Theory	10
Pile-up	13
Jet energy scale	12
Jet energy resolution	8
Background modelling & lepton response	11
Total systematic	24
Total statistical	17

the same jet finder as for the detector level, using all final-state hadron-level particles with lifetimes longer than 30 ps as input, with the neutrinos and the charged leptons originating from the decay of the  $W$  bosons being excluded. Jets were defined with the anti- $k_r$  algorithm with  $p_T > 20$  GeV,  $|y| < 2.8$  and  $R = 0.4$ . In addition, jets within a distance of  $\Delta R = 0.5$  from the leptons were removed. Dijet events were required to contain exactly two jets, reconstructed using the same algorithm, input objects and kinematic selection as already described. The  $\Delta_{\text{jets}}^{\text{n}}$  and  $\Delta_{\text{jets}}$  distributions in  $W+2\text{-jet}$  data unfolded to the hadron level are shown in Figure 8. The background-subtracted data has been corrected, using a Bayesian unfolding algorithm, to the hadron level using the RooUnfold package [59]. The response matrix used to unfold the data was trained on A+H+J predictions and two iterations were used to converge to the unfolded distributions, resulting in a smoother distribution than that seen at detector level. The unfolded results are compared with both A+H+J and SHERPA MC predictions directly obtained at hadron level.

The systematic uncertainties on the  $\Delta_{\text{jets}}^{\text{n}}$  and  $\Delta_{\text{jets}}$  distributions were obtained by repeating the studies outlined in Section 7.5 with the exception of pile-up uncertainty. The latter was estimated by comparing the background-subtracted, corrected data distributions measured at hadron level with that obtained when rejecting all events other than those with exactly one primary vertex selected as described in Section 5. The uncertainty due to the unfolding procedure itself was estimated as the shift in the corrected data distribution when SHERPA instead of A+H+J was used to train the response matrix. The overall uncertainty on the unfolded distribution was found, per bin of the distribution, by a quadrature sum of the uncertainties described above and is dominated by the pile-up uncertainty. For completeness, the unfolded  $\Delta_{\text{jets}}^{\text{n}}$  and  $\Delta_{\text{jets}}$  distributions are compared with a linear combination of Template A from A+H+J and Template B from PYTHIA6, both at the hadron level, in proportions determined by the value of  $f_{\text{DP}}^{(\text{D})}$ , as shown in Figure 9. Perfect agreement between  $f_{\text{DP}}^{(\text{D})}$  and its hadron-level equivalent is not expected as the phase space at hadron level, covered by the  $W+2\text{-jet}$  sample at detector level used for the determination of  $f_{\text{DP}}^{(\text{D})}$ , is not exactly the same as for the unfolded distribution. The value of  $f_{\text{DP}}^{(\text{D})}$  determined directly via a fit at the hadron level was found to be within 10% of the value determined at detector level.




**Figure 8.** Distributions of (a, b)  $\Delta_{\text{jets}}^n$  and (c, d)  $\Delta_{\text{jets}}$  in the data after unfolding to hadron level (dots) compared to MC expectations from (a, c) A+H+J and (b, d) SHERPA at the hadron level (green histogram). The error bars represent the quadrature sum of systematic and statistical uncertainties on each bin, and both histograms have been normalised to unity.

### Determination of $\sigma_{\text{eff}}$

The value of  $\sigma_{\text{eff}}$  is related to  $f_{\text{DP}}^{(\text{D})}$  through Equation (9). The additional input of the exclusivity ratio,  $N_{W0j}/N_{W+2j} = 23$ , is evaluated from the event yields in the selected  $W+2\text{-jet}$  and  $W+0\text{-jet}$  samples. The associated statistical uncertainty is at the 2% level. Additionally, the number of dijet events  $N_{2j} = 9488$  is obtained from the event yield in the early period of 2010 data taking, corresponding to an integrated luminosity of  $\mathcal{L}_{2j} = 184 \mu\text{b}^{-1}$ . In this period of data taking, the trigger selection for dijet events was measured to be fully efficient ( $\epsilon_{2j} = 1$ ) [46]. A further correction to  $N_{2j}$  was made for lepton–jet overlap removal, which was applied to the jets when constructing Template A but not in Template B. It was evaluated by applying overlap removal for jets in Template B, giving a correction factor of 0.96.

The systematic uncertainties are summarised in Table 2, with the following breakdown of their origins:

- The uncertainties on  $f_{\text{DP}}^{(\text{D})}$  – determined in Section 7.5 – are propagated asymmetrically to  $\sigma_{\text{eff}}$ .



**Figure 9.** Distributions of (a)  $\Delta_{\text{jets}}^n$  and (b)  $\Delta_{\text{jets}}$  in the data after unfolding to hadron level (dots) compared to the results of a linear combination with  $f_{\text{DP}}^{(\text{D})}$  (green histogram) of Template A extracted from A+H+J hadron-level simulation (dashed line) and of Template B obtained from the PYTHIA6 hadron-level simulation (solid blue line). The error bars on the data represent the quadrature sum of the statistical and systematic uncertainties. Data and the overall fit have been normalised to unity, Template A to  $1 - f_{\text{DP}}^{(\text{D})}(\Delta_{\text{jets}}^n)$  and Template B to  $f_{\text{DP}}^{(\text{D})}(\Delta_{\text{jets}}^n)$ .

- Physics backgrounds and response to leptons – the impact of the lepton energy response and background normalisation uncertainties were considered by propagating the uncertainty on  $f_{\text{DP}}^{(\text{D})}$  obtained for this effect. In addition, the impact of lepton scale and the background normalisation uncertainties on the exclusivity ratio,  $N_{W_{0j}}/N_{W+2j}$ , were included.
- Acceptance and response cancellation – Equation (8) is the result of factorisation which implies that the kinematics of the lepton and DPI system are not correlated, either in terms of geometrical acceptance or through detector response. Apart from the effect of lepton–jet overlap removal, which was discussed above, various sources of uncertainty on this assumption were considered and found to be negligible.


**Table 2.** Summary of fractional systematic uncertainties on  $\sigma_{\text{eff}}$ .

Systematic source	Uncertainty [%]
$f_{\text{DP}}^{(\text{D})}$	24
Background & lepton response	5
Luminosity	3
Total systematic	+33 -20
Total statistical	17

The above leads to a measured central value of

$$\sigma_{\text{eff}}(7 \text{ TeV}) = 15 \pm 3 \text{ (stat.) } {}_{-3}^{+5} \text{ (syst.) mb.} \quad (19)$$

Assuming factorisation, this value of  $\sigma_{\text{eff}}$  is consistent with values previously measured in other experiments at lower centre-of-mass [15–19], as can be seen in Figure 10.



**Figure 10.** The centre-of-mass energy,  $\sqrt{s}$ , dependence of  $\sigma_{\text{eff}}$  extracted in different processes in different experiments. An offset has been applied to the 1.8 TeV data points in order to distinguish them. The error bars on the data points represent the statistical and systematic uncertainties added in quadrature.

## 9. Conclusions

The double-parton interaction rate  $f_{\text{DP}}^{(\text{D})}$  in events with a  $W$  boson and exactly two jets in the final state has been extracted in  $pp$  collisions at a centre-of-mass energy of  $\sqrt{s} = 7$  TeV using data corresponding to an integrated luminosity of  $36 \text{ pb}^{-1}$ . For jets with transverse momentum  $p_{\text{T}} > 20$  GeV and rapidity  $|y| < 2.8$ , in the ATLAS detector at the LHC, a central value of

$$f_{\text{DP}}^{(\text{D})} = 0.08 \pm 0.01 \text{ (stat.)} \pm 0.02 \text{ (sys.)}$$

is obtained. In terms of measured rate and kinematics of the dijet system there is good agreement with the predictions of the MC models studied in the analysis. The result for  $f_{\text{DP}}^{(\text{D})}$  is used to extract the parameter  $\sigma_{\text{eff}}$  through the production of  $W+2\text{-jet}$  events. The value extracted from data is

$$\sigma_{\text{eff}}(7 \text{ TeV}) = 15 \pm 3 \text{ (stat.)} \pm_{-3}^{+5} \text{ (sys.) mb.}$$

This value is consistent with values previously measured in other experiments at lower centre-of-mass energies.

**10. Acknowledgements**

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET, ERC and NSRF, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT and NSRF, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

## References

- [1] P. V. Landshoff and J. C. Polkinghorne, Phys. Rev. D **18**, 3344 (1978).
- [2] F. Takagi, Phys. Rev. Lett. **43**, 1296 (1979) .
- [3] C. Goebel, F. Halzen and D. M. Scott, Phys. Rev. D **22**, 2789 (1980).
- [4] N. Paver and D. Treleani, Nuovo Cim. A **70**, 215 (1982).
- [5] M. Mekhfi, Phys. Rev. D **32**, 2371 (1985).
- [6] B. Humpert, Phys. Lett. B **135**, 179 (1984).
- [7] B. Humpert and R. Odorico, Phys. Lett. B **154**, 211 (1985).
- [8] L. Ametller, N. Paver and D. Treleani, Phys. Lett. B **169**, 289 (1986).
- [9] F. Halzen, P. Hoyer and W. J. Stirling, Phys. Lett. B **188**, 375-378 (1987).
- [10] R. M. Godbole, S. Gupta and J. Lindfors, Z. Phys. C **47**, 69-74 (1990).
- [11] M. Mekhfi, Phys. Rev. D **32**, 2380 (1985) .
- [12] V. P. Shelest, A. M. Snigirev and G. M. Zinovev, Phys. Lett. B **113**, 325 (1982).
- [13] ATLAS Collaboration, Nat. Commun. **2**, 463 (2011).
- [14] G. Antchev *et al.*, TOTEM Collaboration [arXiv:1110.1395 [hep-ex]].
- [15] T. Akesson *et al.*, AFS Collaboration, Z. Phys. C **34**, 163 (1987).
- [16] J. Alitti *et al.*, UA2 Collaboration, Phys. Lett. B **268**, 145-154 (1991).
- [17] F. Abe *et al.*, CDF Collaboration, Phys. Rev. D **47**, 4857-4871 (1993) .
- [18] F. Abe *et al.*, CDF Collaboration, Phys. Rev. D **56**, 3811-3832 (1997).
- [19] V. Abazov *et al.*, D0 Collaboration, Phys. Rev. D **81**, 052012 (2010).
- [20] G. Calucci and D. Treleani, Nucl. Phys. Proc. Suppl. **71**, 392-399(1999).
- [21] G. Calucci and D. Treleani, Phys. Rev. D **60**, 054023 (1999).
- [22] M. G. Ryskin and A. M. Snigirev, Phys. Rev. D **83**, 114047 (2011).
- [23] C. H. Kom, A. Kulesza and W. J. Stirling, [arXiv:1109.0309 [hep-ph]].
- [24] J. R. Gaunt and W. J. Stirling, J. High Energy Phys. **1003**, 005 (2010).
- [25] M. Diehl and A. Schafer, Phys. Lett. B **698**, 389-402(2011).
- [26] M. Drees and T. Han, Phys. Rev. Lett. **77**, 4142-4145 (1996).
- [27] A. Del Fabbro and D. Treleani, Phys. Rev. D **61**, 077502 (2000).
- [28] A. Kulesza and W. J. Stirling, Phys. Lett. B **475**, 168-175 (2000).
- [29] A. Del Fabbro and D. Treleani, Phys. Rev. D **66**, 074012 (2002).
- [30] M. Y. Hussein, Nucl. Phys. Proc. Suppl. **174**, 55-58 (2007).
- [31] E. Maina, J. High Energy Phys. **0904**, 098 (2009).
- [32] E. Maina, J. High Energy Phys. **0909**, 081 (2009).
- [33] E. L. Berger, C. B. Jackson and G. Shaughnessy, Phys. Rev. D **81**, 014014 (2010).
- [34] J. R. Gaunt *et al.*, Eur. Phys. J. C **69**, 53-65 (2010).
- [35] E. Maina, J. High Energy Phys. **1101**, 061 (2011).
- [36] ATLAS Collaboration, JINST **3** (2008) S08003.
- [37] B. Blok *et al.*, Eur. Phys. J. C **72**, 1963 (2012).
- [38] B. Blok *et al.*, Phys. Rev. D **83**, 071501 (2011).
- [39] J. R. Gaunt *et al.*, [arXiv:1110.1174v1 [hep-ex]].
- [40] J. R. Gaunt and W. J. Stirling, [arXiv:1202.3056v1 [hep-ex]].
- [41] ATLAS Collaboration, Phys. Rev. D **85**, 092002 (2012).
- [42] ATLAS Collaboration, Eur. Phys. J. C **72**, 1909 (2012).
- [43] ATLAS Collaboration, cds.cern.ch/record/1281339/files/ATLAS-CONF-2010-064.pdf
- [44] M. Cacciari, G. P. Salam and G. Soyez, J. High Energy Phys. **0408**, 063 (2008).
- [45] ATLAS Collaboration, Nucl. Instrum. Methods Phys. Res., Sect. A **545**, 803 (2005)
- [46] ATLAS Collaboration, CERN-PH-EP-2011-191
- [47] S. Agostinelli *et al.*, Nucl. Instrum. Methods Phys. Res., Sect. A **506**, 250 (2003).
- [48] ATLAS Collaboration, Eur. Phys. J. C **70**, 823 (2010).
- [49] J. Pumplin *et al.*, J. High Energy Phys. **0207**, 012 (2002).



- [50] M. L. Mangano *et al.*, J. High Energy Phys. **0307**, 001 (2003).
- [51] J. Alwall *et al.*, Eur. Phys. J. C **53**, 473 (2008).
- [52] G. Corcella *et al.*, J. High Energy Phys. **0101**, 010 (2001).
- [53] J. M. Butterworth, J. R. Forshaw and M. H. Seymour, Z. Phys. C **72**, 637-646 (1996).
- [54] T. Gleisberg *et al.*, J. High Energy Phys. **0902**, 007 (2009).
- [55] S. Catani *et al.*, J. High Energy Phys. **0111**, 063 (2001).
- [56] T. Sjostrand, S. Mrenna and P. Z. Skands, J. High Energy Phys. **0605**, 026 (2006).
- [57] S. Alioli *et al.*, J. High Energy Phys. **1006**, 043 (2010).
- [58] S. Frixione and B.R. Webber, J. High Energy Phys. **0206**, 029 (2002).
- [59] T. Auye, [arXiv:1105.1160 [hep-ex]].
- [60] M. L. Mangano, Z. Phys. C **42**, 331 (1989).

## The ATLAS Collaboration

G. Aad<sup>48</sup>, T. Abajyan<sup>21</sup>, B. Abbott<sup>111</sup>, J. Abdallah<sup>12</sup>, S. Abdel Khalek<sup>115</sup>, A.A. Abdelalim<sup>49</sup>, O. Abidinov<sup>11</sup>, R. Aben<sup>105</sup>, B. Abi<sup>112</sup>, M. Abolins<sup>88</sup>, O.S. AbouZeid<sup>158</sup>, H. Abramowicz<sup>153</sup>, H. Abreu<sup>136</sup>, M.I. Ochoa<sup>77</sup>, B.S. Acharya<sup>164a,164b,a</sup>, L. Adamczyk<sup>38</sup>, D.L. Adams<sup>25</sup>, T.N. Addy<sup>56</sup>, J. Adelman<sup>176</sup>, S. Adomeit<sup>98</sup>, P. Adragna<sup>75</sup>, T. Adye<sup>129</sup>, S. Aefsky<sup>23</sup>, J.A. Aguilar-Saavedra<sup>124b,b</sup>, M. Agustoni<sup>17</sup>, S.P. Ahlen<sup>22</sup>, F. Ahles<sup>48</sup>, A. Ahmad<sup>148</sup>, M. Ahsan<sup>41</sup>, G. Aielli<sup>133a,133b</sup>, T.P.A. Åkesson<sup>79</sup>, G. Akimoto<sup>155</sup>, A.V. Akimov<sup>94</sup>, M.A. Alam<sup>76</sup>, J. Albert<sup>169</sup>, S. Albrand<sup>55</sup>, M. Aleksa<sup>30</sup>, I.N. Aleksandrov<sup>64</sup>, F. Alessandria<sup>89a</sup>, C. Alexa<sup>26a</sup>, G. Alexander<sup>153</sup>, G. Alexandre<sup>49</sup>, T. Alexopoulos<sup>10</sup>, M. Alhroob<sup>164a,164c</sup>, M. Aliev<sup>16</sup>, G. Alimonti<sup>89a</sup>, J. Alison<sup>120</sup>, B.M.M. Allbrooke<sup>18</sup>, L.J. Allison<sup>71</sup>, P.P. Allport<sup>73</sup>, S.E. Allwood-Spiers<sup>53</sup>, J. Almond<sup>82</sup>, A. Aloisio<sup>102a,102b</sup>, R. Alon<sup>172</sup>, A. Alonso<sup>36</sup>, F. Alonso<sup>70</sup>, A. Altheimer<sup>35</sup>, B. Alvarez Gonzalez<sup>88</sup>, M.G. Alviggi<sup>102a,102b</sup>, K. Amako<sup>65</sup>, C. Amelung<sup>23</sup>, V.V. Ammosov<sup>128,\*</sup>, S.P. Amor Dos Santos<sup>124a</sup>, A. Amorim<sup>124a,c</sup>, S. Amoroso<sup>48</sup>, N. Amram<sup>153</sup>, C. Anastopoulos<sup>30</sup>, L.S. Ancu<sup>17</sup>, N. Andari<sup>115</sup>, T. Andeen<sup>35</sup>, C.F. Anders<sup>58b</sup>, G. Anders<sup>58a</sup>, K.J. Anderson<sup>31</sup>, A. Andreazza<sup>89a,89b</sup>, V. Andrei<sup>58a</sup>, X.S. Anduaga<sup>70</sup>, S. Angelidakis<sup>9</sup>, P. Anger<sup>44</sup>, A. Angerami<sup>35</sup>, F. Anghinolfi<sup>30</sup>, A. Anisenkov<sup>107</sup>, N. Anjos<sup>124a</sup>, A. Annovi<sup>47</sup>, A. Antonaki<sup>9</sup>, M. Antonelli<sup>47</sup>, A. Antonov<sup>96</sup>, J. Antos<sup>144b</sup>, F. Anulli<sup>132a</sup>, M. Aoki<sup>101</sup>, S. Aoun<sup>83</sup>, L. Aperio Bella<sup>5</sup>, R. Apolle<sup>118,d</sup>, G. Arabidze<sup>88</sup>, I. Aracena<sup>143</sup>, Y. Arai<sup>65</sup>, A.T.H. Arce<sup>45</sup>, S. Arfaoui<sup>148</sup>, J-F. Arguin<sup>93</sup>, S. Argyropoulos<sup>42</sup>, E. Arik<sup>19a,\*</sup>, M. Arik<sup>19a</sup>, A.J. Armbruster<sup>87</sup>, O. Arnaez<sup>81</sup>, V. Arnal<sup>80</sup>, A. Artamonov<sup>95</sup>, G. Artoni<sup>132a,132b</sup>, D. Arutinov<sup>21</sup>, S. Asai<sup>155</sup>, S. Ask<sup>28</sup>, B. Åsman<sup>146a,146b</sup>, L. Asquith<sup>6</sup>, K. Assamagan<sup>25,e</sup>, R. Astalos<sup>144a</sup>, A. Astbury<sup>169</sup>, M. Atkinson<sup>165</sup>, B. Auerbach<sup>6</sup>, E. Auge<sup>115</sup>, K. Augsten<sup>126</sup>, M. Auresseau<sup>145a</sup>, G. Avolio<sup>30</sup>, D. Axen<sup>168</sup>, G. Azuelos<sup>93,f</sup>, Y. Azuma<sup>155</sup>, M.A. Baak<sup>30</sup>, G. Baccaglioni<sup>89a</sup>, C. Bacci<sup>134a,134b</sup>, A.M. Bach<sup>15</sup>, H. Bachacou<sup>136</sup>, K. Bachas<sup>154</sup>, M. Backes<sup>49</sup>, M. Backhaus<sup>21</sup>, J. Backus Mayes<sup>143</sup>, E. Badescu<sup>26a</sup>, P. Bagnaia<sup>132a,132b</sup>, Y. Bai<sup>33a</sup>, D.C. Bailey<sup>158</sup>, T. Bain<sup>35</sup>, J.T. Baines<sup>129</sup>, O.K. Baker<sup>176</sup>, S. Baker<sup>77</sup>, P. Balek<sup>127</sup>, F. Balli<sup>136</sup>, E. Banas<sup>39</sup>, P. Banerjee<sup>93</sup>, Sw. Banerjee<sup>173</sup>, D. Banfi<sup>30</sup>, A. Bangert<sup>150</sup>, V. Bansal<sup>169</sup>, H.S. Bansil<sup>18</sup>, L. Barak<sup>172</sup>, S.P. Baranov<sup>94</sup>, T. Barber<sup>48</sup>, E.L. Barberio<sup>86</sup>, D. Barberis<sup>50a,50b</sup>, M. Barbero<sup>83</sup>, D.Y. Bardin<sup>64</sup>, T. Barillari<sup>99</sup>, M. Barisonzi<sup>175</sup>, T. Barklow<sup>143</sup>, N. Barlow<sup>28</sup>, B.M. Barnett<sup>129</sup>, R.M. Barnett<sup>15</sup>, A. Baroncelli<sup>134a</sup>, G. Barone<sup>49</sup>, A.J. Barr<sup>118</sup>, F. Barreiro<sup>80</sup>, J. Barreiro Guimarães da Costa<sup>57</sup>, R. Bartoldus<sup>143</sup>, A.E. Barton<sup>71</sup>, V. Bartsch<sup>149</sup>, A. Basye<sup>165</sup>, R.L. Bates<sup>53</sup>, L. Batkova<sup>144a</sup>, J.R. Batley<sup>28</sup>, A. Battaglia<sup>17</sup>, M. Battistin<sup>30</sup>, F. Bauer<sup>136</sup>, H.S. Bawa<sup>143,g</sup>, S. Beale<sup>98</sup>, T. Beau<sup>78</sup>, P.H. Beauchemin<sup>161</sup>, R. Beccherle<sup>50a</sup>, P. Bechtel<sup>21</sup>, H.P. Beck<sup>17</sup>, K. Becker<sup>175</sup>, S. Becker<sup>98</sup>, M. Beckingham<sup>138</sup>, K.H. Becks<sup>175</sup>, A.J. Beddall<sup>19c</sup>, A. Beddall<sup>19c</sup>, S. Bedikian<sup>176</sup>, V.A. Bednyakov<sup>64</sup>, C.P. Bee<sup>83</sup>, L.J. Beamster<sup>105</sup>, M. Begel<sup>25</sup>, S. Behar Harpaz<sup>152</sup>, C. Belanger-Champagne<sup>85</sup>, P.J. Bell<sup>49</sup>, W.H. Bell<sup>49</sup>, G. Bella<sup>153</sup>, L. Bellagamba<sup>20a</sup>, M. Bellomo<sup>30</sup>, A. Belloni<sup>57</sup>, O. Beloborodova<sup>107,h</sup>, K. Belotskiy<sup>96</sup>, O. Beltramello<sup>30</sup>, O. Benary<sup>153</sup>, D. Benchekroun<sup>135a</sup>, K. Bendtz<sup>146a,146b</sup>, N. Benekos<sup>165</sup>, Y. Benhammou<sup>153</sup>, E. Benhar Nocchioli<sup>49</sup>, J.A. Benitez Garcia<sup>159b</sup>, D.P. Benjamin<sup>45</sup>, M. Benoit<sup>115</sup>, J.R. Bensinger<sup>23</sup>, K. Benslama<sup>130</sup>,

S. Bentvelsen<sup>105</sup>, D. Berge<sup>30</sup>, E. Bergeaas Kuutmann<sup>42</sup>, N. Berger<sup>5</sup>, F. Berghaus<sup>169</sup>,  
 E. Berglund<sup>105</sup>, J. Beringer<sup>15</sup>, P. Bernat<sup>77</sup>, R. Bernhard<sup>48</sup>, C. Bernius<sup>25</sup>, F.U. Bernlochner<sup>169</sup>,  
 T. Berry<sup>76</sup>, C. Bertella<sup>83</sup>, A. Bertin<sup>20a,20b</sup>, F. Bertolucci<sup>122a,122b</sup>, M.I. Besana<sup>89a,89b</sup>,  
 G.J. Besjes<sup>104</sup>, N. Besson<sup>136</sup>, S. Bethke<sup>99</sup>, W. Bhimji<sup>46</sup>, R.M. Bianchi<sup>30</sup>, L. Bianchini<sup>23</sup>,  
 M. Bianco<sup>72a,72b</sup>, O. Biebel<sup>98</sup>, S.P. Bieniek<sup>77</sup>, K. Bierwagen<sup>54</sup>, J. Biesiada<sup>15</sup>,  
 M. Biglietti<sup>134a</sup>, H. Bilokon<sup>47</sup>, M. Bindi<sup>20a,20b</sup>, S. Binet<sup>115</sup>, A. Bingul<sup>19c</sup>, C. Bini<sup>132a,132b</sup>,  
 C. Biscarat<sup>178</sup>, B. Bittner<sup>99</sup>, C.W. Black<sup>150</sup>, J.E. Black<sup>143</sup>, K.M. Black<sup>22</sup>, R.E. Blair<sup>6</sup>,  
 J.-B. Blanchard<sup>136</sup>, T. Blazek<sup>144a</sup>, I. Bloch<sup>42</sup>, C. Blocker<sup>23</sup>, J. Blocki<sup>39</sup>, W. Blum<sup>81</sup>,  
 U. Blumenschein<sup>54</sup>, G.J. Bobbink<sup>105</sup>, V.S. Bobrovnikov<sup>107</sup>, S.S. Bocchetta<sup>79</sup>, A. Bocci<sup>45</sup>,  
 C.R. Boddy<sup>118</sup>, M. Boehler<sup>48</sup>, J. Boek<sup>175</sup>, T.T. Boek<sup>175</sup>, N. Boelaert<sup>36</sup>, J.A. Bogaerts<sup>30</sup>,  
 A. Bogdanchikov<sup>107</sup>, A. Bogouch<sup>90,\*</sup>, C. Bohm<sup>146a</sup>, J. Bohm<sup>125</sup>, V. Boisvert<sup>76</sup>, T. Bold<sup>38</sup>,  
 V. Boldea<sup>26a</sup>, N.M. Bolnet<sup>136</sup>, M. Bomben<sup>78</sup>, M. Bona<sup>75</sup>, M. Boonekamp<sup>136</sup>, S. Bordini<sup>78</sup>,  
 C. Borer<sup>17</sup>, A. Borisov<sup>128</sup>, G. Borissov<sup>71</sup>, I. Borjanovic<sup>13a</sup>, M. Borri<sup>82</sup>, S. Borroni<sup>42</sup>,  
 J. Bortfeldt<sup>98</sup>, V. Bortolotto<sup>134a,134b</sup>, K. Bos<sup>105</sup>, D. Boscherini<sup>20a</sup>, M. Bosman<sup>12</sup>,  
 H. Boterenbrood<sup>105</sup>, J. Bouchami<sup>93</sup>, J. Boudreau<sup>123</sup>, E.V. Bouhova-Thacker<sup>71</sup>,  
 D. Boumediene<sup>34</sup>, C. Bourdarios<sup>115</sup>, N. Bousson<sup>83</sup>, S. Boutouil<sup>135d</sup>, A. Boveia<sup>31</sup>, J. Boyd<sup>30</sup>,  
 I.R. Boyko<sup>64</sup>, I. Bozovic-Jelisavcic<sup>13b</sup>, J. Bracinik<sup>18</sup>, P. Branchini<sup>134a</sup>, A. Brandt<sup>8</sup>,  
 G. Brandt<sup>118</sup>, O. Brandt<sup>54</sup>, U. Bratzler<sup>156</sup>, B. Brau<sup>84</sup>, J.E. Brau<sup>114</sup>, H.M. Braun<sup>175,\*</sup>,  
 S.F. Brazzale<sup>164a,164c</sup>, B. Brelier<sup>158</sup>, J. Bremer<sup>30</sup>, K. Brendlinger<sup>120</sup>, R. Brenner<sup>166</sup>,  
 S. Bressler<sup>172</sup>, T.M. Bristow<sup>145b</sup>, D. Britton<sup>53</sup>, F.M. Brochu<sup>28</sup>, I. Brock<sup>21</sup>, R. Brock<sup>88</sup>,  
 F. Broggi<sup>89a</sup>, C. Bromberg<sup>88</sup>, J. Bronner<sup>99</sup>, G. Brooijmans<sup>35</sup>, T. Brooks<sup>76</sup>, W.K. Brooks<sup>32b</sup>,  
 G. Brown<sup>82</sup>, P.A. Bruckman de Renstrom<sup>39</sup>, D. Bruncko<sup>144b</sup>, R. Bruneliere<sup>48</sup>, S. Brunet<sup>60</sup>,  
 A. Bruni<sup>20a</sup>, G. Bruni<sup>20a</sup>, M. Bruschi<sup>20a</sup>, L. Bryngemark<sup>79</sup>, T. Buanes<sup>14</sup>, Q. Buat<sup>55</sup>,  
 F. Bucci<sup>49</sup>, J. Buchanan<sup>118</sup>, P. Buchholz<sup>141</sup>, R.M. Buckingham<sup>118</sup>, A.G. Buckley<sup>46</sup>,  
 S.I. Buda<sup>26a</sup>, I.A. Budagov<sup>64</sup>, B. Budick<sup>108</sup>, V. Büscher<sup>81</sup>, L. Bugge<sup>117</sup>, O. Bulekov<sup>96</sup>,  
 A.C. Bundock<sup>73</sup>, M. Bunse<sup>43</sup>, T. Buran<sup>117</sup>, H. Burckhart<sup>30</sup>, S. Burdin<sup>73</sup>, T. Burgess<sup>14</sup>,  
 S. Burke<sup>129</sup>, E. Busato<sup>34</sup>, P. Bussey<sup>53</sup>, C.P. Buszello<sup>166</sup>, B. Butler<sup>143</sup>, J.M. Butler<sup>22</sup>,  
 C.M. Buttar<sup>53</sup>, J.M. Butterworth<sup>77</sup>, W. Buttinger<sup>28</sup>, M. Byszewski<sup>30</sup>, S. Cabrera Urbán<sup>167</sup>,  
 D. Caforio<sup>20a,20b</sup>, O. Cakir<sup>4a</sup>, P. Calafiura<sup>15</sup>, G. Calderini<sup>78</sup>, P. Calfayan<sup>98</sup>, R. Calkins<sup>106</sup>,  
 L.P. Caloba<sup>24a</sup>, R. Caloi<sup>132a,132b</sup>, D. Calvet<sup>34</sup>, S. Calvet<sup>34</sup>, R. Camacho Toro<sup>34</sup>,  
 P. Camarri<sup>133a,133b</sup>, D. Cameron<sup>117</sup>, L.M. Caminada<sup>15</sup>, R. Caminal Armadans<sup>12</sup>,  
 S. Campana<sup>30</sup>, M. Campanelli<sup>77</sup>, V. Canale<sup>102a,102b</sup>, F. Canelli<sup>31</sup>, A. Canepa<sup>159a</sup>,  
 J. Cantero<sup>80</sup>, R. Cantrill<sup>76</sup>, T. Cao<sup>40</sup>, M.D.M. Capeans Garrido<sup>30</sup>, I. Caprini<sup>26a</sup>,  
 M. Caprini<sup>26a</sup>, D. Capriotti<sup>99</sup>, M. Capua<sup>37a,37b</sup>, R. Caputo<sup>81</sup>, R. Cardarelli<sup>133a</sup>, T. Carli<sup>30</sup>,  
 G. Carlino<sup>102a</sup>, L. Carminati<sup>89a,89b</sup>, S. Caron<sup>104</sup>, E. Carquin<sup>32b</sup>, G.D. Carrillo-Montoya<sup>145b</sup>,  
 A.A. Carter<sup>75</sup>, J.R. Carter<sup>28</sup>, J. Carvalho<sup>124a,i</sup>, D. Casadei<sup>108</sup>, M.P. Casado<sup>12</sup>,  
 M. Cascella<sup>122a,122b</sup>, C. Caso<sup>50a,50b,\*</sup>, E. Castaneda-Miranda<sup>173</sup>, V. Castillo Gimenez<sup>167</sup>,  
 N.F. Castro<sup>124a</sup>, G. Cataldi<sup>72a</sup>, P. Catastini<sup>57</sup>, A. Catinaccio<sup>30</sup>, J.R. Catmore<sup>30</sup>, A. Cattai<sup>30</sup>,  
 G. Cattani<sup>133a,133b</sup>, S. Caughron<sup>88</sup>, V. Cavaliere<sup>165</sup>, P. Cavalleri<sup>78</sup>, D. Cavalli<sup>89a</sup>,  
 M. Cavalli-Sforza<sup>12</sup>, V. Cavasinni<sup>122a,122b</sup>, F. Ceradini<sup>134a,134b</sup>, A.S. Cerqueira<sup>24b</sup>,  
 A. Cerri<sup>15</sup>, L. Cerrito<sup>75</sup>, F. Cerutti<sup>15</sup>, S.A. Cetin<sup>19b</sup>, A. Chafaq<sup>135a</sup>, D. Chakraborty<sup>106</sup>,  
 I. Chalupkova<sup>127</sup>, K. Chan<sup>3</sup>, P. Chang<sup>165</sup>, B. Chapleau<sup>85</sup>, J.D. Chapman<sup>28</sup>, J.W. Chapman<sup>87</sup>,

D.G. Charlton<sup>18</sup>, V. Chavda<sup>82</sup>, C.A. Chavez Barajas<sup>30</sup>, S. Cheatham<sup>85</sup>, S. Chekanov<sup>6</sup>,  
 S.V. Chekulaev<sup>159a</sup>, G.A. Chelkov<sup>64</sup>, M.A. Chelstowska<sup>104</sup>, C. Chen<sup>63</sup>, H. Chen<sup>25</sup>,  
 S. Chen<sup>33c</sup>, X. Chen<sup>173</sup>, Y. Chen<sup>35</sup>, Y. Cheng<sup>31</sup>, A. Cheplakov<sup>64</sup>,  
 R. Cherkaoui El Moursli<sup>135e</sup>, V. Chernyatin<sup>25</sup>, E. Cheu<sup>7</sup>, S.L. Cheung<sup>158</sup>, L. Chevalier<sup>136</sup>,  
 G. Chiefari<sup>102a,102b</sup>, L. Chikovani<sup>51a,\*</sup>, J.T. Childers<sup>30</sup>, A. Chilingarov<sup>71</sup>, G. Chiodini<sup>72a</sup>,  
 A.S. Chisholm<sup>18</sup>, R.T. Chislett<sup>77</sup>, A. Chitan<sup>26a</sup>, M.V. Chizhov<sup>64</sup>, G. Choudalakis<sup>31</sup>,  
 S. Houridou<sup>9</sup>, B.K.B. Chow<sup>98</sup>, I.A. Christidi<sup>77</sup>, A. Christov<sup>48</sup>, D. Chromek-Burckhart<sup>30</sup>,  
 M.L. Chu<sup>151</sup>, J. Chudoba<sup>125</sup>, G. Ciapetti<sup>132a,132b</sup>, A.K. Ciftci<sup>4a</sup>, R. Ciftci<sup>4a</sup>, D. Cinca<sup>62</sup>,  
 V. Cindro<sup>74</sup>, A. Ciocio<sup>15</sup>, M. Cirilli<sup>87</sup>, P. Cirkovic<sup>13b</sup>, Z.H. Citron<sup>172</sup>, M. Citterio<sup>89a</sup>,  
 M. Ciubancan<sup>26a</sup>, A. Clark<sup>49</sup>, P.J. Clark<sup>46</sup>, R.N. Clarke<sup>15</sup>, W. Cleland<sup>123</sup>, J.C. Clemens<sup>83</sup>,  
 B. Clement<sup>55</sup>, C. Clement<sup>146a,146b</sup>, Y. Coadou<sup>83</sup>, M. Cobal<sup>164a,164c</sup>, A. Coccaro<sup>138</sup>,  
 J. Cochran<sup>63</sup>, L. Coffey<sup>23</sup>, J.G. Cogan<sup>143</sup>, J. Coggeshall<sup>165</sup>, J. Colas<sup>5</sup>, S. Cole<sup>106</sup>,  
 A.P. Colijn<sup>105</sup>, N.J. Collins<sup>18</sup>, C. Collins-Tooth<sup>53</sup>, J. Collot<sup>55</sup>, T. Colombo<sup>119a,119b</sup>,  
 G. Colon<sup>84</sup>, G. Compostella<sup>99</sup>, P. Conde Muiño<sup>124a</sup>, E. Coniavitis<sup>166</sup>, M.C. Conidi<sup>12</sup>,  
 S.M. Consonni<sup>89a,89b</sup>, V. Consorti<sup>48</sup>, S. Constantinescu<sup>26a</sup>, C. Conta<sup>119a,119b</sup>, G. Conti<sup>57</sup>,  
 F. Conventi<sup>102a,j</sup>, M. Cooke<sup>15</sup>, B.D. Cooper<sup>77</sup>, A.M. Cooper-Sarkar<sup>118</sup>, K. Copic<sup>15</sup>,  
 T. Cornelissen<sup>175</sup>, M. Corradi<sup>20a</sup>, F. Corriveau<sup>85,k</sup>, A. Cortes-Gonzalez<sup>165</sup>, G. Cortiana<sup>99</sup>,  
 G. Costa<sup>89a</sup>, M.J. Costa<sup>167</sup>, D. Costanzo<sup>139</sup>, D. Côté<sup>30</sup>, G. Cottin<sup>32a</sup>, L. Courneyea<sup>169</sup>,  
 G. Cowan<sup>76</sup>, B.E. Cox<sup>82</sup>, K. Cranmer<sup>108</sup>, F. Crescioli<sup>78</sup>, M. Cristinziani<sup>21</sup>, G. Crosetti<sup>37a,37b</sup>,  
 S. Crépe-Renaudin<sup>55</sup>, C.-M. Cuciuc<sup>26a</sup>, C. Cuenca Almenar<sup>176</sup>, T. Cuhadar Donszelmann<sup>139</sup>,  
 J. Cummings<sup>176</sup>, M. Curatolo<sup>47</sup>, C.J. Curtis<sup>18</sup>, C. Cuthbert<sup>150</sup>, P. Cwetanski<sup>60</sup>, H. Czirr<sup>141</sup>,  
 P. Czodrowski<sup>44</sup>, Z. Czyczula<sup>176</sup>, S. D'Auria<sup>53</sup>, M. D'Onofrio<sup>73</sup>, A. D'Orazio<sup>132a,132b</sup>,  
 M.J. Da Cunha Sargedas De Sousa<sup>124a</sup>, C. Da Via<sup>82</sup>, W. Dabrowski<sup>38</sup>, A. Dafinca<sup>118</sup>,  
 T. Dai<sup>87</sup>, F. Dallahre<sup>93</sup>, C. Dallapiccola<sup>84</sup>, M. Dam<sup>36</sup>, D.S. Damiani<sup>137</sup>, H.O. Danielsson<sup>30</sup>,  
 V. Dao<sup>104</sup>, G. Darbo<sup>50a</sup>, G.L. Darlea<sup>26b</sup>, J.A. Dassoulas<sup>42</sup>, W. Davey<sup>21</sup>, T. Davidek<sup>127</sup>,  
 N. Davidson<sup>86</sup>, R. Davidson<sup>71</sup>, E. Davies<sup>118,d</sup>, M. Davies<sup>93</sup>, O. Davignon<sup>78</sup>, A.R. Davison<sup>77</sup>,  
 Y. Davygora<sup>58a</sup>, E. Dawe<sup>142</sup>, I. Dawson<sup>139</sup>, R.K. Daya-Ishmukhametova<sup>23</sup>, K. De<sup>8</sup>,  
 R. de Asmundis<sup>102a</sup>, S. De Castro<sup>20a,20b</sup>, S. De Cecco<sup>78</sup>, J. de Graat<sup>98</sup>, N. De Groot<sup>104</sup>,  
 P. de Jong<sup>105</sup>, C. De La Taille<sup>115</sup>, H. De la Torre<sup>80</sup>, F. De Lorenzi<sup>63</sup>, L. De Nooij<sup>105</sup>,  
 D. De Pedis<sup>132a</sup>, A. De Salvo<sup>132a</sup>, U. De Sanctis<sup>164a,164c</sup>, A. De Santo<sup>149</sup>,  
 J.B. De Vivie De Regie<sup>115</sup>, G. De Zorzi<sup>132a,132b</sup>, W.J. Dearnaley<sup>71</sup>, R. Debbé<sup>25</sup>,  
 C. Debenedetti<sup>46</sup>, B. Dechenaux<sup>55</sup>, D.V. Dedovich<sup>64</sup>, J. Degenhardt<sup>120</sup>, J. Del Peso<sup>80</sup>,  
 T. Del Prete<sup>122a,122b</sup>, T. Delemontex<sup>55</sup>, M. Deliyergiyev<sup>74</sup>, A. Dell'Acqua<sup>30</sup>, L. Dell'Asta<sup>22</sup>,  
 M. Della Pietra<sup>102a,j</sup>, D. della Volpe<sup>102a,102b</sup>, M. Delmastro<sup>5</sup>, P.A. Delsart<sup>55</sup>, C. Deluca<sup>105</sup>,  
 S. Demers<sup>176</sup>, M. Demichev<sup>64</sup>, B. Demirköz<sup>12,l</sup>, S.P. Denisov<sup>128</sup>, D. Derendarz<sup>39</sup>,  
 J.E. Derkaoui<sup>135d</sup>, F. Derue<sup>78</sup>, P. Dervan<sup>73</sup>, K. Desch<sup>21</sup>, P.O. Deviveiros<sup>105</sup>, A. Dewhurst<sup>129</sup>,  
 B. DeWilde<sup>148</sup>, S. Dhaliwal<sup>158</sup>, R. Dhullipudi<sup>25,m</sup>, A. Di Ciaccio<sup>133a,133b</sup>, L. Di Ciaccio<sup>5</sup>,  
 C. Di Donato<sup>102a,102b</sup>, A. Di Girolamo<sup>30</sup>, B. Di Girolamo<sup>30</sup>, S. Di Luise<sup>134a,134b</sup>,  
 A. Di Mattia<sup>152</sup>, B. Di Micco<sup>30</sup>, R. Di Nardo<sup>47</sup>, A. Di Simone<sup>133a,133b</sup>, R. Di Sipio<sup>20a,20b</sup>,  
 M.A. Diaz<sup>32a</sup>, E.B. Diehl<sup>87</sup>, J. Dietrich<sup>42</sup>, T.A. Dietzsch<sup>58a</sup>, S. Diglio<sup>86</sup>, K. Dindar Yagci<sup>40</sup>,  
 J. Dingfelder<sup>21</sup>, F. Dinut<sup>26a</sup>, C. Dionisi<sup>132a,132b</sup>, P. Dita<sup>26a</sup>, S. Dita<sup>26a</sup>, F. Dittus<sup>30</sup>, F. Djama<sup>83</sup>,  
 T. Djobava<sup>51b</sup>, M.A.B. do Vale<sup>24c</sup>, A. Do Valle Wemans<sup>124a,n</sup>, T.K.O. Doan<sup>5</sup>, M. Dobbs<sup>85</sup>,

D. Dobos<sup>30</sup>, E. Dobson<sup>77</sup>, J. Dodd<sup>35</sup>, C. Doglioni<sup>49</sup>, T. Doherty<sup>53</sup>, Y. Doi<sup>65,\*</sup>, J. Dolejsi<sup>127</sup>,  
 Z. Dolezal<sup>127</sup>, B.A. Dolgoshein<sup>96,\*</sup>, T. Dohmae<sup>155</sup>, M. Donadelli<sup>24d</sup>, J. Donini<sup>34</sup>, J. Dopke<sup>30</sup>,  
 A. Doria<sup>102a</sup>, A. Dos Anjos<sup>173</sup>, A. Dotti<sup>122a,122b</sup>, M.T. Dova<sup>70</sup>, A.D. Doxiadis<sup>105</sup>,  
 A.T. Doyle<sup>53</sup>, N. Dressnandt<sup>120</sup>, M. Dris<sup>10</sup>, J. Dubbert<sup>99</sup>, S. Dube<sup>15</sup>, E. Dubreuil<sup>34</sup>,  
 E. Duchovni<sup>172</sup>, G. Duckeck<sup>98</sup>, D. Duda<sup>175</sup>, A. Dudarev<sup>30</sup>, F. Dudziak<sup>63</sup>, M. Dührssen<sup>30</sup>,  
 I.P. Duerdoth<sup>82</sup>, L. Duflot<sup>115</sup>, M-A. Dufour<sup>85</sup>, L. Duguid<sup>76</sup>, M. Dunford<sup>58a</sup>,  
 H. Duran Yildiz<sup>4a</sup>, R. Duxfield<sup>139</sup>, M. Dwuznik<sup>38</sup>, M. Düren<sup>52</sup>, W.L. Ebenstein<sup>45</sup>, J. Ebke<sup>98</sup>,  
 S. Eckweiler<sup>81</sup>, W. Edson<sup>2</sup>, C.A. Edwards<sup>76</sup>, N.C. Edwards<sup>53</sup>, W. Ehrenfeld<sup>21</sup>, T. Eifert<sup>143</sup>,  
 G. Eigen<sup>14</sup>, K. Einsweiler<sup>15</sup>, E. Eisenhandler<sup>75</sup>, T. Ekelof<sup>166</sup>, M. El Kacimi<sup>135c</sup>, M. Ellert<sup>166</sup>,  
 S. Elles<sup>5</sup>, F. Ellinghaus<sup>81</sup>, K. Ellis<sup>75</sup>, N. Ellis<sup>30</sup>, J. Elmsheuser<sup>98</sup>, M. Elsing<sup>30</sup>,  
 D. Emelianov<sup>129</sup>, R. Engelmann<sup>148</sup>, A. Engl<sup>98</sup>, B. Epp<sup>61</sup>, J. Erdmann<sup>176</sup>, A. Ereditato<sup>17</sup>,  
 D. Eriksson<sup>146a</sup>, J. Ernst<sup>2</sup>, M. Ernst<sup>25</sup>, J. Ernwein<sup>136</sup>, D. Errede<sup>165</sup>, S. Errede<sup>165</sup>, E. Ertel<sup>81</sup>,  
 M. Escalier<sup>115</sup>, H. Esch<sup>43</sup>, C. Escobar<sup>123</sup>, X. Espinal Curull<sup>12</sup>, B. Esposito<sup>47</sup>, F. Etienne<sup>83</sup>,  
 A.I. Etienvre<sup>136</sup>, E. Etzion<sup>153</sup>, D. Evangelakou<sup>54</sup>, H. Evans<sup>60</sup>, L. Fabbri<sup>20a,20b</sup>, C. Fabre<sup>30</sup>,  
 R.M. Fakhruddinov<sup>128</sup>, S. Falciano<sup>132a</sup>, Y. Fang<sup>33a</sup>, M. Fanti<sup>89a,89b</sup>, A. Farbin<sup>8</sup>, A. Farilla<sup>134a</sup>,  
 J. Farley<sup>148</sup>, T. Farooque<sup>158</sup>, S. Farrell<sup>163</sup>, S.M. Farrington<sup>170</sup>, P. Farthouat<sup>30</sup>, F. Fassi<sup>167</sup>,  
 P. Fassnacht<sup>30</sup>, D. Fassouliotis<sup>9</sup>, B. Fatholahzadeh<sup>158</sup>, A. Favareto<sup>89a,89b</sup>, L. Fayard<sup>115</sup>,  
 P. Federic<sup>144a</sup>, O.L. Fedin<sup>121</sup>, W. Fedorko<sup>168</sup>, M. Fehling-Kaschek<sup>48</sup>, L. Feligioni<sup>83</sup>,  
 C. Feng<sup>33d</sup>, E.J. Feng<sup>6</sup>, A.B. Fenyuk<sup>128</sup>, J. Ferencei<sup>144b</sup>, W. Fernando<sup>6</sup>, S. Ferrag<sup>53</sup>,  
 J. Ferrando<sup>53</sup>, V. Ferrara<sup>42</sup>, A. Ferrari<sup>166</sup>, P. Ferrari<sup>105</sup>, R. Ferrari<sup>119a</sup>,  
 D.E. Ferreira de Lima<sup>53</sup>, A. Ferrer<sup>167</sup>, D. Ferrere<sup>49</sup>, C. Ferretti<sup>87</sup>, A. Ferretto Parodi<sup>50a,50b</sup>,  
 M. Fiascaris<sup>31</sup>, F. Fiedler<sup>81</sup>, A. Filipčič<sup>74</sup>, F. Filthaut<sup>104</sup>, M. Fincke-Keeler<sup>169</sup>,  
 M.C.N. Fiolhais<sup>124a,i</sup>, L. Fiorini<sup>167</sup>, A. Firan<sup>40</sup>, G. Fischer<sup>42</sup>, M.J. Fisher<sup>109</sup>,  
 E.A. Fitzgerald<sup>23</sup>, M. Flechl<sup>48</sup>, I. Fleck<sup>141</sup>, P. Fleischmann<sup>174</sup>, S. Fleischmann<sup>175</sup>,  
 G.T. Fletcher<sup>139</sup>, G. Fletcher<sup>75</sup>, T. Flick<sup>175</sup>, A. Floderus<sup>79</sup>, L.R. Flores Castillo<sup>173</sup>,  
 A.C. Florez Bustos<sup>159b</sup>, M.J. Flowerdew<sup>99</sup>, T. Fonseca Martin<sup>17</sup>, A. Formica<sup>136</sup>, A. Forti<sup>82</sup>,  
 D. Fortin<sup>159a</sup>, D. Fournier<sup>115</sup>, A.J. Fowler<sup>45</sup>, H. Fox<sup>71</sup>, P. Francavilla<sup>12</sup>, M. Franchini<sup>20a,20b</sup>,  
 S. Franchino<sup>30</sup>, D. Francis<sup>30</sup>, T. Frank<sup>172</sup>, M. Franklin<sup>57</sup>, S. Franz<sup>30</sup>, M. Fraternali<sup>119a,119b</sup>,  
 S. Fratina<sup>120</sup>, S.T. French<sup>28</sup>, C. Friedrich<sup>42</sup>, F. Friedrich<sup>44</sup>, D. Froidevaux<sup>30</sup>, J.A. Frost<sup>28</sup>,  
 C. Fukunaga<sup>156</sup>, E. Fullana Torregrosa<sup>127</sup>, B.G. Fulson<sup>143</sup>, J. Fuster<sup>167</sup>, C. Gabaldon<sup>30</sup>,  
 O. Gabizon<sup>172</sup>, S. Gadatsch<sup>105</sup>, T. Gadfort<sup>25</sup>, S. Gadomski<sup>49</sup>, G. Gagliardi<sup>50a,50b</sup>,  
 P. Gagnon<sup>60</sup>, C. Galea<sup>98</sup>, B. Galhardo<sup>124a</sup>, E.J. Gallas<sup>118</sup>, V. Gallo<sup>17</sup>, B.J. Gallop<sup>129</sup>,  
 P. Gallus<sup>126</sup>, K.K. Gan<sup>109</sup>, Y.S. Gao<sup>143,g</sup>, A. Gaponenko<sup>15</sup>, F.M. Garay Walls<sup>46</sup>,  
 F. Garberon<sup>176</sup>, M. Garcia-Sciveres<sup>15</sup>, C. García<sup>167</sup>, J.E. García Navarro<sup>167</sup>,  
 R.W. Gardner<sup>31</sup>, N. Garelli<sup>143</sup>, V. Garonne<sup>30</sup>, C. Gatti<sup>47</sup>, G. Gaudio<sup>119a</sup>, B. Gaur<sup>141</sup>,  
 L. Gauthier<sup>93</sup>, P. Gauzzi<sup>132a,132b</sup>, I.L. Gavrilenko<sup>94</sup>, C. Gay<sup>168</sup>, G. Gaycken<sup>21</sup>, E.N. Gazis<sup>10</sup>,  
 P. Ge<sup>33d</sup>, Z. Gecse<sup>168</sup>, C.N.P. Gee<sup>129</sup>, D.A.A. Geerts<sup>105</sup>, Ch. Geich-Gimbel<sup>21</sup>,  
 K. Gellerstedt<sup>146a,146b</sup>, C. Gemme<sup>50a</sup>, A. Gemmell<sup>53</sup>, M.H. Genest<sup>55</sup>, S. Gentile<sup>132a,132b</sup>,  
 M. George<sup>54</sup>, S. George<sup>76</sup>, D. Gerbaudo<sup>12</sup>, P. Gerlach<sup>175</sup>, A. Gershon<sup>153</sup>, C. Geweniger<sup>58a</sup>,  
 H. Ghazlane<sup>135b</sup>, N. Ghodbane<sup>34</sup>, B. Giacobbe<sup>20a</sup>, S. Giagu<sup>132a,132b</sup>, V. Giangiobbe<sup>12</sup>,  
 F. Gianotti<sup>30</sup>, B. Gibbard<sup>25</sup>, A. Gibson<sup>158</sup>, S.M. Gibson<sup>30</sup>, M. Gilchriese<sup>15</sup>, T.P.S. Gillam<sup>28</sup>,  
 D. Gillberg<sup>30</sup>, A.R. Gillman<sup>129</sup>, D.M. Gingrich<sup>3,f</sup>, J. Ginzburg<sup>153</sup>, N. Giokaris<sup>9</sup>,

M.P. Giordani<sup>164c</sup>, R. Giordano<sup>102a,102b</sup>, F.M. Giorgi<sup>16</sup>, P. Giovannini<sup>99</sup>, P.F. Giraud<sup>136</sup>,  
D. Giugni<sup>89a</sup>, M. Giunta<sup>93</sup>, B.K. Gjelsten<sup>117</sup>, L.K. Gladilin<sup>97</sup>, C. Glasman<sup>80</sup>, J. Glatzer<sup>21</sup>,  
A. Glazov<sup>42</sup>, G.L. Glonti<sup>64</sup>, J.R. Goddard<sup>75</sup>, J. Godfrey<sup>142</sup>, J. Godlewski<sup>30</sup>, M. Goebel<sup>42</sup>,  
T. Göpfert<sup>44</sup>, C. Goeringer<sup>81</sup>, C. Gössling<sup>43</sup>, S. Goldfarb<sup>87</sup>, T. Golling<sup>176</sup>, D. Golubkov<sup>128</sup>,  
A. Gomes<sup>124a,c</sup>, L.S. Gomez Fajardo<sup>42</sup>, R. Gonalo<sup>76</sup>,  
J. Goncalves Pinto Firmino Da Costa<sup>42</sup>, L. Gonella<sup>21</sup>, S. Gonzalez de la Hoz<sup>167</sup>,  
G. Gonzalez Parra<sup>12</sup>, M.L. Gonzalez Silva<sup>27</sup>, S. Gonzalez-Sevilla<sup>49</sup>, J.J. Goodson<sup>148</sup>,  
L. Goossens<sup>30</sup>, P.A. Gorbounov<sup>95</sup>, H.A. Gordon<sup>25</sup>, I. Gorelov<sup>103</sup>, G. Gorfine<sup>175</sup>, B. Gorini<sup>30</sup>,  
E. Gorini<sup>72a,72b</sup>, A. Goriřek<sup>74</sup>, E. Gornicki<sup>39</sup>, A.T. Goshaw<sup>6</sup>, M. Gosselink<sup>105</sup>,  
M.I. Gostkin<sup>64</sup>, I. Gough Eschrich<sup>163</sup>, M. Gouighri<sup>135a</sup>, D. Goujdami<sup>135c</sup>, M.P. Goulette<sup>49</sup>,  
A.G. Goussiou<sup>138</sup>, C. Goy<sup>5</sup>, S. Gozpinar<sup>23</sup>, I. Grabowska-Bold<sup>38</sup>, P. Grafstrom<sup>20a,20b</sup>,  
K.-J. Grahn<sup>42</sup>, E. Gramstad<sup>117</sup>, F. Grancagnolo<sup>72a</sup>, S. Grancagnolo<sup>16</sup>, V. Grassi<sup>148</sup>,  
V. Gratchev<sup>121</sup>, H.M. Gray<sup>30</sup>, J.A. Gray<sup>148</sup>, E. Graziani<sup>134a</sup>, O.G. Grebenyuk<sup>121</sup>,  
T. Greenshaw<sup>73</sup>, Z.D. Greenwood<sup>25,m</sup>, K. Gregersen<sup>36</sup>, I.M. Gregor<sup>42</sup>, P. Grenier<sup>143</sup>,  
J. Griffiths<sup>8</sup>, N. Grigalashvili<sup>64</sup>, A.A. Grillo<sup>137</sup>, K. Grimm<sup>71</sup>, S. Grinstein<sup>12</sup>, Ph. Gris<sup>34</sup>,  
Y.V. Grishkevich<sup>97</sup>, J.-F. Grivaz<sup>115</sup>, A. Grohsjean<sup>42</sup>, E. Gross<sup>172</sup>, J. Grosse-Knetter<sup>54</sup>,  
J. Groth-Jensen<sup>172</sup>, K. Grybel<sup>141</sup>, D. Guest<sup>176</sup>, O. Gueta<sup>153</sup>, C. Guicheney<sup>34</sup>, E. Guido<sup>50a,50b</sup>,  
T. Guillemin<sup>115</sup>, S. Guindon<sup>54</sup>, U. Gul<sup>53</sup>, J. Gunther<sup>125</sup>, B. Guo<sup>158</sup>, J. Guo<sup>35</sup>, P. Gutierrez<sup>111</sup>,  
N. Guttman<sup>153</sup>, O. Gutzwiller<sup>173</sup>, C. Guyot<sup>136</sup>, C. Gwenlan<sup>118</sup>, C.B. Gwilliam<sup>73</sup>, A. Haas<sup>108</sup>,  
S. Haas<sup>30</sup>, C. Haber<sup>15</sup>, H.K. Hadavand<sup>8</sup>, D.R. Hadley<sup>18</sup>, P. Haefner<sup>21</sup>, Z. Hajduk<sup>39</sup>,  
H. Hakobyan<sup>177</sup>, D. Hall<sup>118</sup>, G. Halladjian<sup>62</sup>, K. Hamacher<sup>175</sup>, P. Hamal<sup>113</sup>, K. Hamano<sup>86</sup>,  
M. Hamer<sup>54</sup>, A. Hamilton<sup>145b,o</sup>, S. Hamilton<sup>161</sup>, L. Han<sup>33b</sup>, K. Hanagaki<sup>116</sup>, K. Hanawa<sup>160</sup>,  
M. Hance<sup>15</sup>, C. Handel<sup>81</sup>, P. Hanke<sup>58a</sup>, J.R. Hansen<sup>36</sup>, J.B. Hansen<sup>36</sup>, J.D. Hansen<sup>36</sup>,  
P.H. Hansen<sup>36</sup>, P. Hansson<sup>143</sup>, K. Hara<sup>160</sup>, T. Harenberg<sup>175</sup>, S. Harkusha<sup>90</sup>, D. Harper<sup>87</sup>,  
R.D. Harrington<sup>46</sup>, O.M. Harris<sup>138</sup>, J. Hartert<sup>48</sup>, F. Hartjes<sup>105</sup>, T. Haruyama<sup>65</sup>, A. Harvey<sup>56</sup>,  
S. Hasegawa<sup>101</sup>, Y. Hasegawa<sup>140</sup>, S. Hassani<sup>136</sup>, S. Haug<sup>17</sup>, M. Hauschild<sup>30</sup>, R. Hauser<sup>88</sup>,  
M. Havranek<sup>21</sup>, C.M. Hawkes<sup>18</sup>, R.J. Hawkins<sup>30</sup>, A.D. Hawkins<sup>79</sup>, T. Hayakawa<sup>66</sup>,  
T. Hayashi<sup>160</sup>, D. Hayden<sup>76</sup>, C.P. Hays<sup>118</sup>, H.S. Hayward<sup>73</sup>, S.J. Haywood<sup>129</sup>, S.J. Head<sup>18</sup>,  
T. Heck<sup>81</sup>, V. Hedberg<sup>79</sup>, L. Heelan<sup>8</sup>, S. Heim<sup>120</sup>, B. Heinemann<sup>15</sup>, S. Heisterkamp<sup>36</sup>,  
L. Helary<sup>22</sup>, C. Heller<sup>98</sup>, M. Heller<sup>30</sup>, S. Hellman<sup>146a,146b</sup>, D. Hellmich<sup>21</sup>, C. Helsens<sup>12</sup>,  
R.C.W. Henderson<sup>71</sup>, M. Henke<sup>58a</sup>, A. Henrichs<sup>176</sup>, A.M. Henriques Correia<sup>30</sup>,  
S. Henrot-Versille<sup>115</sup>, C. Hensel<sup>54</sup>, C.M. Hernandez<sup>8</sup>, Y. Hernandez Jimenez<sup>167</sup>,  
R. Herrberg<sup>16</sup>, G. Herten<sup>48</sup>, R. Hertenberger<sup>98</sup>, L. Hervas<sup>30</sup>, G.G. Hesketh<sup>77</sup>, N.P. Hessey<sup>105</sup>,  
R. Hickling<sup>75</sup>, E. Higon-Rodriguez<sup>167</sup>, J.C. Hill<sup>28</sup>, K.H. Hiller<sup>42</sup>, S. Hillert<sup>21</sup>, S.J. Hillier<sup>18</sup>,  
I. Hinchliffe<sup>15</sup>, E. Hines<sup>120</sup>, M. Hirose<sup>116</sup>, F. Hirsch<sup>43</sup>, D. Hirschbuehl<sup>175</sup>, J. Hobbs<sup>148</sup>,  
N. Hod<sup>153</sup>, M.C. Hodgkinson<sup>139</sup>, P. Hodgson<sup>139</sup>, A. Hoecker<sup>30</sup>, M.R. Hoferkamp<sup>103</sup>,  
J. Hoffman<sup>40</sup>, D. Hoffmann<sup>83</sup>, M. Hohlfeld<sup>81</sup>, S.O. Holmgren<sup>146a</sup>, T. Holy<sup>126</sup>,  
J.L. Holzbauer<sup>88</sup>, T.M. Hong<sup>120</sup>, L. Hooft van Huysduynen<sup>108</sup>, S. Horner<sup>48</sup>, J.-Y. Hostachy<sup>55</sup>,  
S. Hou<sup>151</sup>, A. Hoummada<sup>135a</sup>, J. Howard<sup>118</sup>, J. Howarth<sup>82</sup>, M. Hrabovsky<sup>113</sup>, I. Hristova<sup>16</sup>,  
J. Hrivnac<sup>115</sup>, T. Hryn’ova<sup>5</sup>, P.J. Hsu<sup>81</sup>, S.-C. Hsu<sup>138</sup>, D. Hu<sup>35</sup>, Z. Hubacek<sup>30</sup>, F. Hubaut<sup>83</sup>,  
F. Huegging<sup>21</sup>, T.A. Hulsing<sup>81</sup>, A. Huettmann<sup>42</sup>, T.B. Huffman<sup>118</sup>, E.W. Hughes<sup>35</sup>,  
G. Hughes<sup>71</sup>, M. Huhtinen<sup>30</sup>, M. Hurwitz<sup>15</sup>, N. Huseynov<sup>64,p</sup>, J. Huston<sup>88</sup>, J. Huth<sup>57</sup>,

G. Iacobucci<sup>49</sup>, G. Iakovidis<sup>10</sup>, M. Ibbotson<sup>82</sup>, I. Ibragimov<sup>141</sup>, L. Iconomidou-Fayard<sup>115</sup>, J. Idarraga<sup>115</sup>, P. Iengo<sup>102a</sup>, O. Igonkina<sup>105</sup>, Y. Ikegami<sup>65</sup>, K. Ikematsu<sup>141</sup>, M. Ikeno<sup>65</sup>, D. Iliadis<sup>154</sup>, N. Ilic<sup>158</sup>, T. Ince<sup>99</sup>, P. Ioannou<sup>9</sup>, M. Iodice<sup>134a</sup>, K. Iordanidou<sup>9</sup>, V. Ippolito<sup>132a,132b</sup>, A. Irlles Quiles<sup>167</sup>, C. Isaksson<sup>166</sup>, M. Ishino<sup>67</sup>, M. Ishitsuka<sup>157</sup>, R. Ishmukhametov<sup>109</sup>, C. Issever<sup>118</sup>, S. Istin<sup>19a</sup>, A.V. Ivashin<sup>128</sup>, W. Iwanski<sup>39</sup>, H. Iwasaki<sup>65</sup>, J.M. Izen<sup>41</sup>, V. Izzo<sup>102a</sup>, B. Jackson<sup>120</sup>, J.N. Jackson<sup>73</sup>, P. Jackson<sup>1</sup>, M.R. Jaekel<sup>30</sup>, V. Jain<sup>2</sup>, K. Jakobs<sup>48</sup>, S. Jakobsen<sup>36</sup>, T. Jakoubek<sup>125</sup>, J. Jakubek<sup>126</sup>, D.O. Jamin<sup>151</sup>, D.K. Jana<sup>111</sup>, E. Jansen<sup>77</sup>, H. Jansen<sup>30</sup>, J. Janssen<sup>21</sup>, A. Jantsch<sup>99</sup>, M. Janus<sup>48</sup>, R.C. Jared<sup>173</sup>, G. Jarlskog<sup>79</sup>, L. Jeanty<sup>57</sup>, I. Jen-La Plante<sup>31</sup>, G.-Y. Jeng<sup>150</sup>, D. Jennens<sup>86</sup>, P. Jenni<sup>30</sup>, A.E. Loevschall-Jensen<sup>36</sup>, P. Jež<sup>36</sup>, S. Jézéquel<sup>5</sup>, M.K. Jha<sup>20a</sup>, H. Ji<sup>173</sup>, W. Ji<sup>81</sup>, J. Jia<sup>148</sup>, Y. Jiang<sup>33b</sup>, M. Jimenez Belenguer<sup>42</sup>, S. Jin<sup>33a</sup>, O. Jinnouchi<sup>157</sup>, M.D. Joergensen<sup>36</sup>, D. Joffe<sup>40</sup>, M. Johansen<sup>146a,146b</sup>, K.E. Johansson<sup>146a</sup>, P. Johansson<sup>139</sup>, S. Johnert<sup>42</sup>, K.A. Johns<sup>7</sup>, K. Jon-And<sup>146a,146b</sup>, G. Jones<sup>170</sup>, R.W.L. Jones<sup>71</sup>, T.J. Jones<sup>73</sup>, C. Joram<sup>30</sup>, P.M. Jorge<sup>124a</sup>, K.D. Joshi<sup>82</sup>, J. Jovicevic<sup>147</sup>, T. Jovin<sup>13b</sup>, X. Ju<sup>173</sup>, C.A. Jung<sup>43</sup>, R.M. Jungst<sup>30</sup>, V. Juranek<sup>125</sup>, P. Jussel<sup>61</sup>, A. Juste Rozas<sup>12</sup>, S. Kabana<sup>17</sup>, M. Kaci<sup>167</sup>, A. Kaczmarska<sup>39</sup>, P. Kadlecik<sup>36</sup>, M. Kado<sup>115</sup>, H. Kagan<sup>109</sup>, M. Kagan<sup>57</sup>, E. Kajomovitz<sup>152</sup>, S. Kalinin<sup>175</sup>, L.V. Kalinovskaya<sup>64</sup>, S. Kama<sup>40</sup>, N. Kanaya<sup>155</sup>, M. Kaneda<sup>30</sup>, S. Kaneti<sup>28</sup>, T. Kanno<sup>157</sup>, V.A. Kantserov<sup>96</sup>, J. Kanzaki<sup>65</sup>, B. Kaplan<sup>108</sup>, A. Kapliy<sup>31</sup>, D. Kar<sup>53</sup>, M. Karagounis<sup>21</sup>, K. Karakostas<sup>10</sup>, M. Karnevskiy<sup>58b</sup>, V. Kartvelishvili<sup>71</sup>, A.N. Karyukhin<sup>128</sup>, L. Kashif<sup>173</sup>, G. Kasieczka<sup>58b</sup>, R.D. Kass<sup>109</sup>, A. Kastanas<sup>14</sup>, Y. Kataoka<sup>155</sup>, J. Katzy<sup>42</sup>, V. Kaushik<sup>7</sup>, K. Kawagoe<sup>69</sup>, T. Kawamoto<sup>155</sup>, G. Kawamura<sup>81</sup>, S. Kazama<sup>155</sup>, V.F. Kazanin<sup>107</sup>, M.Y. Kazarinov<sup>64</sup>, R. Keeler<sup>169</sup>, P.T. Keener<sup>120</sup>, R. Kehoe<sup>40</sup>, M. Keil<sup>54</sup>, J.S. Keller<sup>138</sup>, M. Kenyon<sup>53</sup>, H. Keoshkerian<sup>5</sup>, O. Kepka<sup>125</sup>, N. Kerschen<sup>30</sup>, B.P. Kerševan<sup>74</sup>, S. Kersten<sup>175</sup>, K. Kessoku<sup>155</sup>, J. Keung<sup>158</sup>, F. Khalil-zada<sup>11</sup>, H. Khandanyan<sup>146a,146b</sup>, A. Khanov<sup>112</sup>, D. Kharchenko<sup>64</sup>, A. Khodinov<sup>96</sup>, A. Khomich<sup>58a</sup>, T.J. Khoo<sup>28</sup>, G. Khoriauli<sup>21</sup>, A. Khoroshilov<sup>175</sup>, V. Khovanskiy<sup>95</sup>, E. Khramov<sup>64</sup>, J. Khubua<sup>51b</sup>, H. Kim<sup>146a,146b</sup>, S.H. Kim<sup>160</sup>, N. Kimura<sup>171</sup>, O. Kind<sup>16</sup>, B.T. King<sup>73</sup>, M. King<sup>66</sup>, R.S.B. King<sup>118</sup>, J. Kirk<sup>129</sup>, A.E. Kiryunin<sup>99</sup>, T. Kishimoto<sup>66</sup>, D. Kisielewska<sup>38</sup>, T. Kitamura<sup>66</sup>, T. Kittelmann<sup>123</sup>, K. Kiuchi<sup>160</sup>, E. Kladiva<sup>144b</sup>, M. Klein<sup>73</sup>, U. Klein<sup>73</sup>, K. Kleinknecht<sup>81</sup>, M. Klemetti<sup>85</sup>, A. Klier<sup>172</sup>, P. Klimek<sup>146a,146b</sup>, A. Klimentov<sup>25</sup>, R. Klingenberg<sup>43</sup>, J.A. Klinger<sup>82</sup>, E.B. Klinkby<sup>36</sup>, T. Klioutchnikova<sup>30</sup>, P.F. Klok<sup>104</sup>, S. Klous<sup>105</sup>, E.-E. Kluge<sup>58a</sup>, T. Kluge<sup>73</sup>, P. Kluit<sup>105</sup>, S. Kluth<sup>99</sup>, E. Kneringer<sup>61</sup>, E.B.F.G. Knoops<sup>83</sup>, A. Knue<sup>54</sup>, B.R. Ko<sup>45</sup>, T. Kobayashi<sup>155</sup>, M. Kobel<sup>44</sup>, M. Kocian<sup>143</sup>, P. Kodys<sup>127</sup>, K. Köneke<sup>30</sup>, A.C. König<sup>104</sup>, S. Koenig<sup>81</sup>, L. Köpke<sup>81</sup>, F. Koetsveld<sup>104</sup>, P. Koevesarki<sup>21</sup>, T. Koffas<sup>29</sup>, E. Koffeman<sup>105</sup>, L.A. Kogan<sup>118</sup>, S. Kohlmann<sup>175</sup>, F. Kohn<sup>54</sup>, Z. Kohout<sup>126</sup>, T. Kohriki<sup>65</sup>, T. Koi<sup>143</sup>, H. Kolanoski<sup>16</sup>, V. Kolesnikov<sup>64</sup>, I. Koletsou<sup>89a</sup>, J. Koll<sup>88</sup>, A.A. Komar<sup>94</sup>, Y. Komori<sup>155</sup>, T. Kondo<sup>65</sup>, T. Kono<sup>42,q</sup>, A.I. Kononov<sup>48</sup>, R. Konoplich<sup>108,r</sup>, N. Konstantinidis<sup>77</sup>, R. Kopeliansky<sup>152</sup>, S. Koperny<sup>38</sup>, A.K. Kopp<sup>48</sup>, K. Korcyl<sup>39</sup>, K. Kordas<sup>154</sup>, A. Korn<sup>46</sup>, A. Korol<sup>107</sup>, I. Korolkov<sup>12</sup>, E.V. Korolkova<sup>139</sup>, V.A. Korotkov<sup>128</sup>, O. Kortner<sup>99</sup>, S. Kortner<sup>99</sup>, V.V. Kostyukhin<sup>21</sup>, S. Kotov<sup>99</sup>, V.M. Kotov<sup>64</sup>, A. Kotwal<sup>45</sup>, C. Kourkoumelis<sup>9</sup>, V. Kouskoura<sup>154</sup>, A. Koutsman<sup>159a</sup>, R. Kowalewski<sup>169</sup>, T.Z. Kowalski<sup>38</sup>, W. Kozanecki<sup>136</sup>, A.S. Kozhin<sup>128</sup>, V. Kral<sup>126</sup>, V.A. Kramarenko<sup>97</sup>,

G. Kramberger<sup>74</sup>, M.W. Krasny<sup>78</sup>, A. Krasznahorkay<sup>108</sup>, J.K. Kraus<sup>21</sup>, F. Krauss<sup>s</sup>,  
A. Kravchenko<sup>25</sup>, S. Kreiss<sup>108</sup>, F. Krejci<sup>126</sup>, J. Kretzschmar<sup>73</sup>, K. Kreutzfeldt<sup>52</sup>,  
N. Krieger<sup>54</sup>, P. Krieger<sup>158</sup>, K. Kroeninger<sup>54</sup>, H. Kroha<sup>99</sup>, J. Kroll<sup>120</sup>, J. Kroseberg<sup>21</sup>,  
J. Krstic<sup>13a</sup>, U. Kruchonak<sup>64</sup>, H. Krüger<sup>21</sup>, T. Kruker<sup>17</sup>, N. Krumnack<sup>63</sup>, Z.V. Krumshteyn<sup>64</sup>,  
M.K. Kruse<sup>45</sup>, T. Kubota<sup>86</sup>, S. Kunday<sup>4a</sup>, S. Kuehn<sup>48</sup>, A. Kugel<sup>58c</sup>, T. Kuhl<sup>42</sup>, V. Kukhtin<sup>64</sup>,  
Y. Kulchitsky<sup>90</sup>, S. Kuleshov<sup>32b</sup>, M. Kuna<sup>78</sup>, J. Kunkle<sup>120</sup>, A. Kupco<sup>125</sup>, H. Kurashige<sup>66</sup>,  
M. Kurata<sup>160</sup>, Y.A. Kurochkin<sup>90</sup>, V. Kus<sup>125</sup>, E.S. Kuwertz<sup>147</sup>, M. Kuze<sup>157</sup>, J. Kvita<sup>142</sup>,  
R. Kwee<sup>16</sup>, A. La Rosa<sup>49</sup>, L. La Rotonda<sup>37a,37b</sup>, L. Labarga<sup>80</sup>, S. Lablak<sup>135a</sup>, C. Lacasta<sup>167</sup>,  
F. Lacava<sup>132a,132b</sup>, J. Lacey<sup>29</sup>, H. Lacker<sup>16</sup>, D. Lacour<sup>78</sup>, V.R. Lacuesta<sup>167</sup>, E. Ladygin<sup>64</sup>,  
R. Lafaye<sup>5</sup>, B. Laforge<sup>78</sup>, T. Lagouri<sup>176</sup>, S. Lai<sup>48</sup>, E. Laisne<sup>55</sup>, L. Lambourne<sup>77</sup>,  
C.L. Lampen<sup>7</sup>, W. Lampl<sup>7</sup>, E. Lancon<sup>136</sup>, U. Landgraf<sup>48</sup>, M.P.J. Landon<sup>75</sup>, V.S. Lang<sup>58a</sup>,  
C. Lange<sup>42</sup>, A.J. Lankford<sup>163</sup>, F. Lanni<sup>25</sup>, K. Lantzsch<sup>30</sup>, A. Lanza<sup>119a</sup>, S. Laplace<sup>78</sup>,  
C. Lapoire<sup>21</sup>, J.F. Laporte<sup>136</sup>, T. Lari<sup>89a</sup>, A. Larter<sup>118</sup>, M. Lassnig<sup>30</sup>, P. Laurelli<sup>47</sup>,  
V. Lavorini<sup>37a,37b</sup>, W. Lavrijsen<sup>15</sup>, P. Laycock<sup>73</sup>, O. Le Dortz<sup>78</sup>, E. Le Guirriec<sup>83</sup>,  
E. Le Menedeu<sup>12</sup>, T. LeCompte<sup>6</sup>, F. Ledroit-Guillon<sup>55</sup>, H. Lee<sup>105</sup>, J.S.H. Lee<sup>116</sup>,  
S.C. Lee<sup>151</sup>, L. Lee<sup>176</sup>, M. Lefebvre<sup>169</sup>, M. Legendre<sup>136</sup>, F. Legger<sup>98</sup>, C. Leggett<sup>15</sup>,  
M. Lehmacher<sup>21</sup>, G. Lehmann Miotto<sup>30</sup>, A.G. Leister<sup>176</sup>, M.A.L. Leite<sup>24d</sup>, R. Leitner<sup>127</sup>,  
D. Lellouch<sup>172</sup>, B. Lemmer<sup>54</sup>, V. Lendermann<sup>58a</sup>, K.J.C. Leney<sup>145b</sup>, T. Lenz<sup>105</sup>,  
G. Lenzen<sup>175</sup>, B. Lenzi<sup>30</sup>, K. Leonhardt<sup>44</sup>, S. Leontsinis<sup>10</sup>, F. Lepold<sup>58a</sup>, C. Leroy<sup>93</sup>,  
J-R. Lessard<sup>169</sup>, C.G. Lester<sup>28</sup>, C.M. Lester<sup>120</sup>, J. Levêque<sup>5</sup>, D. Levin<sup>87</sup>, L.J. Levinson<sup>172</sup>,  
A. Lewis<sup>118</sup>, G.H. Lewis<sup>108</sup>, A.M. Leyko<sup>21</sup>, M. Leyton<sup>16</sup>, B. Li<sup>33b</sup>, B. Li<sup>83</sup>, H. Li<sup>148</sup>,  
H.L. Li<sup>31</sup>, S. Li<sup>33b,t</sup>, X. Li<sup>87</sup>, Z. Liang<sup>118,u</sup>, H. Liao<sup>34</sup>, B. Liberti<sup>133a</sup>, P. Lichard<sup>30</sup>, K. Lie<sup>165</sup>,  
W. Liebig<sup>14</sup>, C. Limbach<sup>21</sup>, A. Limosani<sup>86</sup>, M. Limper<sup>62</sup>, S.C. Lin<sup>151,v</sup>, F. Linde<sup>105</sup>,  
J.T. Linnemann<sup>88</sup>, E. Lipeles<sup>120</sup>, A. Lipniacka<sup>14</sup>, T.M. Liss<sup>165</sup>, D. Lissauer<sup>25</sup>, A. Lister<sup>49</sup>,  
A.M. Litke<sup>137</sup>, D. Liu<sup>151</sup>, J.B. Liu<sup>33b</sup>, L. Liu<sup>87</sup>, M. Liu<sup>33b</sup>, Y. Liu<sup>33b</sup>, M. Livan<sup>119a,119b</sup>,  
S.S.A. Livermore<sup>118</sup>, A. Lleres<sup>55</sup>, J. Llorente Merino<sup>80</sup>, S.L. Lloyd<sup>75</sup>, E. Lobodzinska<sup>42</sup>,  
P. Loch<sup>7</sup>, W.S. Lockman<sup>137</sup>, T. Loddenkoetter<sup>21</sup>, F.K. Loebinger<sup>82</sup>, A. Loginov<sup>176</sup>,  
C.W. Loh<sup>168</sup>, T. Lohse<sup>16</sup>, K. Lohwasser<sup>48</sup>, M. Lokajicek<sup>125</sup>, V.P. Lombardo<sup>5</sup>, R.E. Long<sup>71</sup>,  
L. Lopes<sup>124a</sup>, D. Lopez Mateos<sup>57</sup>, J. Lorenz<sup>98</sup>, N. Lorenzo Martinez<sup>115</sup>, M. Losada<sup>162</sup>,  
P. Loscutoff<sup>15</sup>, F. Lo Sterzo<sup>132a,132b</sup>, M.J. Losty<sup>159a,\*</sup>, X. Lou<sup>41</sup>, A. Lounis<sup>115</sup>,  
K.F. Loureiro<sup>162</sup>, J. Love<sup>6</sup>, P.A. Love<sup>71</sup>, A.J. Lowe<sup>143,g</sup>, F. Lu<sup>33a</sup>, H.J. Lubatti<sup>138</sup>,  
C. Luci<sup>132a,132b</sup>, A. Lucotte<sup>55</sup>, D. Ludwig<sup>42</sup>, I. Ludwig<sup>48</sup>, J. Ludwig<sup>48</sup>, F. Luehring<sup>60</sup>,  
W. Lukas<sup>61</sup>, L. Luminari<sup>132a</sup>, E. Lund<sup>117</sup>, B. Lund-Jensen<sup>147</sup>, B. Lundberg<sup>79</sup>,  
J. Lundberg<sup>146a,146b</sup>, O. Lundberg<sup>146a,146b</sup>, J. Lundquist<sup>36</sup>, M. Lungwitz<sup>81</sup>, D. Lynn<sup>25</sup>,  
E. Lytken<sup>79</sup>, H. Ma<sup>25</sup>, L.L. Ma<sup>173</sup>, G. Maccarrone<sup>47</sup>, A. Macchiolo<sup>99</sup>, B. Maček<sup>74</sup>,  
J. Machado Miguens<sup>124a</sup>, D. Macina<sup>30</sup>, R. Mackeprang<sup>36</sup>, R. Madar<sup>48</sup>, R.J. Madaras<sup>15</sup>,  
H.J. Maddocks<sup>71</sup>, W.F. Mader<sup>44</sup>, A.K. Madsen<sup>166</sup>, M. Maeno<sup>5</sup>, T. Maeno<sup>25</sup>, P. Mättig<sup>175</sup>,  
S. Mättig<sup>42</sup>, L. Magnoni<sup>163</sup>, E. Magradze<sup>54</sup>, K. Mahboubi<sup>48</sup>, J. Mahlstedt<sup>105</sup>, S. Mahmoud<sup>73</sup>,  
G. Mahout<sup>18</sup>, C. Maiani<sup>136</sup>, C. Maidantchik<sup>24a</sup>, A. Maio<sup>124a,c</sup>, S. Majewski<sup>25</sup>, Y. Makida<sup>65</sup>,  
N. Makovec<sup>115</sup>, P. Mal<sup>136</sup>, B. Malaescu<sup>78</sup>, Pa. Malecki<sup>39</sup>, P. Malecki<sup>39</sup>, V.P. Maleev<sup>121</sup>,  
F. Malek<sup>55</sup>, U. Mallik<sup>62</sup>, D. Malon<sup>6</sup>, C. Malone<sup>143</sup>, S. Maltezos<sup>10</sup>, V. Malyshev<sup>107</sup>,  
S. Malyukov<sup>30</sup>, J. Mamuzic<sup>13b</sup>, A. Manabe<sup>65</sup>, L. Mandelli<sup>89a</sup>, I. Mandić<sup>74</sup>, R. Mandrysch<sup>62</sup>,



J. Maneira<sup>124a</sup>, A. Manfredini<sup>99</sup>, L. Manhaes de Andrade Filho<sup>24b</sup>, J.A. Manjarres Ramos<sup>136</sup>,  
 A. Mann<sup>98</sup>, P.M. Manning<sup>137</sup>, A. Manousakis-Katsikakis<sup>9</sup>, B. Mansoulie<sup>136</sup>, R. Mantifel<sup>85</sup>,  
 A. Mapelli<sup>30</sup>, L. Mapelli<sup>30</sup>, L. March<sup>167</sup>, J.F. Marchand<sup>29</sup>, F. Marchese<sup>133a,133b</sup>,  
 G. Marchiori<sup>78</sup>, M. Marcisovsky<sup>125</sup>, C.P. Marino<sup>169</sup>, F. Marroquim<sup>24a</sup>, Z. Marshall<sup>30</sup>,  
 L.F. Marti<sup>17</sup>, S. Marti-Garcia<sup>167</sup>, B. Martin<sup>30</sup>, B. Martin<sup>88</sup>, J.P. Martin<sup>93</sup>, T.A. Martin<sup>18</sup>,  
 V.J. Martin<sup>46</sup>, B. Martin dit Latour<sup>49</sup>, S. Martin-Haugh<sup>149</sup>, H. Martinez<sup>136</sup>, M. Martinez<sup>12</sup>,  
 V. Martinez Outschoorn<sup>57</sup>, A.C. Martyniuk<sup>169</sup>, M. Marx<sup>82</sup>, F. Marzano<sup>132a</sup>, A. Marzin<sup>111</sup>,  
 L. Masetti<sup>81</sup>, T. Mashimo<sup>155</sup>, R. Mashinistov<sup>94</sup>, J. Masik<sup>82</sup>, A.L. Maslennikov<sup>107</sup>,  
 I. Massa<sup>20a,20b</sup>, N. Massol<sup>5</sup>, P. Mastrandrea<sup>148</sup>, A. Mastroberardino<sup>37a,37b</sup>, T. Masubuchi<sup>155</sup>,  
 H. Matsunaga<sup>155</sup>, T. Matsushita<sup>66</sup>, C. Mattraversi<sup>118,d</sup>, J. Maurer<sup>83</sup>, S.J. Maxfield<sup>73</sup>,  
 D.A. Maximov<sup>107,h</sup>, R. Mazini<sup>151</sup>, M. Mazur<sup>21</sup>, L. Mazzaferro<sup>133a,133b</sup>, M. Mazzanti<sup>89a</sup>,  
 J. Mc Donald<sup>85</sup>, S.P. Mc Kee<sup>87</sup>, A. McCarn<sup>165</sup>, R.L. McCarthy<sup>148</sup>, T.G. McCarthy<sup>29</sup>,  
 N.A. McCubbin<sup>129</sup>, K.W. McFarlane<sup>56,\*</sup>, J.A. McFayden<sup>139</sup>, G. Mchedlidze<sup>51b</sup>,  
 T. McLaughlan<sup>18</sup>, S.J. McMahon<sup>129</sup>, R.A. McPherson<sup>169,k</sup>, A. Meade<sup>84</sup>, J. Mechnich<sup>105</sup>,  
 M. Mechtel<sup>175</sup>, M. Medinnis<sup>42</sup>, S. Meehan<sup>31</sup>, R. Meera-Lebbai<sup>111</sup>, T. Meguro<sup>116</sup>,  
 S. Mehlhase<sup>36</sup>, A. Mehta<sup>73</sup>, K. Meier<sup>58a</sup>, C. Meineck<sup>98</sup>, B. Meirose<sup>79</sup>, C. Melachrinou<sup>31</sup>,  
 B.R. Mellado Garcia<sup>173</sup>, F. Meloni<sup>89a,89b</sup>, L. Mendoza Navas<sup>162</sup>, Z. Meng<sup>151,w</sup>,  
 A. Mengarelli<sup>20a,20b</sup>, S. Menke<sup>99</sup>, E. Meoni<sup>161</sup>, K.M. Mercurio<sup>57</sup>, P. Mermod<sup>49</sup>,  
 L. Merola<sup>102a,102b</sup>, C. Meroni<sup>89a</sup>, F.S. Merritt<sup>31</sup>, H. Merritt<sup>109</sup>, A. Messina<sup>30,x</sup>, J. Metcalfe<sup>25</sup>,  
 A.S. Mete<sup>163</sup>, C. Meyer<sup>81</sup>, C. Meyer<sup>31</sup>, J-P. Meyer<sup>136</sup>, J. Meyer<sup>30</sup>, J. Meyer<sup>54</sup>, S. Michal<sup>30</sup>,  
 L. Micu<sup>26a</sup>, R.P. Middleton<sup>129</sup>, S. Migas<sup>73</sup>, L. Mijović<sup>136</sup>, G. Mikenberg<sup>172</sup>,  
 M. Mikestikova<sup>125</sup>, M. Mikuž<sup>74</sup>, D.W. Miller<sup>31</sup>, R.J. Miller<sup>88</sup>, W.J. Mills<sup>168</sup>, C. Mills<sup>57</sup>,  
 A. Milov<sup>172</sup>, D.A. Milstead<sup>146a,146b</sup>, D. Milstein<sup>172</sup>, G. Milutinovic-Dumbelovic<sup>13a</sup>,  
 A.A. Minaenko<sup>128</sup>, M. Miñano Moya<sup>167</sup>, I.A. Minashvili<sup>64</sup>, A.I. Mincer<sup>108</sup>, B. Mindur<sup>38</sup>,  
 M. Mineev<sup>64</sup>, Y. Ming<sup>173</sup>, L.M. Mir<sup>12</sup>, G. Mirabelli<sup>132a</sup>, J. Mitrevski<sup>137</sup>, V.A. Mitsou<sup>167</sup>,  
 S. Mitsui<sup>65</sup>, P.S. Miyagawa<sup>139</sup>, J.U. Mjörnmark<sup>79</sup>, T. Moe<sup>146a,146b</sup>, V. Moeller<sup>28</sup>,  
 K. Mönig<sup>42</sup>, N. Möser<sup>21</sup>, S. Mohapatra<sup>148</sup>, W. Mohr<sup>48</sup>, R. Moles-Valls<sup>167</sup>, A. Molfetas<sup>30</sup>,  
 J. Monk<sup>77</sup>, E. Monnier<sup>83</sup>, J. Montejo Berlingen<sup>12</sup>, F. Monticelli<sup>70</sup>, S. Monzani<sup>20a,20b</sup>,  
 R.W. Moore<sup>3</sup>, C. Mora Herrera<sup>49</sup>, A. Moraes<sup>53</sup>, N. Morange<sup>62</sup>, J. Morel<sup>54</sup>, D. Moreno<sup>81</sup>,  
 M. Moreno Llácer<sup>167</sup>, P. Morettini<sup>50a</sup>, M. Morgenstern<sup>44</sup>, M. Morii<sup>57</sup>, A.K. Morley<sup>30</sup>,  
 G. Mornacchi<sup>30</sup>, J.D. Morris<sup>75</sup>, L. Morvaj<sup>101</sup>, H.G. Moser<sup>99</sup>, M. Mosidze<sup>51b</sup>, J. Moss<sup>109</sup>,  
 R. Mount<sup>143</sup>, E. Mountricha<sup>10,y</sup>, S.V. Mouraviev<sup>94,\*</sup>, E.J.W. Moyse<sup>84</sup>, F. Mueller<sup>58a</sup>,  
 J. Mueller<sup>123</sup>, K. Mueller<sup>21</sup>, T.A. Müller<sup>98</sup>, T. Mueller<sup>81</sup>, D. Muenstermann<sup>30</sup>,  
 Y. Munwes<sup>153</sup>, W.J. Murray<sup>129</sup>, I. Mussche<sup>105</sup>, E. Musto<sup>152</sup>, A.G. Myagkov<sup>128</sup>,  
 M. Myska<sup>125</sup>, O. Nackenhorst<sup>54</sup>, J. Nadal<sup>12</sup>, K. Nagai<sup>160</sup>, R. Nagai<sup>157</sup>, Y. Nagai<sup>83</sup>,  
 K. Nagano<sup>65</sup>, A. Nagarkar<sup>109</sup>, Y. Nagasaka<sup>59</sup>, M. Nagel<sup>99</sup>, A.M. Nairz<sup>30</sup>, Y. Nakahama<sup>30</sup>,  
 K. Nakamura<sup>65</sup>, T. Nakamura<sup>155</sup>, I. Nakano<sup>110</sup>, H. Namasivayam<sup>41</sup>, G. Nanava<sup>21</sup>,  
 A. Napier<sup>161</sup>, R. Narayan<sup>58b</sup>, M. Nash<sup>77,d</sup>, T. Nattermann<sup>21</sup>, T. Naumann<sup>42</sup>, G. Navarro<sup>162</sup>,  
 H.A. Neal<sup>87</sup>, P.Yu. Nechaeva<sup>94</sup>, T.J. Neep<sup>82</sup>, A. Negri<sup>119a,119b</sup>, G. Negri<sup>30</sup>, M. Negrini<sup>20a</sup>,  
 S. Nektarijevic<sup>49</sup>, A. Nelson<sup>163</sup>, T.K. Nelson<sup>143</sup>, S. Nemecek<sup>125</sup>, P. Némethy<sup>108</sup>,  
 A.A. Nepomuceno<sup>24a</sup>, M. Nessi<sup>30,z</sup>, M.S. Neubauer<sup>165</sup>, M. Neumann<sup>175</sup>, A. Neusiedl<sup>81</sup>,  
 R.M. Neves<sup>108</sup>, P. Nevski<sup>25</sup>, F.M. Newcomer<sup>120</sup>, P.R. Newman<sup>18</sup>, D.H. Nguyen<sup>6</sup>,

V. Nguyen Thi Hong<sup>136</sup>, R.B. Nickerson<sup>118</sup>, R. Nicolaidou<sup>136</sup>, B. Nicquevert<sup>30</sup>,  
F. Niedercorn<sup>115</sup>, J. Nielsen<sup>137</sup>, N. Nikiforou<sup>35</sup>, A. Nikiforov<sup>16</sup>, V. Nikolaenko<sup>128</sup>,  
I. Nikolic-Audit<sup>78</sup>, K. Nikolics<sup>49</sup>, K. Nikolopoulos<sup>18</sup>, H. Nilsen<sup>48</sup>, P. Nilsson<sup>8</sup>,  
Y. Ninomiya<sup>155</sup>, A. Nisati<sup>132a</sup>, R. Nisius<sup>99</sup>, T. Nobe<sup>157</sup>, L. Nodulman<sup>6</sup>, M. Nomachi<sup>116</sup>,  
I. Nomidis<sup>154</sup>, S. Norberg<sup>111</sup>, M. Nordberg<sup>30</sup>, J. Novakova<sup>127</sup>, M. Nozaki<sup>65</sup>, L. Nozka<sup>113</sup>,  
A.-E. Nuncio-Quiroz<sup>21</sup>, G. Nunes Hanninger<sup>86</sup>, T. Nunnemann<sup>98</sup>, E. Nurse<sup>77</sup>,  
B.J. O'Brien<sup>46</sup>, D.C. O'Neil<sup>142</sup>, V. O'Shea<sup>53</sup>, L.B. Oakes<sup>98</sup>, F.G. Oakham<sup>29,f</sup>,  
H. Oberlack<sup>99</sup>, J. Ocariz<sup>78</sup>, A. Ochi<sup>66</sup>, S. Oda<sup>69</sup>, S. Odaka<sup>65</sup>, J. Odier<sup>83</sup>, H. Ogren<sup>60</sup>,  
A. Oh<sup>82</sup>, S.H. Oh<sup>45</sup>, C.C. Ohm<sup>30</sup>, T. Ohshima<sup>101</sup>, W. Okamura<sup>116</sup>, H. Okawa<sup>25</sup>,  
Y. Okumura<sup>31</sup>, T. Okuyama<sup>155</sup>, A. Olariu<sup>26a</sup>, A.G. Olchevski<sup>64</sup>, S.A. Olivares Pino<sup>46</sup>,  
M. Oliveira<sup>124a,i</sup>, D. Oliveira Damazio<sup>25</sup>, E. Oliver Garcia<sup>167</sup>, D. Olivito<sup>120</sup>, A. Olszewski<sup>39</sup>,  
J. Olszowska<sup>39</sup>, A. Onofre<sup>124a,aa</sup>, P.U.E. Onyisi<sup>31,ab</sup>, C.J. Oram<sup>159a</sup>, M.J. Oreglia<sup>31</sup>,  
Y. Oren<sup>153</sup>, D. Orestano<sup>134a,134b</sup>, N. Orlando<sup>72a,72b</sup>, C. Oropeza Barrera<sup>53</sup>, R.S. Orr<sup>158</sup>,  
B. Osculati<sup>50a,50b</sup>, R. Ospanov<sup>120</sup>, C. Osuna<sup>12</sup>, G. Otero y Garzon<sup>27</sup>, J.P. Ottersbach<sup>105</sup>,  
M. Ouchrif<sup>135d</sup>, E.A. Ouellette<sup>169</sup>, F. Ould-Saada<sup>117</sup>, A. Ouraou<sup>136</sup>, Q. Ouyang<sup>33a</sup>,  
A. Ovcharova<sup>15</sup>, M. Owen<sup>82</sup>, S. Owen<sup>139</sup>, V.E. Ozcan<sup>19a</sup>, N. Ozturk<sup>8</sup>, A. Pacheco Pages<sup>12</sup>,  
C. Padilla Aranda<sup>12</sup>, S. Pagan Griso<sup>15</sup>, E. Paganis<sup>139</sup>, C. Pahl<sup>99</sup>, F. Paige<sup>25</sup>, P. Pais<sup>84</sup>,  
K. Pajchel<sup>117</sup>, G. Palacino<sup>159b</sup>, C.P. Paleari<sup>7</sup>, S. Palestini<sup>30</sup>, D. Pallin<sup>34</sup>, A. Palma<sup>124a</sup>,  
J.D. Palmer<sup>18</sup>, Y.B. Pan<sup>173</sup>, E. Panagiotopoulou<sup>10</sup>, J.G. Panduro Vazquez<sup>76</sup>, P. Pani<sup>105</sup>,  
N. Panikashvili<sup>87</sup>, S. Panitkin<sup>25</sup>, D. Pantea<sup>26a</sup>, A. Papadelis<sup>146a</sup>, Th.D. Papadopoulou<sup>10</sup>,  
A. Paramonov<sup>6</sup>, D. Paredes Hernandez<sup>34</sup>, W. Park<sup>25,ac</sup>, M.A. Parker<sup>28</sup>, F. Parodi<sup>50a,50b</sup>,  
J.A. Parsons<sup>35</sup>, U. Parzefall<sup>48</sup>, S. Pashapour<sup>54</sup>, E. Pasqualucci<sup>132a</sup>, S. Passaggio<sup>50a</sup>,  
A. Passeri<sup>134a</sup>, F. Pastore<sup>134a,134b,\*</sup>, Fr. Pastore<sup>76</sup>, G. Pásztor<sup>49,ad</sup>, S. Pataria<sup>175</sup>,  
N.D. Patel<sup>150</sup>, J.R. Pater<sup>82</sup>, S. Patricelli<sup>102a,102b</sup>, T. Pauly<sup>30</sup>, J. Pearce<sup>169</sup>, M. Pedersen<sup>117</sup>,  
S. Pedraza Lopez<sup>167</sup>, M.I. Pedraza Morales<sup>173</sup>, S.V. Peleganchuk<sup>107</sup>, D. Pelikan<sup>166</sup>,  
H. Peng<sup>33b</sup>, B. Penning<sup>31</sup>, A. Penson<sup>35</sup>, J. Penwell<sup>60</sup>, T. Perez Cavalcanti<sup>42</sup>,  
E. Perez Codina<sup>159a</sup>, M.T. Pérez García-Están<sup>167</sup>, V. Perez Reale<sup>35</sup>, L. Perini<sup>89a,89b</sup>,  
H. Pernegger<sup>30</sup>, R. Perrino<sup>72a</sup>, P. Perrodo<sup>5</sup>, V.D. Peshekhonov<sup>64</sup>, K. Peters<sup>30</sup>, R.F.Y. Peters<sup>54</sup>,  
B.A. Petersen<sup>30</sup>, J. Petersen<sup>30</sup>, T.C. Petersen<sup>36</sup>, E. Petit<sup>5</sup>, A. Petridis<sup>154</sup>, C. Petridou<sup>154</sup>,  
E. Petrolo<sup>132a</sup>, F. Petrucci<sup>134a,134b</sup>, D. Petschull<sup>42</sup>, M. Petteni<sup>142</sup>, R. Pezoa<sup>32b</sup>, A. Phan<sup>86</sup>,  
P.W. Phillips<sup>129</sup>, G. Piacquadio<sup>30</sup>, A. Picazio<sup>49</sup>, E. Piccaro<sup>75</sup>, M. Piccinini<sup>20a,20b</sup>,  
S.M. Piec<sup>42</sup>, R. Piegai<sup>27</sup>, D.T. Pignotti<sup>109</sup>, J.E. Pilcher<sup>31</sup>, A.D. Pilkington<sup>82</sup>, J. Pina<sup>124a,c</sup>,  
M. Pinamonti<sup>164a,164c,ae</sup>, A. Pinder<sup>118</sup>, J.L. Pinfeld<sup>3</sup>, A. Pingel<sup>36</sup>, B. Pinto<sup>124a</sup>,  
C. Pizio<sup>89a,89b</sup>, M.-A. Pleier<sup>25</sup>, V. Pleskot<sup>127</sup>, E. Plotnikova<sup>64</sup>, P. Plucinski<sup>146a,146b</sup>,  
A. Poblaguev<sup>25</sup>, S. Poddar<sup>58a</sup>, F. Podlyski<sup>34</sup>, R. Poettgen<sup>81</sup>, L. Poggioli<sup>115</sup>, D. Pohl<sup>21</sup>,  
M. Pohl<sup>49</sup>, G. Polesello<sup>119a</sup>, A. Policicchio<sup>37a,37b</sup>, R. Polifka<sup>158</sup>, A. Polini<sup>20a</sup>, J. Poll<sup>75</sup>,  
V. Polychronakos<sup>25</sup>, D. Pomeroy<sup>23</sup>, K. Pommès<sup>30</sup>, L. Pontecorvo<sup>132a</sup>, B.G. Pope<sup>88</sup>,  
G.A. Popeneciu<sup>26a</sup>, D.S. Popovic<sup>13a</sup>, A. Poppleton<sup>30</sup>, X. Portell Bueso<sup>30</sup>, G.E. Pospelov<sup>99</sup>,  
S. Pospisil<sup>126</sup>, I.N. Potrap<sup>99</sup>, C.J. Potter<sup>149</sup>, C.T. Potter<sup>114</sup>, G. Poulard<sup>30</sup>, J. Poveda<sup>60</sup>,  
V. Pozdnyakov<sup>64</sup>, R. Prabhu<sup>77</sup>, P. Pralavorio<sup>83</sup>, A. Pranko<sup>15</sup>, S. Prasad<sup>30</sup>, R. Pravahan<sup>25</sup>,  
S. Prell<sup>63</sup>, K. Pretzl<sup>17</sup>, D. Price<sup>60</sup>, J. Price<sup>73</sup>, L.E. Price<sup>6</sup>, D. Prieur<sup>123</sup>, M. Primavera<sup>72a</sup>,  
M. Proissl<sup>46</sup>, K. Prokofiev<sup>108</sup>, F. Prokoshin<sup>32b</sup>, S. Protopopescu<sup>25</sup>, J. Proudfoot<sup>6</sup>,

X. Prudent<sup>44</sup>, M. Przybycien<sup>38</sup>, H. Przysiezniak<sup>5</sup>, S. Psoroulas<sup>21</sup>, E. Ptacek<sup>114</sup>,  
 E. Pueschel<sup>84</sup>, D. Poldon<sup>148</sup>, M. Purohit<sup>25,ac</sup>, P. Puzo<sup>115</sup>, Y. Pylypchenko<sup>62</sup>, J. Qian<sup>87</sup>,  
 A. Quadt<sup>54</sup>, D.R. Quarrie<sup>15</sup>, W.B. Quayle<sup>173</sup>, M. Raas<sup>104</sup>, V. Radeka<sup>25</sup>, V. Radescu<sup>42</sup>,  
 P. Radloff<sup>114</sup>, F. Ragusa<sup>89a,89b</sup>, G. Rahal<sup>178</sup>, A.M. Rahimi<sup>109</sup>, S. Rajagopalan<sup>25</sup>,  
 M. Rammensee<sup>48</sup>, M. Rammes<sup>141</sup>, A.S. Randle-Conde<sup>40</sup>, K. Randrianarivony<sup>29</sup>,  
 C. Rangel-Smith<sup>78</sup>, K. Rao<sup>163</sup>, F. Rauscher<sup>98</sup>, T.C. Rave<sup>48</sup>, M. Raymond<sup>30</sup>, A.L. Read<sup>117</sup>,  
 D.M. Rebuffi<sup>119a,119b</sup>, A. Redelbach<sup>174</sup>, G. Redlinger<sup>25</sup>, R. Reece<sup>120</sup>, K. Reeves<sup>41</sup>,  
 A. Reinsch<sup>114</sup>, I. Reisinger<sup>43</sup>, M. Relich<sup>163</sup>, C. Rembser<sup>30</sup>, Z.L. Ren<sup>151</sup>, A. Renaud<sup>115</sup>,  
 M. Rescigno<sup>132a</sup>, S. Resconi<sup>89a</sup>, B. Resende<sup>136</sup>, P. Reznicek<sup>98</sup>, R. Rezvani<sup>158</sup>, R. Richter<sup>99</sup>,  
 E. Richter-Was<sup>5,af</sup>, M. Ridel<sup>78</sup>, P. Rieck<sup>16</sup>, M. Rijssenbeek<sup>148</sup>, A. Rimoldi<sup>119a,119b</sup>,  
 L. Rinaldi<sup>20a</sup>, R.R. Rios<sup>40</sup>, E. Ritsch<sup>61</sup>, I. Riu<sup>12</sup>, G. Rivoltella<sup>89a,89b</sup>, F. Rizatdinova<sup>112</sup>,  
 E. Rizvi<sup>75</sup>, S.H. Robertson<sup>85,k</sup>, A. Robichaud-Veronneau<sup>118</sup>, D. Robinson<sup>28</sup>,  
 J.E.M. Robinson<sup>82</sup>, A. Robson<sup>53</sup>, J.G. Rocha de Lima<sup>106</sup>, C. Roda<sup>122a,122b</sup>,  
 D. Roda Dos Santos<sup>30</sup>, A. Roe<sup>54</sup>, S. Roe<sup>30</sup>, O. Røhne<sup>117</sup>, S. Rolli<sup>161</sup>, A. Romaniouk<sup>96</sup>,  
 M. Romano<sup>20a,20b</sup>, G. Romeo<sup>27</sup>, E. Romero Adam<sup>167</sup>, N. Rompotis<sup>138</sup>, L. Roos<sup>78</sup>, E. Ros<sup>167</sup>,  
 S. Rosati<sup>132a</sup>, K. Rosbach<sup>49</sup>, A. Rose<sup>149</sup>, M. Rose<sup>76</sup>, G.A. Rosenbaum<sup>158</sup>, P.L. Rosendahl<sup>14</sup>,  
 O. Rosenthal<sup>141</sup>, L. Rosselet<sup>49</sup>, V. Rossetti<sup>12</sup>, E. Rossi<sup>132a,132b</sup>, L.P. Rossi<sup>50a</sup>, M. Rotaru<sup>26a</sup>,  
 I. Roth<sup>172</sup>, J. Rothberg<sup>138</sup>, D. Rousseau<sup>115</sup>, C.R. Royon<sup>136</sup>, A. Rozanov<sup>83</sup>, Y. Rozen<sup>152</sup>,  
 X. Ruan<sup>33a,ag</sup>, F. Rubbo<sup>12</sup>, I. Rubinskiy<sup>42</sup>, N. Ruckstuhl<sup>105</sup>, V.I. Rud<sup>97</sup>, C. Rudolph<sup>44</sup>,  
 M.S. Rudolph<sup>158</sup>, F. Rühr<sup>7</sup>, A. Ruiz-Martinez<sup>63</sup>, L. Rumyantsev<sup>64</sup>, Z. Rurikova<sup>48</sup>,  
 N.A. Rusakovich<sup>64</sup>, A. Ruschke<sup>98</sup>, J.P. Rutherford<sup>7</sup>, N. Ruthmann<sup>48</sup>, P. Ruzicka<sup>125</sup>,  
 Y.F. Ryabov<sup>121</sup>, M. Rybar<sup>127</sup>, G. Rybkin<sup>115</sup>, N.C. Ryder<sup>118</sup>, A.F. Saavedra<sup>150</sup>, I. Sadeh<sup>153</sup>,  
 H.F-W. Sadrozinski<sup>137</sup>, R. Sadykov<sup>64</sup>, F. Safai Tehrani<sup>132a</sup>, H. Sakamoto<sup>155</sup>,  
 G. Salamanna<sup>75</sup>, A. Salamon<sup>133a</sup>, M. Saleem<sup>111</sup>, D. Salek<sup>30</sup>, D. Salihagic<sup>99</sup>, A. Salnikov<sup>143</sup>,  
 J. Salt<sup>167</sup>, B.M. Salvachua Ferrando<sup>6</sup>, D. Salvatore<sup>37a,37b</sup>, F. Salvatore<sup>149</sup>, A. Salvucci<sup>104</sup>,  
 A. Salzburger<sup>30</sup>, D. Sampsonidis<sup>154</sup>, A. Sanchez<sup>102a,102b</sup>, V. Sanchez Martinez<sup>167</sup>,  
 H. Sandaker<sup>14</sup>, H.G. Sander<sup>81</sup>, M.P. Sanders<sup>98</sup>, M. Sandhoff<sup>175</sup>, T. Sandoval<sup>28</sup>,  
 C. Sandoval<sup>162</sup>, R. Sandstroem<sup>99</sup>, D.P.C. Sankey<sup>129</sup>, A. Sansoni<sup>47</sup>, C. Santamarina Rios<sup>85</sup>,  
 C. Santoni<sup>34</sup>, R. Santonico<sup>133a,133b</sup>, H. Santos<sup>124a</sup>, I. Santoyo Castillo<sup>149</sup>, K. Sapp<sup>123</sup>,  
 J.G. Saraiva<sup>124a</sup>, T. Sarangi<sup>173</sup>, E. Sarkisyan-Grinbaum<sup>8</sup>, B. Sarrazin<sup>21</sup>, F. Sarri<sup>122a,122b</sup>,  
 G. Sartisohn<sup>175</sup>, O. Sasaki<sup>65</sup>, Y. Sasaki<sup>155</sup>, N. Sasao<sup>67</sup>, I. Satsounkevitch<sup>90</sup>, G. Sauvage<sup>5,\*</sup>,  
 E. Sauvan<sup>5</sup>, J.B. Sauvan<sup>115</sup>, P. Savard<sup>158,f</sup>, V. Savinov<sup>123</sup>, D.O. Savu<sup>30</sup>, L. Sawyer<sup>25,m</sup>,  
 D.H. Saxon<sup>53</sup>, J. Saxon<sup>120</sup>, C. Sbarra<sup>20a</sup>, A. Sbrizzi<sup>20a,20b</sup>, D.A. Scannicchio<sup>163</sup>,  
 M. Scarcella<sup>150</sup>, J. Schaarschmidt<sup>115</sup>, P. Schacht<sup>99</sup>, D. Schaefer<sup>120</sup>, U. Schäfer<sup>81</sup>,  
 A. Schaelicke<sup>46</sup>, S. Schaepe<sup>21</sup>, S. Schaetzel<sup>58b</sup>, A.C. Schaffer<sup>115</sup>, D. Schaile<sup>98</sup>,  
 R.D. Schamberger<sup>148</sup>, V. Scharf<sup>58a</sup>, V.A. Schegelsky<sup>121</sup>, D. Scheirich<sup>87</sup>, M. Schernau<sup>163</sup>,  
 M.I. Scherzer<sup>35</sup>, C. Schiavi<sup>50a,50b</sup>, J. Schieck<sup>98</sup>, M. Schioppa<sup>37a,37b</sup>, S. Schlenker<sup>30</sup>,  
 E. Schmidt<sup>48</sup>, K. Schmieden<sup>21</sup>, C. Schmitt<sup>81</sup>, C. Schmitt<sup>98</sup>, S. Schmitt<sup>58b</sup>, B. Schneider<sup>17</sup>,  
 Y.J. Schnellbach<sup>73</sup>, U. Schnoor<sup>44</sup>, L. Schoeffel<sup>136</sup>, A. Schoening<sup>58b</sup>, A.L.S. Schorlemmer<sup>54</sup>,  
 M. Schott<sup>81</sup>, D. Schouten<sup>159a</sup>, J. Schovancova<sup>125</sup>, M. Schram<sup>85</sup>, C. Schroeder<sup>81</sup>,  
 N. Schroer<sup>58c</sup>, M.J. Schultens<sup>21</sup>, J. Schultes<sup>175</sup>, H.-C. Schultz-Coulon<sup>58a</sup>, H. Schulz<sup>16</sup>,  
 M. Schumacher<sup>48</sup>, B.A. Schumm<sup>137</sup>, Ph. Schune<sup>136</sup>, A. Schwartzman<sup>143</sup>, Ph. Schwegler<sup>99</sup>,

Ph. Schwemling<sup>78</sup>, R. Schwienhorst<sup>88</sup>, J. Schwindling<sup>136</sup>, T. Schwindt<sup>21</sup>, M. Schwoerer<sup>5</sup>, F.G. Sciacca<sup>17</sup>, E. Scifo<sup>115</sup>, G. Sciolla<sup>23</sup>, W.G. Scott<sup>129</sup>, J. Searcy<sup>114</sup>, G. Sedov<sup>42</sup>, E. Sedykh<sup>121</sup>, S.C. Seidel<sup>103</sup>, A. Seiden<sup>137</sup>, F. Seifert<sup>44</sup>, J.M. Seixas<sup>24a</sup>, G. Sekhniaidze<sup>102a</sup>, S.J. Sekula<sup>40</sup>, K.E. Selbach<sup>46</sup>, D.M. Seliverstov<sup>121</sup>, B. Sellden<sup>146a</sup>, G. Sellers<sup>73</sup>, M. Seman<sup>144b</sup>, N. Semprini-Cesari<sup>20a,20b</sup>, C. Serfon<sup>30</sup>, L. Serin<sup>115</sup>, L. Serkin<sup>54</sup>, T. Serre<sup>83</sup>, R. Seuster<sup>159a</sup>, H. Severini<sup>111</sup>, A. Sfyrla<sup>30</sup>, E. Shabalina<sup>54</sup>, M. Shamim<sup>114</sup>, L.Y. Shan<sup>33a</sup>, J.T. Shank<sup>22</sup>, Q.T. Shao<sup>86</sup>, M. Shapiro<sup>15</sup>, P.B. Shatalov<sup>95</sup>, K. Shaw<sup>164a,164c</sup>, P. Sherwood<sup>77</sup>, S. Shimizu<sup>101</sup>, M. Shimojima<sup>100</sup>, T. Shin<sup>56</sup>, M. Shiyakova<sup>64</sup>, A. Shmeleva<sup>94</sup>, M.J. Shochet<sup>31</sup>, D. Short<sup>118</sup>, S. Shrestha<sup>63</sup>, E. Shulga<sup>96</sup>, M.A. Shupe<sup>7</sup>, P. Sicho<sup>125</sup>, A. Sidoti<sup>132a</sup>, F. Siegert<sup>48</sup>, Dj. Sijacki<sup>13a</sup>, O. Silbert<sup>172</sup>, J. Silva<sup>124a</sup>, Y. Silver<sup>153</sup>, D. Silverstein<sup>143</sup>, S.B. Silverstein<sup>146a</sup>, V. Simak<sup>126</sup>, O. Simard<sup>5</sup>, Lj. Simic<sup>13a</sup>, S. Simion<sup>115</sup>, E. Simioni<sup>81</sup>, B. Simmons<sup>77</sup>, R. Simoniello<sup>89a,89b</sup>, M. Simonyan<sup>36</sup>, P. Sinervo<sup>158</sup>, N.B. Sinev<sup>114</sup>, V. Sipica<sup>141</sup>, G. Siragusa<sup>174</sup>, A. Sircar<sup>25</sup>, A.N. Sisakyan<sup>64,\*</sup>, S.Yu. Sivoklokov<sup>97</sup>, J. Sjölín<sup>146a,146b</sup>, T.B. Sjursen<sup>14</sup>, L.A. Skinnari<sup>15</sup>, H.P. Skottowe<sup>57</sup>, K. Skovpen<sup>107</sup>, P. Skubic<sup>111</sup>, M. Slater<sup>18</sup>, T. Slavicek<sup>126</sup>, K. Sliwa<sup>161</sup>, V. Smakhtin<sup>172</sup>, B.H. Smart<sup>46</sup>, L. Smestad<sup>117</sup>, S.Yu. Smirnov<sup>96</sup>, Y. Smirnov<sup>96</sup>, L.N. Smirnova<sup>97,ah</sup>, O. Smirnova<sup>79</sup>, B.C. Smith<sup>57</sup>, K.M. Smith<sup>53</sup>, M. Smizanska<sup>71</sup>, K. Smolek<sup>126</sup>, A.A. Snesev<sup>94</sup>, G. Snidero<sup>75</sup>, S.W. Snow<sup>82</sup>, J. Snow<sup>111</sup>, S. Snyder<sup>25</sup>, R. Sobie<sup>169,k</sup>, J. Sodomka<sup>126</sup>, A. Soffer<sup>153</sup>, C.A. Solans<sup>30</sup>, M. Solar<sup>126</sup>, J. Solc<sup>126</sup>, E.Yu. Soldatov<sup>96</sup>, U. Soldevila<sup>167</sup>, E. Solfaroli Camillocci<sup>132a,132b</sup>, A.A. Solodkov<sup>128</sup>, O.V. Solovyanov<sup>128</sup>, V. Solovyev<sup>121</sup>, N. Soni<sup>1</sup>, A. Sood<sup>15</sup>, V. Sopko<sup>126</sup>, B. Sopko<sup>126</sup>, M. Sosebee<sup>8</sup>, R. Soualah<sup>164a,164c</sup>, P. Soueid<sup>93</sup>, A. Soukharev<sup>107</sup>, D. South<sup>42</sup>, S. Spagnolo<sup>72a,72b</sup>, F. Spanò<sup>76</sup>, R. Spighi<sup>20a</sup>, G. Spigo<sup>30</sup>, R. Spiwoks<sup>30</sup>, M. Spousta<sup>127,ai</sup>, T. Spreitzer<sup>158</sup>, B. Spurlock<sup>8</sup>, R.D. St. Denis<sup>53</sup>, J. Stahlman<sup>120</sup>, R. Stamen<sup>58a</sup>, E. Stanecka<sup>39</sup>, R.W. Stanek<sup>6</sup>, C. Stanescu<sup>134a</sup>, M. Stanescu-Bellu<sup>42</sup>, M.M. Stanitzki<sup>42</sup>, S. Stapnes<sup>117</sup>, E.A. Starchenko<sup>128</sup>, J. Stark<sup>55</sup>, P. Staroba<sup>125</sup>, P. Starovoitov<sup>42</sup>, R. Staszewski<sup>39</sup>, A. Staude<sup>98</sup>, P. Stavina<sup>144a,\*</sup>, G. Steele<sup>53</sup>, P. Steinbach<sup>44</sup>, P. Steinberg<sup>25</sup>, I. Stekl<sup>126</sup>, B. Stelzer<sup>142</sup>, H.J. Stelzer<sup>88</sup>, O. Stelzer-Chilton<sup>159a</sup>, H. Stenzel<sup>52</sup>, S. Stern<sup>99</sup>, G.A. Stewart<sup>30</sup>, J.A. Stillings<sup>21</sup>, M.C. Stockton<sup>85</sup>, M. Stoebe<sup>85</sup>, K. Stoerig<sup>48</sup>, G. Stoicea<sup>26a</sup>, S. Stonjek<sup>99</sup>, P. Strachota<sup>127</sup>, A.R. Stradling<sup>8</sup>, A. Straessner<sup>44</sup>, J. Strandberg<sup>147</sup>, S. Strandberg<sup>146a,146b</sup>, A. Strandlie<sup>117</sup>, M. Strang<sup>109</sup>, E. Strauss<sup>143</sup>, M. Strauss<sup>111</sup>, P. Strizeneč<sup>144b</sup>, R. Ströhmer<sup>174</sup>, D.M. Strom<sup>114</sup>, J.A. Strong<sup>76,\*</sup>, R. Stroynowski<sup>40</sup>, B. Stugu<sup>14</sup>, I. Stumer<sup>25,\*</sup>, J. Stupak<sup>148</sup>, P. Sturm<sup>175</sup>, N.A. Styles<sup>42</sup>, D.A. Soh<sup>151,u</sup>, D. Su<sup>143</sup>, HS. Subramania<sup>3</sup>, R. Subramaniam<sup>25</sup>, A. Succurro<sup>12</sup>, Y. Sugaya<sup>116</sup>, C. Suhr<sup>106</sup>, M. Suk<sup>127</sup>, V.V. Sulin<sup>94</sup>, S. Sultansoy<sup>4c</sup>, T. Sumida<sup>67</sup>, X. Sun<sup>55</sup>, J.E. Sundermann<sup>48</sup>, K. Suruliz<sup>139</sup>, G. Susinno<sup>37a,37b</sup>, M.R. Sutton<sup>149</sup>, Y. Suzuki<sup>65</sup>, Y. Suzuki<sup>66</sup>, M. Svatos<sup>125</sup>, S. Swedish<sup>168</sup>, M. Swiatlowski<sup>143</sup>, I. Sykora<sup>144a</sup>, T. Sykora<sup>127</sup>, J. Sánchez<sup>167</sup>, D. Ta<sup>105</sup>, K. Tackmann<sup>42</sup>, A. Taffard<sup>163</sup>, R. Tafirout<sup>159a</sup>, N. Taiblum<sup>153</sup>, Y. Takahashi<sup>101</sup>, H. Takai<sup>25</sup>, R. Takashima<sup>68</sup>, H. Takeda<sup>66</sup>, T. Takeshita<sup>140</sup>, Y. Takubo<sup>65</sup>, M. Talby<sup>83</sup>, A. Talyshev<sup>107,h</sup>, J.Y.C. Tam<sup>174</sup>, M.C. Tamssett<sup>25</sup>, K.G. Tan<sup>86</sup>, J. Tanaka<sup>155</sup>, R. Tanaka<sup>115</sup>, S. Tanaka<sup>131</sup>, S. Tanaka<sup>65</sup>, A.J. Tanasijczuk<sup>142</sup>, K. Tani<sup>66</sup>, N. Tannoury<sup>83</sup>, S. Tapprogge<sup>81</sup>, D. Tardif<sup>158</sup>, S. Tarem<sup>152</sup>, F. Tarrade<sup>29</sup>, G.F. Tartarelli<sup>89a</sup>, P. Tas<sup>127</sup>, M. Tasevsky<sup>125</sup>, E. Tassi<sup>37a,37b</sup>, Y. Tayalati<sup>135d</sup>, C. Taylor<sup>77</sup>, F.E. Taylor<sup>92</sup>, G.N. Taylor<sup>86</sup>, W. Taylor<sup>159b</sup>, M. Teinturier<sup>115</sup>, F.A. Teischinger<sup>30</sup>,

M. Teixeira Dias Castanheira<sup>75</sup>, P. Teixeira-Dias<sup>76</sup>, K.K. Temming<sup>48</sup>, H. Ten Kate<sup>30</sup>,  
 P.K. Teng<sup>151</sup>, S. Terada<sup>65</sup>, K. Terashi<sup>155</sup>, J. Terron<sup>80</sup>, M. Testa<sup>47</sup>, R.J. Teuscher<sup>158,k</sup>,  
 J. Therhaag<sup>21</sup>, T. Theveneaux-Pelzer<sup>34</sup>, S. Thoma<sup>48</sup>, J.P. Thomas<sup>18</sup>, E.N. Thompson<sup>35</sup>,  
 P.D. Thompson<sup>18</sup>, P.D. Thompson<sup>158</sup>, A.S. Thompson<sup>53</sup>, L.A. Thomsen<sup>36</sup>, E. Thomson<sup>120</sup>,  
 M. Thomson<sup>28</sup>, W.M. Thong<sup>86</sup>, R.P. Thun<sup>87</sup>, F. Tian<sup>35</sup>, M.J. Tibbetts<sup>15</sup>, T. Tic<sup>125</sup>,  
 V.O. Tikhomirov<sup>94</sup>, Y.A. Tikhonov<sup>107,h</sup>, S. Timoshenko<sup>96</sup>, E. Tiouchichine<sup>83</sup>, P. Tipton<sup>176</sup>,  
 S. Tisserant<sup>83</sup>, T. Todorov<sup>5</sup>, S. Todorova-Nova<sup>161</sup>, B. Toggerson<sup>163</sup>, J. Tojo<sup>69</sup>, S. Tokár<sup>144a</sup>,  
 K. Tokushuku<sup>65</sup>, K. Tollefson<sup>88</sup>, L. Tomlinson<sup>82</sup>, M. Tomoto<sup>101</sup>, L. Tompkins<sup>31</sup>, K. Toms<sup>103</sup>,  
 A. Tonoyan<sup>14</sup>, C. Topfel<sup>17</sup>, N.D. Topilin<sup>64</sup>, E. Torrence<sup>114</sup>, H. Torres<sup>78</sup>, E. Torró Pastor<sup>167</sup>,  
 J. Toth<sup>83,ad</sup>, F. Touchard<sup>83</sup>, D.R. Tovey<sup>139</sup>, T. Trefzger<sup>174</sup>, L. Tremblet<sup>30</sup>, A. Tricoli<sup>30</sup>,  
 I.M. Trigger<sup>159a</sup>, S. Trincaz-Duvoid<sup>78</sup>, M.F. Tripiana<sup>70</sup>, N. Triplett<sup>25</sup>, W. Trischuk<sup>158</sup>,  
 B. Trocme<sup>55</sup>, C. Troncon<sup>89a</sup>, M. Trottier-McDonald<sup>142</sup>, M. Trovatelli<sup>134a,134b</sup>, P. True<sup>88</sup>,  
 M. Trzebinski<sup>39</sup>, A. Trzupek<sup>39</sup>, C. Tsarouchas<sup>30</sup>, J.C-L. Tseng<sup>118</sup>, M. Tsiakiris<sup>105</sup>,  
 P.V. Tsiareshka<sup>90</sup>, D. Tsionou<sup>5,aj</sup>, G. Tsipolitis<sup>10</sup>, S. Tsiskaridze<sup>12</sup>, V. Tsiskaridze<sup>48</sup>,  
 E.G. Tskhadadze<sup>51a</sup>, I.I. Tsukerman<sup>95</sup>, V. Tsulaia<sup>15</sup>, J.-W. Tsung<sup>21</sup>, S. Tsuno<sup>65</sup>,  
 D. Tsybychev<sup>148</sup>, A. Tua<sup>139</sup>, A. Tudorache<sup>26a</sup>, V. Tudorache<sup>26a</sup>, J.M. Tuggle<sup>31</sup>, M. Turala<sup>39</sup>,  
 D. Turecek<sup>126</sup>, I. Turk Cakir<sup>4d</sup>, R. Turra<sup>89a,89b</sup>, P.M. Tuts<sup>35</sup>, A. Tykhonov<sup>74</sup>,  
 M. Tylmad<sup>146a,146b</sup>, M. Tyndel<sup>129</sup>, G. Tzanakos<sup>9</sup>, K. Uchida<sup>21</sup>, I. Ueda<sup>155</sup>, R. Ueno<sup>29</sup>,  
 M. Ughetto<sup>83</sup>, M. Uglan<sup>14</sup>, M. Uhlenbrock<sup>21</sup>, F. Ukegawa<sup>160</sup>, G. Unal<sup>30</sup>, A. Undrus<sup>25</sup>,  
 G. Unel<sup>163</sup>, F.C. Ungaro<sup>48</sup>, Y. Unno<sup>65</sup>, D. Urbaniec<sup>35</sup>, P. Urquijo<sup>21</sup>, G. Usai<sup>8</sup>, L. Vacavant<sup>83</sup>,  
 V. Vacek<sup>126</sup>, B. Vachon<sup>85</sup>, S. Vahsen<sup>15</sup>, N. Valencic<sup>105</sup>, S. Valentinetti<sup>20a,20b</sup>, A. Valero<sup>167</sup>,  
 L. Valery<sup>34</sup>, S. Valkar<sup>127</sup>, E. Valladolid Gallego<sup>167</sup>, S. Vallecorsa<sup>152</sup>, J.A. Valls Ferrer<sup>167</sup>,  
 R. Van Berg<sup>120</sup>, P.C. Van Der Deijl<sup>105</sup>, R. van der Geer<sup>105</sup>, H. van der Graaf<sup>105</sup>,  
 R. Van Der Leeuw<sup>105</sup>, E. van der Poel<sup>105</sup>, D. van der Ster<sup>30</sup>, N. van Eldik<sup>30</sup>,  
 P. van Gemmeren<sup>6</sup>, J. Van Nieuwkoop<sup>142</sup>, I. van Vulpen<sup>105</sup>, M. Vanadia<sup>99</sup>, W. Vandelli<sup>30</sup>,  
 A. Vaniachine<sup>6</sup>, P. Vankov<sup>42</sup>, F. Vannucci<sup>78</sup>, R. Vari<sup>132a</sup>, E.W. Varnes<sup>7</sup>, T. Varol<sup>84</sup>,  
 D. Varouchas<sup>15</sup>, A. Vartapetian<sup>8</sup>, K.E. Varvell<sup>150</sup>, V.I. Vassilakopoulos<sup>56</sup>, F. Vazeille<sup>34</sup>,  
 T. Vazquez Schroeder<sup>54</sup>, F. Veloso<sup>124a</sup>, S. Veneziano<sup>132a</sup>, A. Ventura<sup>72a,72b</sup>, D. Ventura<sup>84</sup>,  
 M. Venturi<sup>48</sup>, N. Venturi<sup>158</sup>, V. Vercesi<sup>119a</sup>, M. Verducci<sup>138</sup>, W. Verkerke<sup>105</sup>,  
 J.C. Vermeulen<sup>105</sup>, A. Vest<sup>44</sup>, M.C. Vetterli<sup>142,f</sup>, I. Vichou<sup>165</sup>, T. Vickey<sup>145b,ak</sup>,  
 O.E. Vickey Boeriu<sup>145b</sup>, G.H.A. Viehhauser<sup>118</sup>, S. Viel<sup>168</sup>, M. Villa<sup>20a,20b</sup>,  
 M. Villaplana Perez<sup>167</sup>, E. Vilucchi<sup>47</sup>, M.G. Vincter<sup>29</sup>, E. Vinek<sup>30</sup>, V.B. Vinogradov<sup>64</sup>,  
 J. Virzi<sup>15</sup>, O. Vitells<sup>172</sup>, M. Viti<sup>42</sup>, I. Vivarelli<sup>48</sup>, F. Vives Vaque<sup>3</sup>, S. Vlachos<sup>10</sup>,  
 D. Vladoiu<sup>98</sup>, M. Vlasak<sup>126</sup>, A. Vogel<sup>21</sup>, P. Vokac<sup>126</sup>, G. Volpi<sup>47</sup>, M. Volpi<sup>86</sup>, G. Volpini<sup>89a</sup>,  
 H. von der Schmitt<sup>99</sup>, H. von Radziewski<sup>48</sup>, E. von Toerne<sup>21</sup>, V. Vorobel<sup>127</sup>, V. Vorwerk<sup>12</sup>,  
 M. Vos<sup>167</sup>, R. Voss<sup>30</sup>, J.H. Vossebeld<sup>73</sup>, N. Vranjes<sup>136</sup>, M. Vranjes Milosavljevic<sup>105</sup>,  
 V. Vrba<sup>125</sup>, M. Vreeswijk<sup>105</sup>, T. Vu Anh<sup>48</sup>, R. Vuillemet<sup>30</sup>, I. Vukotic<sup>31</sup>, Z. Vykydal<sup>126</sup>,  
 W. Wagner<sup>175</sup>, P. Wagner<sup>21</sup>, H. Wahlen<sup>175</sup>, S. Wahrmund<sup>44</sup>, J. Wakabayashi<sup>101</sup>, S. Walch<sup>87</sup>,  
 J. Walder<sup>71</sup>, R. Walker<sup>98</sup>, W. Walkowiak<sup>141</sup>, R. Wall<sup>176</sup>, P. Waller<sup>73</sup>, B. Walsh<sup>176</sup>, C. Wang<sup>45</sup>,  
 H. Wang<sup>173</sup>, H. Wang<sup>40</sup>, J. Wang<sup>151</sup>, J. Wang<sup>33a</sup>, K. Wang<sup>85</sup>, R. Wang<sup>103</sup>, S.M. Wang<sup>151</sup>,  
 T. Wang<sup>21</sup>, X. Wang<sup>176</sup>, A. Warburton<sup>85</sup>, C.P. Ward<sup>28</sup>, D.R. Wardrope<sup>77</sup>, M. Warsinsky<sup>48</sup>,  
 A. Washbrook<sup>46</sup>, C. Wasicki<sup>42</sup>, I. Watanabe<sup>66</sup>, P.M. Watkins<sup>18</sup>, A.T. Watson<sup>18</sup>,

I.J. Watson<sup>150</sup>, M.F. Watson<sup>18</sup>, G. Watts<sup>138</sup>, S. Watts<sup>82</sup>, A.T. Waugh<sup>150</sup>, B.M. Waugh<sup>77</sup>, M.S. Weber<sup>17</sup>, J.S. Webster<sup>31</sup>, A.R. Weidberg<sup>118</sup>, P. Weigell<sup>99</sup>, J. Weingarten<sup>54</sup>, C. Weiser<sup>48</sup>, P.S. Wells<sup>30</sup>, T. Wenaus<sup>25</sup>, D. Wendland<sup>16</sup>, Z. Weng<sup>151,u</sup>, T. Wengler<sup>30</sup>, S. Wenig<sup>30</sup>, N. Wermes<sup>21</sup>, M. Werner<sup>48</sup>, P. Werner<sup>30</sup>, M. Werth<sup>163</sup>, M. Wessels<sup>58a</sup>, J. Wetter<sup>161</sup>, C. Weydert<sup>55</sup>, K. Whalen<sup>29</sup>, A. White<sup>8</sup>, M.J. White<sup>86</sup>, S. White<sup>122a,122b</sup>, S.R. Whitehead<sup>118</sup>, D. Whiteson<sup>163</sup>, D. Whittington<sup>60</sup>, D. Wicke<sup>175</sup>, F.J. Wickens<sup>129</sup>, W. Wiedenmann<sup>173</sup>, M. Wielers<sup>129</sup>, P. Wienemann<sup>21</sup>, C. Wiglesworth<sup>75</sup>, L.A.M. Wiik-Fuchs<sup>21</sup>, P.A. Wijeratne<sup>77</sup>, A. Wildauer<sup>99</sup>, M.A. Wildt<sup>42,q</sup>, I. Wilhelm<sup>127</sup>, H.G. Wilkens<sup>30</sup>, J.Z. Will<sup>98</sup>, E. Williams<sup>35</sup>, H.H. Williams<sup>120</sup>, S. Williams<sup>28</sup>, W. Willis<sup>35,\*</sup>, S. Willocq<sup>84</sup>, J.A. Wilson<sup>18</sup>, M.G. Wilson<sup>143</sup>, A. Wilson<sup>87</sup>, I. Wingerter-Seez<sup>5</sup>, S. Winkelmann<sup>48</sup>, F. Winklmeier<sup>30</sup>, M. Wittgen<sup>143</sup>, T. Wittig<sup>43</sup>, J. Wittkowski<sup>98</sup>, S.J. Wollstadt<sup>81</sup>, M.W. Wolter<sup>39</sup>, H. Wolters<sup>124a,i</sup>, W.C. Wong<sup>41</sup>, G. Wooden<sup>87</sup>, B.K. Wosiek<sup>39</sup>, J. Wotschack<sup>30</sup>, M.J. Woudstra<sup>82</sup>, K.W. Wozniak<sup>39</sup>, K. Wraight<sup>53</sup>, M. Wright<sup>53</sup>, B. Wrona<sup>73</sup>, S.L. Wu<sup>173</sup>, X. Wu<sup>49</sup>, Y. Wu<sup>33b,al</sup>, E. Wulf<sup>35</sup>, B.M. Wynne<sup>46</sup>, S. Xella<sup>36</sup>, M. Xiao<sup>136</sup>, S. Xie<sup>48</sup>, C. Xu<sup>33b,y</sup>, D. Xu<sup>33a</sup>, L. Xu<sup>33b</sup>, B. Yabsley<sup>150</sup>, S. Yacoob<sup>145a,am</sup>, M. Yamada<sup>65</sup>, H. Yamaguchi<sup>155</sup>, A. Yamamoto<sup>65</sup>, K. Yamamoto<sup>63</sup>, S. Yamamoto<sup>155</sup>, T. Yamamura<sup>155</sup>, T. Yamanaka<sup>155</sup>, K. Yamauchi<sup>101</sup>, T. Yamazaki<sup>155</sup>, Y. Yamazaki<sup>66</sup>, Z. Yan<sup>22</sup>, H. Yang<sup>33e</sup>, H. Yang<sup>173</sup>, U.K. Yang<sup>82</sup>, Y. Yang<sup>109</sup>, Z. Yang<sup>146a,146b</sup>, S. Yanush<sup>91</sup>, L. Yao<sup>33a</sup>, Y. Yasu<sup>65</sup>, E. Yatsenko<sup>42</sup>, J. Ye<sup>40</sup>, S. Ye<sup>25</sup>, A.L. Yen<sup>57</sup>, M. Yilmaz<sup>4b</sup>, R. Yoosoofmiya<sup>123</sup>, K. Yorita<sup>171</sup>, R. Yoshida<sup>6</sup>, K. Yoshihara<sup>155</sup>, C. Young<sup>143</sup>, C.J. Young<sup>118</sup>, S. Youssef<sup>22</sup>, D. Yu<sup>25</sup>, D.R. Yu<sup>15</sup>, J. Yu<sup>8</sup>, J. Yu<sup>112</sup>, L. Yuan<sup>66</sup>, A. Yurkewicz<sup>106</sup>, B. Zabinski<sup>39</sup>, R. Zaidan<sup>62</sup>, A.M. Zaitsev<sup>128</sup>, S. Zambito<sup>23</sup>, L. Zanello<sup>132a,132b</sup>, D. Zanzi<sup>99</sup>, A. Zaytsev<sup>25</sup>, C. Zeitnitz<sup>175</sup>, M. Zeman<sup>126</sup>, A. Zemla<sup>39</sup>, O. Zenin<sup>128</sup>, T. Ženiš<sup>144a</sup>, Z. Zinonos<sup>122a,122b</sup>, D. Zerwas<sup>115</sup>, G. Zevi della Porta<sup>57</sup>, D. Zhang<sup>87</sup>, H. Zhang<sup>88</sup>, J. Zhang<sup>6</sup>, L. Zhang<sup>151</sup>, X. Zhang<sup>33d</sup>, Z. Zhang<sup>115</sup>, L. Zhao<sup>108</sup>, Z. Zhao<sup>33b</sup>, A. Zhemchugov<sup>64</sup>, J. Zhong<sup>118</sup>, B. Zhou<sup>87</sup>, N. Zhou<sup>163</sup>, Y. Zhou<sup>151</sup>, C.G. Zhu<sup>33d</sup>, H. Zhu<sup>42</sup>, J. Zhu<sup>87</sup>, Y. Zhu<sup>33b</sup>, X. Zhuang<sup>33a</sup>, V. Zhuravlov<sup>99</sup>, A. Zibell<sup>98</sup>, D. Zieminska<sup>60</sup>, N.I. Zimin<sup>64</sup>, R. Zimmermann<sup>21</sup>, S. Zimmermann<sup>21</sup>, S. Zimmermann<sup>48</sup>, M. Ziolkowski<sup>141</sup>, R. Zitoun<sup>5</sup>, L. Živković<sup>35</sup>, V.V. Zmouchko<sup>128,\*</sup>, G. Zobernig<sup>173</sup>, A. Zoccoli<sup>20a,20b</sup>, M. zur Nedden<sup>16</sup>, V. Zutshi<sup>106</sup>, L. Zwalinski<sup>30</sup>.

<sup>1</sup> School of Chemistry and Physics, University of Adelaide, Adelaide, Australia

<sup>2</sup> Physics Department, SUNY Albany, Albany NY, United States of America

<sup>3</sup> Department of Physics, University of Alberta, Edmonton AB, Canada

<sup>4</sup> (a) Department of Physics, Ankara University, Ankara; (b) Department of Physics, Gazi University, Ankara; (c) Division of Physics, TOBB University of Economics and Technology, Ankara; (d) Turkish Atomic Energy Authority, Ankara, Turkey

<sup>5</sup> LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France

<sup>6</sup> High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America

<sup>7</sup> Department of Physics, University of Arizona, Tucson AZ, United States of America

<sup>8</sup> Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America

- <sup>9</sup> Physics Department, University of Athens, Athens, Greece
- <sup>10</sup> Physics Department, National Technical University of Athens, Zografou, Greece
- <sup>11</sup> Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- <sup>12</sup> Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain
- <sup>13</sup> <sup>(a)</sup> Institute of Physics, University of Belgrade, Belgrade; <sup>(b)</sup> Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia
- <sup>14</sup> Department for Physics and Technology, University of Bergen, Bergen, Norway
- <sup>15</sup> Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America
- <sup>16</sup> Department of Physics, Humboldt University, Berlin, Germany
- <sup>17</sup> Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland
- <sup>18</sup> School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
- <sup>19</sup> <sup>(a)</sup> Department of Physics, Bogazici University, Istanbul; <sup>(b)</sup> Division of Physics, Dogus University, Istanbul; <sup>(c)</sup> Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey
- <sup>20</sup> <sup>(a)</sup> INFN Sezione di Bologna; <sup>(b)</sup> Dipartimento di Fisica, Università di Bologna, Bologna, Italy
- <sup>21</sup> Physikalisches Institut, University of Bonn, Bonn, Germany
- <sup>22</sup> Department of Physics, Boston University, Boston MA, United States of America
- <sup>23</sup> Department of Physics, Brandeis University, Waltham MA, United States of America
- <sup>24</sup> <sup>(a)</sup> Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; <sup>(b)</sup> Federal University of Juiz de Fora (UFJF), Juiz de Fora; <sup>(c)</sup> Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; <sup>(d)</sup> Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil
- <sup>25</sup> Physics Department, Brookhaven National Laboratory, Upton NY, United States of America
- <sup>26</sup> <sup>(a)</sup> National Institute of Physics and Nuclear Engineering, Bucharest; <sup>(b)</sup> University Politehnica Bucharest, Bucharest; <sup>(c)</sup> West University in Timisoara, Timisoara, Romania
- <sup>27</sup> Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
- <sup>28</sup> Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
- <sup>29</sup> Department of Physics, Carleton University, Ottawa ON, Canada
- <sup>30</sup> CERN, Geneva, Switzerland
- <sup>31</sup> Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America
- <sup>32</sup> <sup>(a)</sup> Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; <sup>(b)</sup> Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
- <sup>33</sup> <sup>(a)</sup> Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; <sup>(b)</sup> Department of Modern Physics, University of Science and Technology of China, Anhui; <sup>(c)</sup> Department of Physics, Nanjing University, Jiangsu; <sup>(d)</sup> School of Physics, Shandong University, Shandong; <sup>(e)</sup> Physics Department, Shanghai Jiao Tong University, Shanghai,

China

<sup>34</sup> Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France

<sup>35</sup> Nevis Laboratory, Columbia University, Irvington NY, United States of America

<sup>36</sup> Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark

<sup>37</sup> <sup>(a)</sup> INFN Gruppo Collegato di Cosenza; <sup>(b)</sup> Dipartimento di Fisica, Università della Calabria, Rende, Italy

<sup>38</sup> AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland

<sup>39</sup> The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland

<sup>40</sup> Physics Department, Southern Methodist University, Dallas TX, United States of America

<sup>41</sup> Physics Department, University of Texas at Dallas, Richardson TX, United States of America

<sup>42</sup> DESY, Hamburg and Zeuthen, Germany

<sup>43</sup> Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

<sup>44</sup> Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany

<sup>45</sup> Department of Physics, Duke University, Durham NC, United States of America

<sup>46</sup> SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

<sup>47</sup> INFN Laboratori Nazionali di Frascati, Frascati, Italy

<sup>48</sup> Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany

<sup>49</sup> Section de Physique, Université de Genève, Geneva, Switzerland

<sup>50</sup> <sup>(a)</sup> INFN Sezione di Genova; <sup>(b)</sup> Dipartimento di Fisica, Università di Genova, Genova, Italy

<sup>51</sup> <sup>(a)</sup> E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; <sup>(b)</sup> High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

<sup>52</sup> II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

<sup>53</sup> SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

<sup>54</sup> II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany

<sup>55</sup> Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France

<sup>56</sup> Department of Physics, Hampton University, Hampton VA, United States of America

<sup>57</sup> Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America

<sup>58</sup> <sup>(a)</sup> Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; <sup>(b)</sup> Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; <sup>(c)</sup> ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

<sup>59</sup> Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan



- <sup>60</sup> Department of Physics, Indiana University, Bloomington IN, United States of America
- <sup>61</sup> Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- <sup>62</sup> University of Iowa, Iowa City IA, United States of America
- <sup>63</sup> Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America
- <sup>64</sup> Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- <sup>65</sup> KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- <sup>66</sup> Graduate School of Science, Kobe University, Kobe, Japan
- <sup>67</sup> Faculty of Science, Kyoto University, Kyoto, Japan
- <sup>68</sup> Kyoto University of Education, Kyoto, Japan
- <sup>69</sup> Department of Physics, Kyushu University, Fukuoka, Japan
- <sup>70</sup> Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- <sup>71</sup> Physics Department, Lancaster University, Lancaster, United Kingdom
- <sup>72</sup> <sup>(a)</sup> INFN Sezione di Lecce; <sup>(b)</sup> Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- <sup>73</sup> Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- <sup>74</sup> Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- <sup>75</sup> School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- <sup>76</sup> Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- <sup>77</sup> Department of Physics and Astronomy, University College London, London, United Kingdom
- <sup>78</sup> Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- <sup>79</sup> Fysiska institutionen, Lunds universitet, Lund, Sweden
- <sup>80</sup> Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- <sup>81</sup> Institut für Physik, Universität Mainz, Mainz, Germany
- <sup>82</sup> School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- <sup>83</sup> CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- <sup>84</sup> Department of Physics, University of Massachusetts, Amherst MA, United States of America
- <sup>85</sup> Department of Physics, McGill University, Montreal QC, Canada
- <sup>86</sup> School of Physics, University of Melbourne, Victoria, Australia
- <sup>87</sup> Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- <sup>88</sup> Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
- <sup>89</sup> <sup>(a)</sup> INFN Sezione di Milano; <sup>(b)</sup> Dipartimento di Fisica, Università di Milano, Milano, Italy

- <sup>90</sup> B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus
- <sup>91</sup> National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus
- <sup>92</sup> Department of Physics, Massachusetts Institute of Technology, Cambridge MA, United States of America
- <sup>93</sup> Group of Particle Physics, University of Montreal, Montreal QC, Canada
- <sup>94</sup> P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
- <sup>95</sup> Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- <sup>96</sup> Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
- <sup>97</sup> D.V.Skobel'tsyn Institute of Nuclear Physics, M.V.Lomonosov Moscow State University, Moscow, Russia
- <sup>98</sup> Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- <sup>99</sup> Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- <sup>100</sup> Nagasaki Institute of Applied Science, Nagasaki, Japan
- <sup>101</sup> Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- <sup>102</sup> <sup>(a)</sup> INFN Sezione di Napoli; <sup>(b)</sup> Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy
- <sup>103</sup> Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America
- <sup>104</sup> Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- <sup>105</sup> Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- <sup>106</sup> Department of Physics, Northern Illinois University, DeKalb IL, United States of America
- <sup>107</sup> Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- <sup>108</sup> Department of Physics, New York University, New York NY, United States of America
- <sup>109</sup> Ohio State University, Columbus OH, United States of America
- <sup>110</sup> Faculty of Science, Okayama University, Okayama, Japan
- <sup>111</sup> Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America
- <sup>112</sup> Department of Physics, Oklahoma State University, Stillwater OK, United States of America
- <sup>113</sup> Palacký University, RCPTM, Olomouc, Czech Republic
- <sup>114</sup> Center for High Energy Physics, University of Oregon, Eugene OR, United States of America
- <sup>115</sup> LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
- <sup>116</sup> Graduate School of Science, Osaka University, Osaka, Japan
- <sup>117</sup> Department of Physics, University of Oslo, Oslo, Norway
- <sup>118</sup> Department of Physics, Oxford University, Oxford, United Kingdom

- 119 (a) INFN Sezione di Pavia; (b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy  
120 Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America  
121 Petersburg Nuclear Physics Institute, Gatchina, Russia  
122 (a) INFN Sezione di Pisa; (b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy  
123 Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America  
124 (a) Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa, Portugal; (b) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain  
125 Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic  
126 Czech Technical University in Prague, Praha, Czech Republic  
127 Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic  
128 State Research Center Institute for High Energy Physics, Protvino, Russia  
129 Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom  
130 Physics Department, University of Regina, Regina SK, Canada  
131 Ritsumeikan University, Kusatsu, Shiga, Japan  
132 (a) INFN Sezione di Roma I; (b) Dipartimento di Fisica, Università La Sapienza, Roma, Italy  
133 (a) INFN Sezione di Roma Tor Vergata; (b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy  
134 (a) INFN Sezione di Roma Tre; (b) Dipartimento di Fisica, Università Roma Tre, Roma, Italy  
135 (a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; (b) Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) Faculté des Sciences, Université Mohamed Premier and LTPM, Oujda; (e) Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco  
136 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France  
137 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America  
138 Department of Physics, University of Washington, Seattle WA, United States of America  
139 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom  
140 Department of Physics, Shinshu University, Nagano, Japan  
141 Fachbereich Physik, Universität Siegen, Siegen, Germany  
142 Department of Physics, Simon Fraser University, Burnaby BC, Canada  
143 SLAC National Accelerator Laboratory, Stanford CA, United States of America

- <sup>144</sup> <sup>(a)</sup> Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; <sup>(b)</sup> Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
- <sup>145</sup> <sup>(a)</sup> Department of Physics, University of Johannesburg, Johannesburg; <sup>(b)</sup> School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- <sup>146</sup> <sup>(a)</sup> Department of Physics, Stockholm University; <sup>(b)</sup> The Oskar Klein Centre, Stockholm, Sweden
- <sup>147</sup> Physics Department, Royal Institute of Technology, Stockholm, Sweden
- <sup>148</sup> Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America
- <sup>149</sup> Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
- <sup>150</sup> School of Physics, University of Sydney, Sydney, Australia
- <sup>151</sup> Institute of Physics, Academia Sinica, Taipei, Taiwan
- <sup>152</sup> Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
- <sup>153</sup> Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- <sup>154</sup> Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- <sup>155</sup> International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
- <sup>156</sup> Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- <sup>157</sup> Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- <sup>158</sup> Department of Physics, University of Toronto, Toronto ON, Canada
- <sup>159</sup> <sup>(a)</sup> TRIUMF, Vancouver BC; <sup>(b)</sup> Department of Physics and Astronomy, York University, Toronto ON, Canada
- <sup>160</sup> Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
- <sup>161</sup> Department of Physics and Astronomy, Tufts University, Medford MA, United States of America
- <sup>162</sup> Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- <sup>163</sup> Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America
- <sup>164</sup> <sup>(a)</sup> INFN Gruppo Collegato di Udine; <sup>(b)</sup> ICTP, Trieste; <sup>(c)</sup> Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- <sup>165</sup> Department of Physics, University of Illinois, Urbana IL, United States of America
- <sup>166</sup> Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- <sup>167</sup> Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
- <sup>168</sup> Department of Physics, University of British Columbia, Vancouver BC, Canada
- <sup>169</sup> Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
- <sup>170</sup> Department of Physics, University of Warwick, Coventry, United Kingdom
- <sup>171</sup> Waseda University, Tokyo, Japan

<sup>172</sup> Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel

<sup>173</sup> Department of Physics, University of Wisconsin, Madison WI, United States of America

<sup>174</sup> Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany

<sup>175</sup> Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany

<sup>176</sup> Department of Physics, Yale University, New Haven CT, United States of America

<sup>177</sup> Yerevan Physics Institute, Yerevan, Armenia

<sup>178</sup> Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

<sup>a</sup> Also at Department of Physics, King's College London, London, United Kingdom

<sup>b</sup> Also at Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa, Portugal

<sup>c</sup> Also at Faculdade de Ciências and CFNUL, Universidade de Lisboa, Lisboa, Portugal

<sup>d</sup> Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom

<sup>e</sup> Also at Department of Physics, University of Johannesburg, Johannesburg, South Africa

<sup>f</sup> Also at TRIUMF, Vancouver BC, Canada

<sup>g</sup> Also at Department of Physics, California State University, Fresno CA, United States of America

<sup>h</sup> Also at Novosibirsk State University, Novosibirsk, Russia

<sup>i</sup> Also at Department of Physics, University of Coimbra, Coimbra, Portugal

<sup>j</sup> Also at Università di Napoli Parthenope, Napoli, Italy

<sup>k</sup> Also at Institute of Particle Physics (IPP), Canada

<sup>l</sup> Also at Department of Physics, Middle East Technical University, Ankara, Turkey

<sup>m</sup> Also at Louisiana Tech University, Ruston LA, United States of America

<sup>n</sup> Also at Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal

<sup>o</sup> Also at Department of Physics, University of Cape Town, Cape Town, South Africa

<sup>p</sup> Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

<sup>q</sup> Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany

<sup>r</sup> Also at Manhattan College, New York NY, United States of America

<sup>s</sup> Associated author at Durham University, IPPP, Durham, United Kingdom

<sup>t</sup> Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France

<sup>u</sup> Also at School of Physics and Engineering, Sun Yat-sen University, Guanzhou, China

<sup>v</sup> Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan

<sup>w</sup> Also at School of Physics, Shandong University, Shandong, China

<sup>x</sup> Also at Dipartimento di Fisica, Università La Sapienza, Roma, Italy

<sup>y</sup> Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France

<sup>z</sup> Also at Section de Physique, Université de Genève, Geneva, Switzerland

*aa* Also at Departamento de Fisica, Universidade de Minho, Braga, Portugal

*ab* Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America

*ac* Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America

*ad* Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary

*ae* Also at International School for Advanced Studies (SISSA), Trieste, Italy

*af* Also at Institute of Physics, Jagiellonian University, Krakow, Poland

*ag* Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France

*ah* Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia

*ai* Also at Nevis Laboratory, Columbia University, Irvington NY, United States of America

*aj* Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom

*ak* Also at Department of Physics, Oxford University, Oxford, United Kingdom

*al* Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America

*am* Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa

\* Deceased