


Introducing supramolecular polymers to DNA nanotechnology

Yuliia Vyborna, Robert Häner

Department of Chemistry and Biochemistry, University of Bern Freiestrasse 3, CH-3012 Bern, Switzerland.

yuliia.vyborna@dcb.unibe.ch

Self-assembly of DNA-containing molecules into biocompatible functional materials has attracted considerable attention over the last years. In this contribution, we present our recent findings in the field of self-assembled DNA conjugates and their potential applications as stimuli-responsive materials, cargo binding vehicles, and energy transfer platforms. The DNA conjugates consist of a short oligonucleotide strand covalently bound to an array of phosphodiester-linked pyrenes. Depending on the strand composition and conditions, the self-assembly governed by the stacking and hydrophobic interactions between pyrenes leads to a variety of shapes: micelles, one-dimensional ribbons and two-dimensional nanosheets. In the case of 1D structures (DNA-grafted supramolecular polymers), the polymer core is formed by the stacked pyrenes, whereas the oligonucleotides are arranged at the edges of the ribbons in a comb-like fashion. The abstract plus figure must not exceed one page. Page margins must not be changed.



References

- (1) Y. Vyborna, M. Vybornyi, A. V. Rudnev, R. Häner *Angew. Chemie Int. Ed.* **2015**, *54*, 7934.
- (2) Y. Vyborna, M. Vybornyi, R. Häner *Bioconjug. Chem.* **2016**, *27*, 2755.
- (3) Y. Vyborna, M. Vybornyi, R. Häner *Chem. Commun.* **2017**, *53*, 5179.
- (4) Y. Vyborna, M. Vybornyi, R. Häner *J. Am. Chem. Soc.* **2015**, *137*, 14051.