

# Impact of new background models on GNSS orbit determination

L. Prange, A. Villiger, D. Sidorov, R. Dach, S.  
Schaer, G. Beutler, A. Susnik, A. Jäggi

Astronomical Institute, University of Bern, Switzerland

6th International Colloquium - Scientific and Fundamental Aspects  
of GNSS / Galileo, 25-27 October 2017,  
Valencia, Spain

# Contents

---

- **Overview of CODE MGEX solution**
- **Recent model changes in COM solution**
- **Experiment on impact of satellite meta data on POD**
- **Effect of IOV antenna calibrations**
- **Next steps at CODE**
- **Summary and conclusions**

# CODE MGEX orbit solution


---

GNSS considered:	<b>GPS + GLONASS + Galileo + BeiDou (MEO+IGSO) + QZSS (&gt;80 SV)</b>
Processing mode:	Post-processing ( $\approx$ 2 weeks latency)
Timespan covered:	GPS-weeks 1689 - today
Number of stations:	140 (GPS), 125 (GLONASS), 95 (Galileo); 70 (BeiDou); 40 (QZSS)
Processing scheme:	<b>Double-difference</b> network processing (observable: phase double differences)
Signal frequencies:	L1+ L2 (GPS + GLO+ QZSS); E1 (L1) + E5a (L5) Galileo; <b>B1 (L2) + B2 (L7)</b> BeiDou
Orbit characteristic:	3-day long arcs; SRP: ECOM / ECOM2 (since 2015)
Reference frame:	IGb08 (until week 1934); <b>IGS14 (since week 1934)</b>
IERS conventions:	IERS2003 (until 1705); IERS2010 (since week 1706)
Product list:	Daily orbits (SP3; 900 => <b>300s</b> since 1962) and ERPs
Distribution:	<a href="ftp://cdis.gsfc.nasa.gov/gnss/products/mgex/">ftp://cdis.gsfc.nasa.gov/gnss/products/mgex/</a> and <a href="ftp://ftp.aiub.unibe.ch/CODE_MGEX/comwwwwd.???.Z">ftp://ftp.aiub.unibe.ch/CODE_MGEX/comwwwwd.???.Z</a> => <b>COD0MGXFIN_YYYYDDD...gz</b> (since week 1962)
Designator:	<b>week 1962)</b>

# CODE MGEX clock solution

GNSS considered:	GPS + GLONASS + Galileo + BeiDou + QZSS (>80 SV)
Processing mode:	Post-processing ( $\approx$ 2 weeks latency)
Timespan covered:	GPS-weeks 1710 - today
Number of stations:	140 (GPS), 125 (GLO), 95 (Galileo); 70 (BeiDou); 40 (QZSS)
Processing scheme:	<b>Zero-difference</b> processing (observable: code+phase undifferenced)
Signal frequencies:	L1+ L2 (GPS + GLO+ QZSS); E1 (L1) + E5a (L5) Galileo; B1 (L2) + B2 (L7) BeiDou
A priori information:	Orbits, ERPs, coordinates, and troposphere from CODE MGEX orbit solution introduced as known
Reference frame:	IGb08 (until week 1934); IGS14 (since week 1934)
IERS conventions:	IERS2010
Product list:	Epoch-wise (30s) satellite and station clock corrections in daily clock RINEX files; daily inter-system biases for mixed stations in Bernese DCB-, BIAS-SINEX-, OSB-format <a href="ftp://cddis.gsfc.nasa.gov/gnss/products/mgex/">ftp://cddis.gsfc.nasa.gov/gnss/products/mgex/</a> and <a href="ftp://ftp.aiub.unibe.ch/aiub/CODE_MGEX/">ftp://ftp.aiub.unibe.ch/aiub/CODE_MGEX/</a>
Distribution:	

# MGEX products availability




Status: October 2017

Satellite system IDs according to the content of the precise orbit files at <ftp://cddis.gsfc.nasa.gov/pub/gps/products/mgex/>

# COM clock validation 2016: daily linear fit


(Median and IQR; satellites in eclipse or normal mode are not considered)



- ⇒ Galileo PHM, QZS-1, most GPS IIR and IIF: excellent clocks (even suited for orbit validation)
- ⇒ Some GPS IIF, GLONASS, Galileo RAFS: worse (RMS: 0.5 ns or bigger)
- ⇒ BeiDou: mixed performance

# COM orbit validation 2016: SLR residuals


(Median and IQR; satellites in eclipse or normal mode are not considered)



- ⇒ Significant SLR offsets for Galileo and QZSS due to orbit model deficiencies with impact on radial orbit component (respectively scale)
- ⇒ Model improvements are needed (e.g., ANTEX, albedo, antenna thrust)
- ⇒ See doi 10.1007/s00190-016-0968-8 for more information

# Release of satellite meta data ...

- Missing satellite meta data is a limiting factor for accuracy of estimated orbits and clocks, therefore ...



- Disclosure of Galileo IOV (Dec. 2016) and FOC (Oct. 2017) meta data by the GSA
- Disclosure of QZS-1 and QZS-2 information by JAXA in several steps in 2017

⇒ ... are very appreciated!



## ... triggered some of the latest model changes

---

- Observation biases:
  - Change from differential code biases (DCB) to observable-specific biases (OSB) => mainly internal impact (e.g., on ambiguity resolution, multi-GNSS clock solution)
- Antenna calibrations:
  - Use of disclosed antenna phase center offset (PCO) for Galileo IOV and QZS-2
  - Values included or to be included in IGS14-ANTEX file
  - Impact of ANTEX changes analyzed for Galileo IOV (=> Villiger et al. at IGS Workshop 2017)
- Attitude models:
  - Use of disclosed Galileo IOV model for all Galileo SC
- Earth albedo and transmit antenna thrust:
  - Activated for Galileo and QZS-1 (see following slides)

# Experiment: Impact of satellite meta data on POD

---

Information available/assumed for albedo and antenna thrust experiment (data base: MGEX data of first 2 months in 2017):

- Galileo:**
- Disclosed IOV meta data (satellite mass, size, and surface properties) => sufficient for simple box-wing model
  - Later: updated solar panel properties
  - Disclosed IOV attitude model
  - Same models assumed for FOC (info meanwhile published)
  - Estimated antenna transmit power for IOV and FOC provided by Steigenberger et al. at EGU and IGS WS 2017
- QZS-1:**
- Very coarse info about QZS-1 size provided (e.g., on MGEX website); assumption on surface properties => rough guess on simple box-wing (BW) model
  - Wide range of possible SC masses (1800 - 4100 kg)
  - Transmission power provided by Kogure et al. in: Springer Handbook of Global Navigation Satellite Systems
  - Later: Updated BW model as assumed by Montenbruck et. al (2017)
  - QZS-2: not yet considered in the experiment


# Experiment: Impact of satellite meta data on POD

Test	Galileo					QZS-1		
Name	Albedo	Ant. Thr.	Attitude	Pulses	Median SLR [cm]	Albedo	Ant. Thr. (244 W)	Median SLR [cm]
<b>OPER</b>	-	-	-	-	<b>-3.8</b> (-+4.5)	-	-	<b>-7.8</b>
ALB1	x	-	-	-	-2.0	m= 1800 kg	-	-2.6
AAT1	x	260 W	-	-	+0.6	m= 1800 kg	m= 1800 kg	+0.3
AAT2	x	130 W	-	-	-0.7	m= 3600 kg	m= 3600 kg	-3.7
EAT	x	200 W	x	-	0.0	m= 1950 kg	m= 1950 kg	-0.3
EATP	x	200 W	x	R, S, W; 12h	+0.6	m= 1950 kg	m= 1950 kg	-0.3
EATU (upd...)	x	I: 130 W F:200 W	X	-	-0.2 (-+4.6)	m= 2000 kg	m= 2000 kg	<b>-1.8</b>
<b>EATUP</b> <b>(...BW)</b>	x	<b>I: 130 W</b> <b>F:200 W</b>	<b>X</b>	<b>R, S, W;</b> <b>12h</b>	<b>+0.5</b> (-+3.5)	m= 2000 kg	m= 2000 kg	-1.6 (w. PLS)

# Experiment: Impact of satellite meta data on POD

Test	Galileo					QZS-1		
Name	Albedo	Ant. Thr.	Attitude	Pulses	Median SLR [cm]	Albedo	Ant. Thr. (244 W)	Median SLR [cm]
<b>OPER</b>	-	-	-	-	<b>-3.8</b> (-+4.5)	-	-	<b>-7.8</b>
ALB1	x	Impact albedo: +1.8 cm			-2.0	m=1800 kg	-	-2.6
AAT1	x	260 W	-	-	+0.6	m=1800 kg	m=1800 kg	+0.3
AAT2	x	100 W	Impact antenna thrust: 1 cm/100 W		-0.7	m=1800 kg	m=1800 kg	-3.7
EAT	x	200 W	x	-	0.0	Impact SC mass: 2.2 cm/1000 kg (macro model over-scaled)		-0.3
EATP	x	200 W	x	R, S, W; 12h	+0.6	m=1800 kg	m=1800 kg	-0.3
EATU (upd...)	x	I: 130 W F: 200 W	X	-	-0.2 (-+4.6)	m=2000 kg	m=2000 kg	-1.8
EATUP (...BW)	x	F: 200 W	-	R, S, W; 12h	+0.5 (-+3.5)	m=2000 kg	m=2000 kg	-1.6 (w. PLS)

# Experiment: Impact of satellite meta data on POD




⇒ Consideration of albedo and antenna thrust reduces SLR offset

- ⇒ Uncertainties remain:
- Satellite macro model is rough and sometimes needs corrections (e.g., absorption of SP)
  - True satellite mass and CoM not always known
  - Uncertainties w.r.t. transmit power
  - Antenna calibration also impacts orbit scale

Astror

# Experiment: Impact of satellite meta data on POD




⇒ IOV attitude model (OPER vs. EATU): slight impr. during deep eclipse

⇒ Pulses in R, S, W (EATUP): IQR drops 4.6 → 3.5 cm  
(expected future configuration)

⇒ Orbit errors remain increased during eclipses (unmodelled thermal re-radiation from spacecraft?)

# Experiment: Impact of satellite meta data on POD



(SLR validation provided by the IGS MGEX: <http://mgex.igs.org>)

- ⇒ Model changes active in CODE MGEX solution since GPSWEEK 1962
- ⇒ Expected orbit improvement confirmed by external validation

# Experiment: Effect of IOV antenna calibrations

**Table:** Average inter-system bias for IOV satellites (E11,E12,E19) in cm

Sol	East	North	Up	$\sigma_{East}$	$\sigma_{North}$	$\sigma_{Up}$
IGS	-2.19	-0.15	2.27	32.02	16.56	33.10
IOV	-0.96	-0.23	1.70	22.54	11.47	19.69

Consistency between GPS and Galileo improves (data base: IGS MGEX network)

STA	Antenna type <i>Used PCO and PCV:</i>	GTRA			
		L1/L2 [mm]	L1/L5 [mm]	$\Delta$ GTRA [mm]	$\Delta$ PCO [mm]
BRUX	JAVRINGANT_DM NONE	3.7	15.0	-11.3	-8.56
POTS	JAV_RINGANT_G3T NONE	4.9	15.9	-11.0	-9.22
...	...	...	...	...	...
ISTA	LEIAR25.R4 LEIT	6.5	14.6	-8.1	-6.53

Remaining limiting factor: Adopting receiver antenna PCO+PCV from L1/L2 frequencies, might cause coordinate offsets with magnitude of PCO difference (data base: EUREF)

(source: Villiger et al. (2017): Consistency of antenna products in the MGEX environment. IGS Workshop 2017)

⇒ Impact of satellite antenna calibrations depends also on availability of corresponding ground antenna calibrations for all GNSS and frequencies (=> IGS task)



# CODE MGEX: next steps

---

**Galileo IOV:** - Use of transmit antenna PCV calibrations after inclusion in IGS ANTEX file (released on 23 Oct. 2017)

**Galileo FOC:** - Update of box-wing model for albedo  
- Use of antenna PCO and PCV calibrations (investigation of impact planned)

(meta data available since Oct. 2017) - Update of attitude model  
- Update of antenna transmit power (as soon as data is disclosed)

**QZS-1:** - Update of box-wing model for albedo  
(new info in Oct. 2017) - Update of transmit power and satellite mass  
- Normal attitude and related SRP model

**QZS-2:** - Use of antenna PCO and PCV calibrations  
(basic set of info provided in June 2017) - Set up box-wing model for albedo modelling and antenna thrust as soon as all necessary data is provided

# Summary and conclusions

---

- Lack of meta information about spacecraft properties results in poor performance of «precise» orbit determination (POD) - especially for new GNSS
- This limits the usefulness and acceptance of these GNSS for high precision geodetic applications (e.g., ITRF scale)
- Some system providers (namely GSA, JAXA) have recognized this and started to release meta data within the recent months
- Besides information gathered by the scientific community itself (e.g., antenna PCO estimations, antenna transmit power estimations) this information is starting to improve GNSS solutions
- The provision of meta data is therefore appreciated; release of further and more complete satellite meta data is encouraged

---

**Thank you  
for  
your attention!**