

Combination Service for Time-Variable Gravity Models (COST-G) – current status

A. Jäggi¹, U. Meyer¹, M. Lasser¹, T. Lopez^{1,8}, F. Flechtner², C. Dahle², T. Mayer-Gürr³, A. Kvas³, J.-M. Lemoine⁴, C. Förste², S.Bourgogne⁵, M. Weigelt⁶, A. Groh⁷

¹University of Bern, Switzerland ²GFZ Potsdam, Germany ³Graz University of Technology, Austria ⁴Centre National d'Etudes Spatiales, France ⁵Stellar Space Studies, France

⁶University of Hannover, Germany

⁷Technical University of Dresden, Germany

⁸International Space Science Institute, Switzerland

IUGG General Assembly 2019

Montreal, Canada 8 – 18 July, 2019















Introduction

Gravity and geoid metadata

Online applications for the creation of metadata for gravity and geoid data. Service for searching the metadata database.

g−µeta the gravity metadata editor (00.255 – bein edition)

N–µeta the geoid metadata editor (xi):4.3 – alpha edition)


Gravity data

Land, marine, airborne gravity data as point and gridded values. Absolute and relative gracity data, WGM



Geoid

Geoid models and geoid determination software, geoid modeling processing methodologies



IGFS Mailling Lists
Subscribe to our mailing lists to informed on IGFS Products & Stan


SG and Earth tide data

Temporal variations of the Earth gravity field through long-term records from ground gravimeters, SG data, Earth tide data.



Global Earth Models

Collection and archive of all existing global gravity field models, web interface for access to GEMs, model visualization and service.



Time-variable GEMs

Combined gravity field solutions in SH coefficients and spatial grids for hydrological, oceanic and polar ice sheets applications.



DEM data

Digital Elevation Models, relevant software for DEM creation, assessment, manipulation and display, global relief and crustal models and spherical harmonic data sets.



COST-G is a new product center of the



http://igfs.topo.auth.gr/



COST-G Website



Welcome to COST-G

The International Combination Service for Time-variable Gravity Fields (COST-G) is a product center of the International Gravity Field Service (IGFS) and is dedicated to the combination of monthly global gravity field models. COST-G steems from the activitities of the former H2020 project European Gravity Service for Improved Emergency Management (EGSIEM).

Please use the top menu to visit the various parts of our website!

The service started its work in 2019 and the website is still under construction. More features will be available soon! We apologize for any inconvenience. For any questions, please <u>contact us</u>.

Best regards, Your COST-G Team.

https://cost-g.org/

Latest News


July 14th 2019

COST-G is officially launching at the occasion of the IUGG 2019 in Montreal!



Montreal, 8 – 18 July, 2019


Combination of GRACE Gravity Fields



Improved and consolidated product integrating the strengths of all ACs



Combination of Swarm Gravity Fields





Permanent Components of COST-G


COST-G accomplishes its objectives through the following permanent components and roles:

- Central Bureau (CB) & Analysis Center Coordinator (ACC)
 - AIUB
- Analysis Centers (ACs)
 - AIUB, CNES, GFZ, TUG
- Level-3 Center (L3C)
 - GFZ
- Validation Centers (VCs)
 - GRGS, GFZ
- Product Evaluation Group (PEG)
 - A. Eicker, A. Groh, L. Longuevergne, B. Meyssignac

COST-G is very open for additional contributors




COST-G Workflow






Quality Control






Quality Control – Signal Content (Hydrology)



Example: amplitude of seasonal variations in Amazone river basin.




Quality Control – Signal Content (Hydrology)



Amplitude of seasonal variations and formal errors of amplitudes in major river basins. No systematic signal attenuation in any of the contributing gravity field time-series can be observed.




Quality Control – Signal Content (Ice Mass Loss)






Quality Control – Noise Levels






Quality Control – Noise Levels



AIUB contribution is still based on L1B-RL02 and AOD1B-RL05.




COST-G – Combination





Combination




COST-G RL01 has been combined on the solution level iteratively applying variance component estimation.

The relative weights determined by VCE can directly be interpreted as quality indicators, they are inversely proportional to the noise levels of the individual contributions.



IUGG General Assembly

COST-G – Validation






IUGG General AssemblyMontreal, 8 – 18 July, 2019

Internal Validation: spherical harmonics domain


 Median degree amplitudes of anomalies wrt a linear and seasonal model (no filtering applied)



The main gain of the combination is in the range of degrees 15-45.




Internal Validation: spatial domain



For internal validation the noise content of the individual and the combined gravity fields is assessed by their nonsecular, non-seasonal variability over the oceans.




Internal Validation: spatial domain





Basin-Averaged GIS Mass Changes

 Basin-integrated AIS/GIS mass changes based on the sensitivity kernel approach by TU Dresden






Trends agree fairly well for the Greenland Ice Sheet




Basin-Averaged GIS Mass Changes

 Noise measure for each basin time series and ratio to the noise measure of the COST-G time series (numbers indicate the median of all basin ratios). Basin 9 denotes the entire GIS.










Basin-Averaged AIS Mass Changes





Basin-Averaged AIS Mass Changes

 Trends from GFZ seem to be different for East Antarctica. Influence on COST-G products may be seen.


Basin numbers:


29: Ant. Peninsula (AP)

30: East Ant. (EAIS)

31: West Ant. (WAIS)

32: AIS







Comparison to Altimetry

SIGNAL ASSESSMENT → Comparison to Altimetry. Presently, two test areas for the signal assessment have been selected: the Caspian sea and the Black sea. Correlation coefficient with altimetry over the Caspian Sea: the COST-G solution presents a slight improvement over the TUGRAZ and CSR solutions.

Correlation w. ALT	COST-G	TUGRAZ ITSG18	CSR RL06	
DDK5 filter	97.2 %	97.0 %	96.9 %	
DDK6 filter	96.6 %	96.5 %	96.3 %	

<u>Method:</u> The time series of the TVG solutions are compared with the time series of altimetric heights (from Hydroweb for the Caspian Sea or AVISO+ for the Black Sea). One bias (irrelevant) and one scale factor are adjusted. The criteria are the **scale factor** and **correlation coefficients**. Both should be as close as possible to 1.



Orbit Tests with GOCE

- GRACE solutions up to d/o 90 filled up with DIR-6 up to d/o 240:
 - Table shows RMS of orbit fits (cm) for the different test cases (3D residuals, mean values from the 30 individual arcs in question)

Cravity model	Month			
Gravity model	2009/11	2009/12	2010/10	2010/11
GFZ_RL06	7,38	6,84	6,23	6,18
AIUB_RL02	8,69	8,56	7,39	7,21
CSR_RL06	6,88	9,09	6,65	6,20
GRGS_RL04f	5,88	7,30	5,47	5,83
ITSG_2018_tide_free	5,51	5,12	4,19	4,54
COSTG_RL01	5,03	5,54	4,52	4,72

Good quality for COST-G, but not yet best for all months.




Product Availability

- Monthly combined GRACE gravity field models:
 - from Apr. 2002 to Jun. 2017 available at ICGEM
 - http://icgem.gfz-potsdam.de/series/03_COST-G/GRACE

- Monthly combined Swarm gravity field models:
 - from Dec. 2013 to Mar. 2019 available at ICGEM
 - http://icgem.gfz-potsdam.de/series/03_COST-G/Swarm



Product Availability





Summary and Outlook

- COST-G RL01 Level-2 products for GRACE and Swarm are available on ICGEM
- COST-G RL01 Level-3 products for GRACE will be made available soon on ISDC, GravIS
- Status of CSR and JPL in COST-G
- Inclusion of new candidate Analysis Centers
- Definition of further GRACE releases and timeline for operational GRACE-FO combinations
- Next COST-G ISSI Team Meeting: 13 17 January 2020



Thanks a lot for your attention!

Visit us on https://cost-g.org/

