



Correction to: Accuracy and Prognostic Role of NCCT-ASPECTS Depend on Time from Acute Stroke Symptom-onset for both Human and Machine-learning Based Evaluation

A. Potreck¹ · C. S. Weyland¹ · F. Seker¹ · U. Neuberger¹ · C. Herweh¹ · A. Hoffmann^{1,2} · S. Nagel³ · M. Bendszus¹ · M. A. Mutke¹

© The Author(s) 2022

Correction to:

Clin Neuroradiol 2021

<https://doi.org/10.1007/s00062-021-01110-5>

In this article the author name A. Hoffmann was incorrectly written as A. Hoffman. The original article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

The online version of the original article can be found under
<https://doi.org/10.1007/s00062-021-01110-5>

✉ M. A. Mutke
matthias.mutke@med.uni-heidelberg.de

¹ Department of Neuroradiology, Heidelberg University Hospital, Heidelberg, Germany

² Institute of Diagnostic and Interventional Neuroradiology, Inselspital Bern University Hospital, Bern, Switzerland

³ Department of Neurology, Heidelberg University Hospital, Heidelberg, Germany