

CORRECTION

Open Access



Correction: Exosomes derived from umbilical cord mesenchymal stem cells reduce microglia-mediated neuroinflammation in perinatal brain injury

Gierin Thomi^{1,2,3} , Daniel Surbek^{1,2} , Valérie Haesler^{1,2}, Marianne Joerger-Messerli^{1,2*†} and Andreina Schoeberlein^{1,2†}

Correction to: *Stem Cell Research & Therapy* (2019) 10:105

<https://doi.org/10.1186/s13287-019-1207-z>

The original article contains an error in Fig. 2B whereby

the sub-panel in column 2, row 3 is incorrect. The corrected figure can be viewed ahead.

The original article can be found online at <https://doi.org/10.1186/s13287-019-1207-z>.

[†]Marianne Joerger-Messerli and Andreina Schoeberlein shared last authorship*Correspondence: marianne.joerger@dbmr.unibe.ch

² Department for BioMedical Research (DBMR), University of Bern, Bern, Switzerland

Full list of author information is available at the end of the article



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.




Fig. 2 Characterization of human Wharton's jelly mesenchymal stem cells (hWJ-MSC) and hWJ-MSC-derived exosomes. **a** Representative bright field microscopy image of hWJ-MSC. **b** Representative flow cytometry histograms of hWJ-MSC at passage 6. **c** Representative electron microscopy image of hWJ-MSC-derived exosomes (**d**) revealing a median diameter of 43 nm. **e** Representative Exo-Check antibody array of isolated exosomes

Author details

¹Department of Obstetrics and Feto-maternal Medicine, University Women's Hospital, Inselspital, Bern University Hospital, Bern, Switzerland. ²Department for BioMedical Research (DBMR), University of Bern, Bern, Switzerland. ³Graduate School for Cellular and Biomedical Sciences, University of Bern, Bern, Switzerland.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.