

# Urban governance for health and well-being

A step-by-step approach to operational research in cities





# Urban governance for health and well-being

A step-by-step approach to operational research in cities

Urban governance for health and well-being: a step-by-step approach to operational research in cities

ISBN 978-92-4-007303-6 (electronic version) ISBN 978-92-4-007304-3 (print version)

#### © World Health Organization 2023

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization (http://www.wipo.int/amc/en/mediation/rules/).

**Suggested citation**. Urban governance for health and well-being: a step-by-step approach to operational research in cities. Geneva: World Health Organization; 2023. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at http://apps.who.int/iris.

**Sales, rights and licensing.** To purchase WHO publications, see https://www.who.int/publications/book-orders. To submit requests for commercial use and queries on rights and licensing, see https://www.who.int/copyright.

**Third-party materials.** If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

**General disclaimers.** The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Design by Inis Communication

## **Contents**

Acknowledgements	iv
Glossary	<b>v</b>
Introduction	1
Checklist 1. Indicators of health promotion outcomes	9
Checklist 2. Intermediate health outcomes and health and social outcomes	19
Getting started	42
References	43
References used to derive the	45



## **Acknowledgements**

This document was prepared for the World Health Organization (WHO) by Professor Dr Annika Frahsa, Dr Nathalia Gonzalez-Jaramillo, Dr Catalina Díaz and Ms Sophie Meyer at the Institute of Social and Preventive Medicine, Bern University, Switzerland. Development of this document was coordinated by Dr Faten Ben Abdelaziz, with the support of Dr Mervat Nessiem Gawrgyous and Ms Yasmine Anwar of the Health Promotion Department, Enhanced Well-being unit, WHO Headquarters.

WHO thanks the following for their valuable contributions in preparing this approach.

Members of the steering group for the Initiative: Professor Emeritus Dr Thomas Abel (Institute of Social and Preventive Medicine, Bern University, Switzerland), Dr Francisco Armada (WHO Regional Office for the Americas), Professor Dr Vivian Lin Lin (Hong Kong University, Hong Kong Special Administrative Region), Dr Susan Mercado (Hawaii Public Health institute, Hawaii, USA) and Dr Bertino Somaini (Public Health Promotion, Switzerland).

Local academic partners: Dr Tonatiuh Barrientos Gutierrez (Center for Population Health Research, National Institute of Public Health, Mexico), Professor Md. Manjur Morshed (Khulna University of Engineering & Technology, Bangladesh), Professor Pierre Ongolo-Zogo (Director, Centre for Development of Best Practices in Health, Cameroon), Professor Habiba Ben Romdhan (Professor Emeritus in public health and epidemiology, Tunis Faculty of Medicine, Tunisia), Olga Lucia Sarmiento (Professor, Department of Public Health, School of Medicine, Universidad de los Andes, Colombia) and Professor Mustafa Saroar (Khulna University of Engineering & Technology, Bangladesh).

- WHO Regional Office for Africa: Antonio Palazuelos, Peter Phori and Aminata Grace Kobie
- WHO Regional Office for the Americas: Gerry Eijkemans and Fernanda Lanzagorta
- WHO Regional Office for South-East Asia: Suvajee Good
- WHO Regional Office for the Eastern Mediterranean: Samar ElFeky and Timour Razek
- WHO Country Office Bangladesh: Farzana Akter Dorin and Asif Ahmed
- WHO Country Office Colombia: Ivette Johanna Gómez Bustos
- WHO Country Office Cameroon: Barbara Etao Nkono, Placide Moudji Tegueu
- WHO Country Office Mexico: Ximena Maroto
- WHO Country Office Tunisia: Olfa Saida.

Building on good practices in the WHO Healthy Cities programme, this step-by-step approach was produced as part of the WHO initiative on urban governance for health and well-being, supported by the Swiss Agency for Development and Cooperation. The first phase of the initiative (2021–2024) is being implemented in five cites: Bogotá, Colombia; Douala, Cameroon; Khulna, Bangladesh; Mexico City, Mexico; and Tunis, Tunisia. The aim of the initiative is to support local actions to promote good urban governance, particularly in rapidly urbanizing, high-density cities. The main goal is to improve the health and well-being of the populations through participatory, multisectoral urban governance.

WHO acknowledges with thanks financial support from the Swiss Agency for Development and Cooperation for productions of this step-by-step approach.

## **Glossary**

**Good urban governance**: interaction and decision-making to generate collective solutions by co-creating practices and institutional engagement as part of whole-of-government and whole-of-society approaches

Multisectoral action: recognized relation among the parts of the health sector and of another sector to take action on an issue or to achieve health outcomes (or intermediate health outcomes); the action is more effective, efficient or sustainable than that which could be achieved by only the health sector (1,2)

Civic engagement: involves establishing a balance of rights and responsibilities and re-drawing the boundaries of state action and regulation to promote the quality of life of a community through both political and non-political processes; also includes forms of political, environmental and community activism (3)

**Healthy city**: A Healthy city is one that is continually creating, expanding and improving those physical and social environments and community resources that enable people to mutually support each other in performing all the functions of life and in developing to their maximum potential (4)



## Introduction

It has been estimated that, by 2050, more than two thirds of the world's population will live in cities (5). It is known, however, that intensive urban growth increases inequity and social exclusion, which are associated with increased social, environmental, economic and health risks (6). Public policies to address social determinants are therefore essential for urban health (7, 8).

Urban governance determines how effectively urban inequities and risks are addressed. Bad urban governance may harm societies, as the public policies usually fail to address social and environmental determinants (9, 10), while good urban governance promotes policies to improve health and well-being in the population (11). Cities are complex systems, however, and the same public policies may have different effects in different populations, because, beyond public policies, urban health outcomes also depend on the interactions between governance, stakeholders and the population, requiring participatory governance and consensus in policy-making (12, 13). Each context, indicator of performance and implementation strategy is also different.

As the rapid global trend to urbanization continues, participatory urban governance has been a topic of increasing research and interventions to improve health outcomes. Some studies have been conducted to identify and evaluate indicators of participatory urban governance (13–16), and others have analysed the results of policies for addressing health inequity (17–21). Few studies, however, have examined participatory urban governance, public policies and health outcomes together (22).

### **COVID-19 and urban governance for health**

The COVID-19 pandemic is amplifying the challenges for governance as well as for health. In cities, the multiple effects of the pandemic are being addressed by scientific committees to ensure evidence-informed policy-making, collaboration among government sectors to reduce the rate of infections and grass-root actors working in and with communities, for example, to promote vaccination. The pandemic has therefore shown how urban governance for health benefits from multisectoral action and community engagement in decision-making and implementation.



#### The step-by-step approach

This step-by-step approach (see Fig. 1) and the indicators developed will allow establishment of diagnoses in cities and monitoring of the performance of participatory governance for urban health and well-being. The approach is intended to support operational research in cities by facilitating the selection of indicators for better understanding and a broader perspective of the interactions among all the dimensions of good urban governance for health and well-being. Selection of appropriate, context-adapted indicators will allow stakeholders to work together to find solutions for particular health challenges, intended outcomes and impact.


#### The step-by-step approach should be used to:

- identify the current status of participatory governance and health in a city,
- inform stakeholders and policy-makers and
- monitor progress.

#### The step-by-step approach was developed as follows:

- 1. Interviews with stakeholders to identify barriers and facilitators of urban governance for health and well-being;
- 2. analysis of the grey literature;
- 3. a systematic review of the scientific literature;
- 4. discussion of the results of the systematic review, the qualitative research and the document analysis; and
- 5. finalization of the step-by-step with partners in the initiative.

Fig. 1. Use of the step-by step approach: implementation steps






Indicators should summarize information on a given priority. An indicator must be relevant, feasible, valid, robust, sensitive to changes over time and be usable in highly diverse contexts or adapted to a specific context while maintaining feasibility and validity.

#### NOTE:


All the indicators for participatory governance (checklist 1) are mandatory. From checklist 2, cities should select only those indicators relevant to the areas of intervention identified in step 2.

Fig. 2. Identified barriers and facilitators of participatory governance for health and well-being



<sup>4</sup> Urban governance for health and well-being: a step-by-step approach to operational research in cities

Fig. 3. Template for analysing the strengths, opportunities, risks and threats of participatory governance in your city



## **Checklists**

The following checklists of indicators are based on established conceptual models for assessing outcomes in health (23), which distinguish:

- health promotion outcomes, such as healthy public policy and organizational practice (checklist 1);
- intermediate health outcomes, such as a healthy lifestyle, effective health services and healthy environments (checklist 2); and
- health and social outcomes, such as disability, morbidity, mortality, quality of life, well-being and equity (checklist 2).

Given the scope of the project, checklist 1, which provides indicators of participatory governance, includes indicators that are essential for assessment and monitoring by all participating cities. Checklist 2 provides indicators for intermediate health outcomes and for health and social outcomes. The references used to define the indicators on both checklists are listed in Annex 2.







# **Checklist 1. Indicators of health** promotion outcomes

#### 1. Governance

achievable, timely outcomes?

No

Yes

Is there political will for good urban governance for health and well-being in your city, e.g., a political party with a dedicated agenda for urban governance for health, a cabinet that regularly addresses urban governance for health or with a clear mandate to do so, a city mission or charter for urban governance for health?

Υ	es	No
If yes	s, please speci	fy.
	ere political l cated to the	eadership for urban governance for health in your city, e.g., a mayor issue?
Υ	es	No
If yes	s, please speci	fy by whom.
Has	vour city ada	pted an urban governance strategy or mission for health and well-
	•	tification or adoption of an (inter)national resolution or framework,
such	as the healt	hy cities movement or resilient cities network?
Υ	es	No
	Is the strategy into the city c	supported by a political decision, e.g., by a city council resolution, integration harter?
	Yes	No
	Is the strategy	supported by a legal mandate?
	Yes	No
	. 30	
	Does the strat	egy include goals and measurable targets, e.g., specific, measurable.

Ye	es	No
-	s, please spec cated financi	cify, e.g., allocation, pooling or disbursement of funds, joint budgeting, ing.
A I	J	
	-	tmental links for urban governance for health in your city, such as ernment, whole-of-government or horizontal management approaches
Ye	es	No
If yes	s, please spec	cify by whom.
		epartmental committees or units for urban governance for health at the civil service level in your city?
	es	No
If yes	s, please spec	cify.
	_	ic programmes for urban governance for health in your city?
Ye	es	No
Ye	_	No
Ye	es	No
Ye	es	No
Ye	es	No
Ye If yes	es s, please spec	No cify.
If yes	es s, please spec	No
If yes	es s, please spec ere account es	No cify.  tability for urban governance for health in your city?

#### Is urban governance for health in your city monitored routinely?

Yes	No	
a mur health	nicipal inventory n surveillance an	
Y	'es No	
	If so, does it in	nclude a quantitative analysis?
	Yes	No
	and/or a qual	itative analysis?
	Yes	No
	eport on neighbo 'es No	ourhood health available?
	If so, does it in	nclude a quantitative analysis?
	Yes	No
	and/or a qual	itative analysis?
	Yes	No
If yes		n of interventions covers the population?  Deing evaluated?
	es No	
		n of interventions are evaluated?

#### **1.1** Types of governance actions and interventions

Is there governance action for policies and interventions that can be classified as:

Upstream action (structural and systemic changes), such as reform of fundamental, social and economic structures including redistribution of wealth, power, opportunities and decision-making?

Yes No

If yes, please list and describe the three most relevant actions for urban governance for health.

Midstream actions (community or organization), such as limiting exposure to hazards, e.g., by improving material working and living conditions?

Yes No

If yes, please list and describe the three most relevant actions for urban governance for health.

Downstream actions (micro- and/or individual level), such as influencing individual heath behaviour?

Yes No

If yes, please list and describe the three most relevant actions for urban governance for health.

#### 2. Multisectoral action

**Multisectoral approach in action:** Collective actions to influence a specific domain may involve representatives from multiple sectors. For example, an intersectoral committee addressing malnutrition in children should include representatives of the health and agricultural sectors, schools, parents' associations, nongovernmental organizations for child protection and researchers from academic institutions.

Is there political will for a multisectoral approach in urban governance for health and well-being in your city?

Yes	No
-----	----

If yes, please specify.

	tisectoral approach supported by a political decision, e.g., city council n, integration into the city charter?
Yes	No
If yes, pleas	se specify.
	mandate include specific goals and measurable targets, i.e., specific, ble, achievable, timely outcomes?
Yes	No
If yes, pleas	se specify.
informa	nation
Is there po	olitical leadership for a multisectoral approach in your city?
Yes	No
If yes, pleas	se specify by whom.
What sect your city?	tors are included in multisectoral action for urban governance for health in
governi	ment departments, such as
5	social affairs, culture, sport
$\epsilon$	education
$\epsilon$	environment, land use
ŗ	planning, infrastructure
ł	housing
(	other

nongovernmental institutions civil society organizations academia private sector, such as the media

#### What are the most common mechanisms for multisectoral action in your city?

structures, e.g., committees or units processes, e.g., planning or priority-setting workshops financial tools, e.g., grants, joint budgets mandates, e.g., laws, regulations

#### How are the financial tools used in your city best described?

budget alignment, e.g., a dedicated health budget and local authority budgets dedicated to meet agreed-upon goals

dedicated joint funds, e.g., departmental contributions to a joint budget for urban governance for health

joint post-funding, e.g., funding of a position for the WHO initiative implementation fully integrated budgets, e.g., for health and social care, health and climate sectors policy-oriented funding, budget dedicated to a specific policy area, cross-cutting departmental structure, e.g., fighting poverty

#### Are adequately diverse stakeholders participating in prioritization of health and wellbeing problems?

Yes	No			
If yes, please	specify.			

### 3. Civic engagement

Yes

No

Bottom-up approach, with community deliberation. Representatives of several cities understand that community deliberation is a fruitful approach. Participants from the community may include local leaders, representatives of professional sectors and individuals representing specific sectors (young people, women). A platform dedicated to deliberation and exchange facilitates evaluation of the current needs of communities and prioritization of municipal action.

Is there political will for civic engagement in urban governance for health and wellbeing in your city?

Yes	No
If yes, please speci	fy.
	eadership for civic engagement in your city, e.g., a mayor who involvement in decision-making?
Yes	No
If yes, please speci	fy by whom.
	ent in this field supported by a political decision, e.g., city council gration into the city charter?
Yes	No
If yes, please speci	fy.
Is civic engageme	ent supported by a legal mandate?
Yes	No
If yes, please speci	fy.
Door the wardet	a implicate amonific month and managements to write it a consett.
	e include specific goals and measurable targets, i.e., specific, evable, timely outcomes?

#### Are there data on adults active in community service or volunteer work?

Yes

If yes, what is the percentage of adults are active in volunteer work?

#### Is there community engagement for health and well-being and joint approaches with public resources?

Yes

No

#### Who mainly initiates community engagement in urban governance for health?

Government

Nongovernmental organizations

Civil society

Others

#### What degree of inclusiveness is there in community engagement?

Self-selection

Random selection

Purposeful selection

#### At which phases is the community engaged in urban governance for health in your city?

Agenda-setting

Formulation of policy, action, interventions

**Decision-making** 

Implementation

Evaluation

#### At which level(s) is the community engaged in urban governance for health in your city?

Information

Advocacy

Life-world expertise and evidence

Setting priorities, goals, targets

Consultation

Shared decision-making

Decision control

Is there a ne	ighbourhood	health programme with a strategy for health and well-being
Yes	No	
	-	rking group to develop actions and interventions for the WHC ommunity advisory body?
Yes	No	
	/ process, e.o	note health and well-being in the city prioritized in a g., a "citizen's jury", town hall meetings, submission of public onsultation?
Yes	No	
If yes, please	specify.	
Are relevant	communitie	s represented in urban governance for health in your city?
Yes	No	
If yes, which o		
	nd adolescer	nts
Informal w		
•	th low income	9
Migrants		
Refugees	ult. / - un	
	nority groups	
Older peo	pie th disabilities	
Others	iii uisabiiiiies	
Outers		



## **Checklist 2. Intermediate health** outcomes and health and social outcomes

Checklist 2, with indicators for intermediate health outcomes and for health and social outcomes, is derived from studies identified in the Good urban governance for health and well-being: a systematic review of barriers, facilitators and indicators.

Please select and prioritize indicators according to city planning priorities in this project. The checklist contains indicators for the domains covered in this project and not all intermediate and long-term health outcomes. You could consider the level of measurement, i.e., the whole city or districts, such as informal settlements.

The indicators in checklist 2 link intermediate outcomes, such as effective health services for surveillance and data registries of health outcomes, such as mortality, so that participating cities can identify both gaps in data and statistics and health issues in their city.

If the indicators listed below do not cover domains relevant to your context, see the "help box" (page 40) for further indices of social progress, indicators of the Sustainable Development Goals and indicators of universal health care.

#### 1. Health and health care

#### 1.1 Maternal, perinatal and childhood health

Does the city have data on fecundity rates?

es	No
What was th	e rate of pregnancy among girls aged 15-19 per 1000 girls last year?
What was th	e birth rate among girls aged 10-14 and 15-19 years last year?
	rtion of women of reproductive age (15–49 years) had their need for family the modern methods satisfied?

		oted in the population?	
Yes	No		
If yes	, is there a re	gistry of contraception use	e?
Ye	es	No	
If yes, what pe	ercentage of	women aged 15-49 years	s use contraception?
What percent	age of peop	e aged 15–39 years use c	ontraception?
ospitals have	e birth regi	stries?	
	e birth regi No	stries?	
es	No		nealth personnel?
ospitals have es What percent	No	stries? are attended by skilled h	nealth personnel?
es	No		nealth personnel?
es	No		nealth personnel?
what percent	<b>No</b> age of births	are attended by skilled h	
what percent	<b>No</b> age of births		
what percent	<b>No</b> age of births	are attended by skilled h	
what percent	<b>No</b> age of births	are attended by skilled h	
what percent	<b>No</b> age of births	are attended by skilled h	
What percent	No age of births age of moth	are attended by skilled h	babies?
What percent	No age of births age of moth	are attended by skilled h	babies?
What percent	No age of births age of moth	are attended by skilled h	babies?
What percent	No age of births age of moth	are attended by skilled h	babies?
What percent	No age of births age of moth	are attended by skilled here attended by skilled here.	babies? tion?
What percent	No age of births age of moth	are attended by skilled h	babies? tion?

What percentage of mothers had a postnatal check after delivery last year?
Are maternal consultations registered?
Yes No
If yes, what is the rate of maternal consultations per 1000 live births?
Is there a report on stunting in the city? (Children with low height for age, usually due to malnutrition, repeated infections and/or poor stimulation)  Yes  No
If yes, what was the percentage of stunting in children under 5 years last year?
Are mortality ratios registered?
Yes No
If yes, what was the
maternal mortality ratio per 100 000 live births last year?
neonatal mortality rate per 1000 live births last year?
postnatal mortality rate per 1000 live births last year?
infant mortality rate per 1000 live births last year?

mortality rate among children under 5 years per 1000 live births last year?
suicide mortality rate last year?
Infectious disease control
ospitals or clinics have complete registries of cases of infectious diseases?
If yes, what was the percentage of people with respiratory infectious diseases last year
What was the percentage of people with tuberculosis last year?
What was the percentage of gonococcal infections last year?
What was the percentage of people with syphilis last year?
What was the percentage of people with HIV/AIDS last year?
What was the nercentage of neonle with HIV/AII)S last year?

# Yes If yes, what was the proportion of deaths due to tuberculosis last year? 1.3 Control of noncommunicable diseases and disability Is the city committed to promoting good health habits in order to prevent obesity? No Yes If yes, what percentage of people had low physical activity (< 600 metabolic equivalents per week) last year? Is population weight monitored? Yes No If yes, what was the percentageof children under 5 years old with obesity? What was the percentage of underweight children under 5 years old? What was the percentage of overweight and obesity in the population last year? What was the percentage of women aged 15-49 years with obesity last year?

Are deaths due to tuberculosis reported?

Do hospitals or clinics have a complete registry of cases of noncommunicable diseases (cancer, cardiovascular diseases, respiratory diseases and mental illness) and/or disabilities (difficulties with vision, hearing, ambulation, cognition, self-care and independent living)?

Yes	No
If yes, w	hat was the proportion of people with at least one of the conditions last year?
What wa	as the proportion of people with asthma last year?
What wa	as the proportion of people with diabetes last year?
What wa	as the percentage of disabled residents aged 18-64 last year?
What pe	ercentage of older adults (> 65 years) reported disabilities last year?
What wa	as the rate of premature mortality (< 70 years) per 10 000 inhabitants?
Menta	l health
he city co	ommitted to promote good mental health and well-being?
Yes	No

If yes, does the city promote occupational training for people living in

disadvantaged neighbourhoods?

No

Yes

	If yes, what percentage of people aged 14–25 years reported improvement in their self- rated health after 1 year of occupational training?
	What percentage of people aged 14–25 years reported improvement in their self- esteem after 1 year of occupational training?
	city offer people free workshops to improve their mental health and emotional and provide social support?
Yes	No
	If yes, what percentage of people aged 25–65 years reported improvements in their mental health after participating in the free workshops?
	What percentage of people aged 25–65 years reported improvements in their emotional well-being after participating in the free workshops?
	What percentage of people aged 25-65 years reported feeling better after receiving social support?
	e city promote social inclusion to address discrimination, which affects the mental and empowerment of immigrants?
Yes	No
	If yes, what percentage of immigrant girls aged 12–16 years reported improvements in their mental health and empowerment?

	Yes	oopulation (> 5 No	
	If yes,	does the city p	promote weekly outings away from home, facilitated by stair-lifts?
	Ye	es No	0
		did this activity ss among elder	y improve mental and perceived health and reduce psychological rly people?
	Ye	es No	0
		what percenta al health?	age of the elderly population reported improvements in
	What	percentage of	the elderly population reported improvements in perceived health
	What	percentage of	the elderly population reported less psychological distress?
1.5	Sexual heal	th	
		•	ent sexually transmitted diseases?
V	'es	No	
•		rcentage of wo	omen aged 15-24 years know that use of condoms can
		k of HIV/AIDS?	
	reduce the ris	k of HIV/AIDS?	aged 15-49 years know that having only one sexual partner can
	reduce the ris	k of HIV/AIDS?	aged 15-49 years know that having only one sexual partner can
	What percentareduce the ris	k of HIV/AIDS?  age of women a	aged 15-49 years know that having only one sexual partner can

ls

	at percentage of men aged 15–49 years know that both use of condoms and having y one sexual partner can reduce the risk of HIV/AIDS?
1.6 Acc	cess to health and health-care services
Does the	e city have skilled professionals working in hospitals and clinics?
Yes	No
If ye	es, what is the number of doctors (per 1000 inhabitants) working in primary health care?
Wha	at is the number of nurses (per 1000 inhabitants) working in primary health care?
Does the	e population have access to health-care services?
_	es, what was the percentage of people who had public or private health insurance year?
Dou	people have access to vaccines?
D0	Yes No
	If yes, what is the proportion of fully immunized children (one dose of Bacille Calmette-Guérin (BCG) vaccine, three doses of polio vaccine, three doses of the combined diphtheria, tetanus toxoid and pertussis vaccine and one dose of measles vaccine)?
-	oportion of the population had high household expenditure on health as a on of total household expenditure or income?

#### **1.7** Substance abuse

Does the city have data on smoking and alcohol and drug consumption in the population?

Ye	es N	0
		city cover treatment (pharmacological, psychosocial and rehabilitation ervices) for substance use disorders?
	What percentag last year?	e of people currently smoked cigarettes and other forms of tobacco use
	What was the po	ercentage of female smokers last year?
	What percentag	e of men aged 15-49 years smoked last year?
	What percentag	e of the population aged 15 and older drank alcohol last year?
	-	e and well-being
Does Ye		de training in parental skills?
		r, what percentage of residents reported improvements in their

	percentage of parents reported improvements in their children's behaviour?
What	percentage of residents reported improvements in social support?
What	percentage of residents reported decreased stress?
Safet	ty
es	No
ii yes,	what was me rate of hornicides ber 100 door mhabitants tast year?
	what was the rate of homicides per 100 000 inhabitants last year?
What	was the proportion of victims of physical or sexual harassment last year?
What	

## 3. Transport

Do people use public transport and "soft" modes of mobility?

Yes			
What percentage of people walk, bike or take public transport to work?			
What percentage of people use public transport?			
No			
What is the average number of vehicle kilometres travelled in a given time?			
Is "walkability" measured? Yes No			
If yes, are streets suitable for walking?  Yes No			
Do people feel safety and comfortable while walking?  Yes No			
What is the average time for commuting to work or school (all means of transport included)?			
Are means of transport sustainable despite the time and space constraints of the environment and/or social demand?			
Yes No			

Have pedestrian accidents in the vi	cinity of a crossing been reported?
Yes No	
If yes, what is the percentage of pedes	strian accidents reported?
Have any victims (dead or injured)	of road traffic accidents been reported?
Yes No	
If yes, what is the percentage of death	s from accidents?
4. Housing	
with regard to size, affordability and	re and construct housing in proportion to demand ditenure?
Yes No	
If yes, what proportion of the urban po	opulation lives in slums, informal settlements or
inadequate housing?	
The main beaution much laws in clude	annone de la companya
<b>U</b> .	e overcrowding,¹ high costs, lack of kitchen facilities nouseholds have at least one of these problems?
Yes No	
If ves, what is the percentage of ho	ouseholds that report at least one of the four main
housing problems?	
Does one of the problems include	overcrowding?
Yes No	
If yes, what percentage of househ	olds report overcrowding?

A household is considered overcrowded if less than one room is available in each household for: each single person aged ≥ 18 years, each pair of people of the same gender aged 12–17 years, each single person aged 12–17 years not included in the previous category and for each pair of children ages < 12 years.

The other main problems are related to infrastructure and accessibility. Have there been any reports on these issues?

Yes	No	
Do hou	useholds ha	ave central heating?
Ye	es	No
If no, w	hat percer	ntage of households do not have central heating?
Do bui	Idinas have	e wheelchair access?
Ye	_	No
If no, w	hat percer	ntage of buildings do not have wheelchair access?
	_	three or more floors have lifts?
Ye	es	No
	If no, do	older adults live in such buildings?
	Yes	No
	If ves, wh	at percentage of older adults live in buildings with three or more floors with
	no lift?	
		ese issues, are buildings in your city very run-down and require
-	repairs?	
Ye	es	No
If ves	what nerce	ntage of buildings require major repairs?
11 y 00,	what perce	mage of bandings require major repairs.
t is the	nercenta	ge of households with more than four people?
t is the	percenta	ge of flousefloids with fliore than four people.

Po nousing values reflect neighbourhood wealth, quality and aπordability?  Yes No			
What is the percentage of occupied houses?			
What percentage of occupied houses are owned (not rented)?			
5. Sanitation			
Do households have access to safe drinking-water?			
Yes No			
If yes, what percentage of the population has access to and uses improved drinking- water sources?			
Does the population have access to sanitation?			
Yes No			
If yes, what percentage of the population has access to and uses improved sanitation facilities?			
Has at least one health-based violation been notified in at least one community water system in the country during a specific period?			
Yes No			
If yes, what was the mortality rate attributed to unsafe water, unsafe sanitation and lack of hygiene last year?			

What was the mortality rate attributed to unintentional poisoning?			
6. Infrastructure			
Do people have access to public infrastructure, goods and services?			
Yes No			
If yes, does access ensure affordable, high-quality childcare in all neighbourhoods?  Yes No			
Does access ensure accessible, high-quality educational facilities?  Yes No			
If yes, are there spaces for libraries, performing arts, theatres, museums, concerts and festivals for personal and educational fulfilment?			
Yes No			
Does access include open spaces and recreation facilities?  Yes No			
Do people have access to day-care centres?			
Yes No			
If yes, do they have access to adult day-care centres?  Yes No			
If yes, what is the average walking distance to the nearest one, and what is the capacity of the centre?			
Do people have access to child-care centres?  Yes  No			
If yes, what is the capacity of the centres?			
in you, what is the supusity of the sentings			

	S
1	
If ye	what is the average walking distance to the nearest sports facility?
١	eighbourhoods have urban parks and gardens?  s No what is the percentage of neighbourhoods allocated to urban parks and gardens?
Is th	nvironment city committed to environmental stewardship? s No
	f yes, is there a commitment to decrease consumption of energy and natural resources?  Yes No
	Yes No s there a commitment to restore, preserve and protect healthy natural habitats?
	Yes No s there a commitment to restore, preserve and protect healthy natural habitats? Yes No

Do people have access to sports facilities?

Ī	Does the Yes	e city report the average daily density of fine particulate matter (PM $_{2.5}$ and PM $_{10}$ )?
		If yes, is there a commitment to preserve clean air quality?  Yes No
		If yes, what is the mortality rate attributed to ambient air pollution?
I	Does the Yes	e city report average noise levels? No
I	If yes, w	hat is the percentage of the population exposed to noise levels ≥ 55 dB?
I	s there	a commitment to maintain safe levels of community noise?  No
		as the percentage of municipal solid waste collected and managed in controlled last year?
Is the	_	sually affected by flooding?
		ercentage of the population potentially affected by flooding?

## 8. Education

Does the city keep a registry of schooling?

Yes	No
If yes, w	at is the rate of school drop-out?
How ma	ny children are enrolled in primary education?
What is	he literacy rate of children in the first cycle of primary education?
What pe	centage of people aged 16–29 years have primary level education or less?
What pe	centage of people have high-school education?
What pe	centage of people have a bachelor's degree?

## 9. Economic conditions and social protection

Is the city engaged in a healthy economy? Yes No If yes, is there a commitment to increase high-quality employment opportunities for local residents? Yes No Is there a commitment to increase the availability of jobs that provide healthy, safe, meaningful work? Yes No Is there a commitment to increase equality in income and wealth? Is there a commitment to benefit and protect natural resources and the environment? Yes No Does the city keep a register of families' available income? Yes No If yes, what is the percentage of people aged ≥ 25 years with university education? What is the unemployment rate among people aged 16-64 years? Do people own cars? Yes No If yes, on average, how many cars does each person own?

On average, how many new cars (< 2 years old) does each person own?

#### Does the city keep a housing registry?

Ye	No
	yes, how many homeless people are there?
	hat proportion of people receive social integration subsidies?
Does	ne city keep a social welfare registry?  No
	yes, what proportion of people aged ≤ 17 years are assisted by a child and adolescent sistance team?
	hat percentage of people are assisted by social services, excluding those guaranteed by e law on dependency?
	hat percentage of children live above the poverty line?
	hat percentage of young people are unemployed?
	hat percentage of unemployed young people are not in education or training?



#### References for selecting other measures of outcomes

- ✓ Global indicator framework for the Sustainable **Development Goals** (24): provides measurable indicators for the Sustainable Development Goals and targets by 2030
- **⊘** Indicators for resilient cities (25): the capacity of a city or community to prepare for and respond and adapt to dangerous and disruptive events such as natural disasters, economic crises, demographic changes and health epidemics
- Social progress index (26): measure of social progress, i.e., the capacity of a society to meet the basic needs of its citizens, establish the building blocks for citizens and communities to enhance and sustain the quality of their lives and create the conditions for all individuals to reach their full potential, meeting their basic human needs, foundations for well-being and opportunities
- **⊘** Universal health coverage indicators: a formal mechanism for monitoring progress towards coverage of health services



Use this blank page to list indicators other than those on the checklists.				

# **Getting started**

- Conduct operational research to measure the selected indicators and define problems in your city.
  - Conduct a desk review of existing data.
  - Conduct qualitative research with relevant stakeholders and population groups to identify any barriers and facilitators of participatory governance in your city, focusing on districts and neighbourhoods in which interventions are to be implemented.
  - Onduct quantitative research to assess intermediate health outcomes and health and social outcomes.
- Generate solutions, and plan priority interventions that
  - foster multisectoral action in governance in your city;
  - increase civic engagement in governance for health and well-being; and
  - improve health and well-being outcomes.
- Monitor progress in implementation of interventions, and change the outcomes over time. Repeat the qualitative and quantitative assessment at least every 2 years to
  - assess changes in health promotion outcomes: governance, multisectoral action and civic engagement; and
  - measure changes in intermediate health outcomes and health and well-being.



# References

- Tangcharoensathien V, Srisookwatana O, Pinprateep P, Posayanonda T, Patcharanarumol W. Multisectoral actions for health: challenges and opportunities in complex policy environments. Int J Health Policy Manage. 2017;6(7):359-63. doi:10.15171/IJHPM.2017.61.
- 2. de Leeuw E. Intersectorality and health: a glossary. J Epidemiol Commun Health. 2021;76(20):206-8 doi:10.1136/jech-2021-217647.
- 3. Hoekema DA, Ehrlich T. Civic responsibility and higher education. Academe. 2000;86(5) doi:10.2307/40251931.
- Health Promotion Glossary of Terms 2021. Geneva: World Health Organization; 2021 (https://www.who.int/ publications/i/item/9789240038349).
- Sinding SW. The great population debates: How relevant are they for the 21st century? Am J Public Health. 2000;90(12):1841-5 (doi: 10.2105/AJPH.90.12.1841).
- Hunter RF, Cleland C, Cleary A, Droomers M, Wheeler BW, Sinnett D et al. Environmental, health, wellbeing, social and equity effects of urban green space interventions: A meta-narrative evidence synthesis. Environ Int. 2019;130:104923 (doi: 10.1016/j.envint.2019.104923).
- Marmot M, Allen J, Bell R, Bloomer E, Goldblatt P. WHO European review of social determinants of health and the health divide. Lancet. 2012;380(9846):1011-29 (doi: 10.1016/S0140-6736(12)61228-8).
- 8. Navarro V, Muntaner C, Borrell C, Benach J, Quiroga A, Rodriguez-Sanz M et al. Politics and health outcomes. Lancet. 2006;368(9540):1033-7 (doi:10.1016/S0140-6736(06)69341-0).
- Healthy cities. Good health is good politics: toolkit for local governments to support healthy urban development. Manila: World Health Organization Regional Office for the Western Pacific; 2015 (https://www. who.int/publications/i/item/WPR-2015-DNH-004).
- 10. Weiss TG. Governance, good governance and global governance: Conceptual and actual challenges. Third World Q. 2000;21(5): 795-814 (doi: 10.1080/713701075).
- 11. Health as the pulse of the new urban agenda. United Nations Conference on Housing and Sustainable Urban Development, Quito, 2016. Geneva: World Health Organization; 2016 (https://www.who.int/ publications/i/item/9789241511445).
- 12. Zientara P, Zamojska A, Cirella GT. Participatory urban governance: Multilevel study. PLoS One. 2020;15(2):e.0229095 (doi: 10.1371/journal.pone.0229095).
- 13. Laverack G. Improving health outcomes through community empowerment: A review of the literature. J Health Popul Nutr. 2006;24(1):113-20 (doi: 10.3329/jhpn.v24i1.754).
- 14. Barbieri N, Gallego R, Morales E, Rodríguez-Sanz M, Palència L, Pasarín MI. Measuring and analysing community action for health: An indicator-based typology and its application to the case of Barcelona. Soc Indic Res. 2018;139(1)25-45 (doi: 10.1007/s11205-017-1703-4).
- 15. Baum F, Cooke R. Healthy cities Australia: The evaluation of the pilot project in Noarlunga, South Australia. Health Promot Int. 1992;7(3):181-93 (doi: 10.1093/heapro/7.3.181).
- 16. Corburn J, Curl S, Arredondo G, Malagon J. Health in all urban policy: City services through the prism of health. J Urban Health. 2014;91(4):623-36 (doi: 10.1007/s11524-014-9886-3).
- 17. Andrade LOM, Bareta IC de HC, Gomes CF, Canuto OMC. Public health policies as approachs for local public policies: the experience of Sobral-Ceará, Brazil. Glob Health Promot. 2005;12 (Suppl 3) (doi: 10.1177/10253823050120030111x).
- 18. Farhang L, Bhatia R, Scully CC, Corburn J, Gaydos M, Malekafzali S. Creating tools for healthy development: Case study of San Francisco's eastern neighborhoods community health impact assessment. J Public Health Manage Pract. 2008;14(3):255-65 (doi: 10.1097/01.PHH.0000316484.72759.7b).

- 19. Junqueira V, Pessoto UC, Kayano J, Nascimento PR, Castro IE, Rocha JL et al. Equidad en la salud: Evaluación de políticas públicas en Belo Horizonte, Minas Gerais, Brasil, 1993–1997 [Equity in the health sector: Evaluation of public policy in Belo Horizonte, Minas Gerais State, Brazil, 1993–1997]. Cad Saúde Pública. 2002;18(4):1087–101 (doi: 10.1590/s0102–311x2002000400014).
- 20. Makadzange K, Radebe Z, Maseko N, Lukhele V, Masuku S, Fakudze G et al. Implementation of urban health equity assessment and response tool: A case of Matsapha, Swaziland. J Urban Health. 2018;95(5):672–81 (doi: 10.1007/s11524–018–0241-y).
- 21. Mehdipanah R, Israel BA, Richman A, Allen A, Rowe Z, Gamboa C et al. Urban HEART Detroit: the application of a health equity assessment tool. J Urban Health. 2021;98(1):146–57 (doi: 10.1007/s11524-020-00503-0).
- 22. Daban F, Pasarín MI, Borrell C, Artazcoz L, Perez A. Barcelona Salut als Barris: Twelve years' experience of tackling social health inequalities through community-based interventions. Gac Sanit. 2021;35(3):187–92 (doi: 10.1016/j.gaceta.2020.02.007).
- 23. Nutbeam D. Evaluating health promotion progress, problems and solutions. Health Promot Int. 1998;13:27–44 (doi: 10.1093/heapro/13.1.27).
- 24. SDG indicators. Global indicator framework for the Sustainable Development Goals and targets of the 2030 Agenda for Sustainable Development. New York City (NY): United Nations; 2020 (https://unstats.un.org/sdgs/indicators/indicators-list/).
- 25. Figueiredo L, Honiden T, Schumann A. Indicators for resilient cities (OECD Regional Development Working Papers 02). Paris: Organisation for Economic Co-operation and Development; 2018 (doi: 10.1787/6f1f6065-en).
- 26. Social progress index. Washington DC: Social Progress Imperative (www.socialprogress.org).

# References used to derive the checklists of indicators

- de Andrade LOM, Bareta I, Gomes CF, Chagas Canuto OM. Public health policies as approachs for local public policies: the experience of Sobral-Ceará, Brazil. Promot Educ. 2005; Suppl 3:28-30 (doi: 10.1177/10253823050120030111x).
- Barbieri N, Gallego R, Morales E, Rodriguez-Sanz M, Palència L, Pasarin MI. Measuring and analysing community action for health: An indicator-based typology and its application to the case of Barcelona. Soc Indicators Res. 2018;139:25-45 (doi: 10.1007/s11205-017-1703-4).
- Baum F, Cooke R. Healthy Cities Australia: The evaluation of the pilot project in Noarlunga, South Australia. Health Promot Int. 1992;7(3):181-93 (doi: 10.1093/heapro/7.3.181).
- Corburn J, Curl S, Arredondo G, Malagon J. Health in all urban policy: City services through the prism of health. J Urban Health. 2014;914):623-36 (doi: 10.1007/s11524-014-9886-3).
- Daban F, Pasarin MI, Borrell C, Artazcoz L, Pérez A, Fernández A et al. Barcelona Salut als Barris: Twelve years' experience of tackling social health inequalities through community-based interventions. Gac Sanit. 2021;35(3):282-8 (doi: 10.1016/j.gaceta.2020.02.007).
- Farhang L, Bhatia R, Comerford Scully C, Corburn J, Gaydos M, Malekafzali S. Creating tools for healthy development: Case study of San Francisco's eastern neighborhoods community health impact assessment. J Public Health Manage Pract. 2008;14(3):25565 (doi: 10.1097/01.PHH.0000316484.72759.7b).
- Fastring D, Mayfield-Johnson S, Funchess T, Egressy J, Wilson G. Investing in Gulfport: Development of an academic-community partnership to address health disparities. Prog Community Health Partnersh. 2018;12(1S):81-91 (doi: 10.1353/cpr.2018.0023).
- Firth CL, Stephens ZP, Cantinotti M, Fuller D, Kestens Y, Winters M. Successes and failures of built environment interventions: Using concept mapping to assess stakeholder perspectives in four Canadian cities. Soc Sci Med. 2021;268: 113383 (doi: 10.1016/j.socsci- med.2020.113383).
- Fuertes C, Pasarin MI, Borrell C, Artazcoz L, Díez E, the Group of Health in the Neighbourhoods. Feasibility of a community action model oriented to reduce inequalities in health. Health Policy. 2012;107:289-95 (doi: 10.1016/j.healthpol.2012.06.001).
- Freitas Ä, Rodrigues TC, Santana P. Assessing urban health inequities through a multidimensional and participatory framework: Evidence from the EURO-HEALTHY project. J Urban Health. 2020;97(6):857-75 (doi: 10.1007/s11524-020-00471-5).
- Junqueira V, Pessoto UC, Kayano J, Nascimento PR, Castro IE, Rocha JL et al. [Equity in the health sector: evaluation of public policy in Belo Horizonte, Minas Gerais State, Brazil, 1993-1997]. Caderna Saúde Pública. 2002;18 (doi: 10.1590/s0102-311x2002000400014).
- Makadzange K, Radebe Z, Maseko N, Lukhele V, Masuku S, Fakudze et al. Implementation of urban health equity assessment and response tool: A case of Matsapha, Swaziland. J Urban Health. 2018;95(5):672-81 (doi: 10.1007/s11524-018-0241-y).
- Mehdipanah R, Israel BA, Richman A, Allen A, Rowe Z, Gamboa C et al. Urban HEART Detroit: the application of a health equity assessment tool. J Urban Health. 2021;98(1):14657 (doi: 10.1007/s11524-020-00503-0).
- Novoa AM, Pérez G, Espelt A, Echave C, de Olalla PG, Calvo MJ et al. The experience of implementing urban HEART Barcelona: a tool for action. J Urban Health. 2018;95(5):647-661 (doi: 10.1007/s11524-017-0194-6).
- Global indicator framework for the Sustainable Development Goals and targets of the 2030 Agenda for Sustainable Development. New York City (NY): United Nations; 2020 (https://unstats.un.org/sdgs/ indicators/indicators-list/).
- Urban HEART: Urban health equity assessment and response tool. Geneva: World Health Organization; 2020 (https://apps.who.int/iris/handle/10665/79060).

- Measuring health gains from sustainable development. Geneva: World Health Organization; 2013 (https://www. who.int/publications/m/item/measuring-health-gains-from-sustainable-development).
- City fact sheets WHO European Healthy Cities Network. Copenhagen: World Health Organization Regional Office for Europe; 2015 (https://apps.who.int/iris/handle/10665/344392).
- Global report on urban health; equitable, healthier cities for sustainable development. Geneva: UNHabitat; 2016 (https://unhabitat.org/sites/default/files/download-manager-files/Global%20Report%20Urban%20 Health\_%20Full%20Report.pdf).
- A short guide to implementing the healthy city programme. Cairo: World Health Organization Regional Office for the Eastern Mediterranean; 2010 (https://applications.emro.who.int/dsaf/dsa1088.pdf).



For further information, please contact:

**Health Promotion Department** 

**World Health Organization** 

20, Avenue Appia CH-1211 Geneva 27 Switzerland

Website: https://www.who.int/health-topics/health-promotion

Email: healthpromotion@who.int

