

EMS Annual Meeting Abstracts Vol. 20, EMS2023-318, 2023, updated on 31 Oct 2023 https://doi.org/10.5194/ems2023-318 EMS Annual Meeting 2023 © Author(s) 2023. This work is distributed under the Creative Commons Attribution 4.0 License.



Surface compound extremes and Mediterranean cyclones

Alice Portal^{1,2,3}, Olivia Romppainen-Martius¹, Shira Raveh-Rubin⁴, and Jennifer Catto⁵

¹Universität Bern, Geographisches Institut, Bern, Switzerland (a.portal@campus.unimib.it)

²Department of Earth and Environmental Sciences, Università di Milano - Bicocca, Milan, Italy

³Laboratoire de Météorologie Dynamique/IPSL, École Normale Supérieure, PSL Research University, Sorbonne Université, École Polytechnique, IP Paris, CNRS, Paris, France

⁴Weizmann Institute of Science, Department of Earth and Planetary Sciences, Rehovot, Israel

⁵University of Exeter, Department of Mathematics, College of Engineering, Mathematics and Physical Sciences, Exeter, UK

The co-occurrence of extreme events, resulting generally in stronger surface impacts compared to isolated extreme events, constututes a hazard for the public and can be associated with severe damage to buildings, infrastructure and means of transport. Within the context of the MedCyclone initiative (see e. g. the Mediterranean cyclone track dataset defined in [1]), we investigate the "impact area" of the cyclones crossing the Mediterranean region by linking their passage with the appearance of hazards at the surface, in particular extremes of accumulated precipitation, near surface wind intensity, height of combined swell and wave. This analysis is expected to produce an estimate of the fraction of compound extremes - combinations of the extremes listed above - associated with the MedCyclones tracks in the recent climatological period, including geographical and seasonal details. The large-scale characteristics of the cyclones are taken into account by using a classification based on their upper-level potential vorticity pattern, and eventually by considering dynamical features with strong impacts on surface weather, such as cold fronts, warm conveyor belts and dry intrusions.

[1] Flaounas, E., Aragão, L., Bernini, L., Dafis, S., Doiteau, B., Flocas, H., L. Gray, S., Karwat, A., Kouroutzoglou, J., Lionello, P., Pantillon, F., Pasquero, C., Patlakas, P., Picornell, M. A., Porcù, F., D. K. Priestley, M., Reale, M., Roberts, M., Saaroni, H., Sandler, D., Scoccimarro, E., Sprenger, M., and Ziv, B.: A composite approach to produce reference datasets for extratropical cyclone tracks: Application to Mediterranean cyclones, Weather and Climate Dynamics Discuss. [preprint], https://doi.org/10.5194/wcd-2022-63, in review, 2023.