

Opinion Paper

Inga Hege*, Martin Adler, Daniel Donath, Steven J. Durning, Samuel Edelbring, Maria Elvén, Ada Bogusz, Carina Georg, Sören Huwendiek, Melina Körner, Andrzej A. Kononowicz, Ioannis Parodis, Ulrika Södergren, Felicitas L. Wagner and Desiree Wiegleb Edström, DID-ACT consortium

Developing a European longitudinal and interprofessional curriculum for clinical reasoning

<https://doi.org/10.1515/dx-2022-0103>

Received September 23, 2022; accepted January 24, 2023;

published online February 20, 2023

Abstract: Clinical reasoning is a complex and crucial ability health professions students need to acquire during their education. Despite its importance, explicit clinical reasoning teaching is not yet implemented in most health professions educational programs. Therefore, we carried out an international and interprofessional project to plan and develop a clinical reasoning curriculum with a train-the-trainer course to support educators in teaching this curriculum to students. We developed a framework and curricular blueprint. Then we created 25 student and 7

train-the-trainer learning units and we piloted 11 of these learning units at our institutions. Learners and faculty reported high satisfaction and they also provided helpful suggestions for improvements. One of the main challenges we faced was the heterogeneous understanding of clinical reasoning within and across professions. However, we learned from each other while discussing these different views and perspectives on clinical reasoning and were able to come to a shared understanding as the basis for developing the curriculum. Our curriculum fills an important gap in the availability of explicit clinical reasoning educational materials both for students and faculty and is unique with having specialists from different countries, schools, and professions. Faculty time and time for teaching clinical reasoning in existing curricula remain important barriers for implementation of clinical reasoning teaching.

Keywords: clinical reasoning; curriculum development; faculty development; interprofessional

*Corresponding author: Inga Hege, Medical Education Sciences, University of Augsburg, Universitätsstr. 2, 86159 Augsburg, Germany, E-mail: email@ingahege.de

Martin Adler, Instruct gGmbH, Munich, Germany

Daniel Donath, Faculty of Medicine and Health, EDU Higher Education Institute, Kalkara, Malta

Steven J. Durning, Uniformed Services University of the Health Sciences, Bethesda, USA

Samuel Edelbring, School of Health Sciences, Örebro University, Örebro, Sweden

Maria Elvén, School of Health Sciences, Örebro University, Örebro, Sweden; and School of Health, Care and Social Welfare, Mälardalen University, Örebro, Sweden

Ada Bogusz and Andrzej A. Kononowicz, Jagiellonian University Medical College, Kraków, Poland

Carina Georg, Department of Neurobiology, Care Sciences and Society, Karolinska Institutet, Stockholm, Sweden

Sören Huwendiek and Felicitas L. Wagner, Department for Assessment and Evaluation, Institute for Medical Education, Bern, Switzerland

Melina Körner, Medical Education Sciences, University of Augsburg, Augsburg, Germany

Ioannis Parodis, Division of Rheumatology, Department of Medicine Solna, Karolinska Institutet and Karolinska University Hospital, Stockholm, Sweden; and Department of Rheumatology, Faculty of Medicine and Health, Örebro University, Örebro, Sweden

Ulrika Södergren, Sophiahemmet University, Stockholm, Sweden

Desiree Wiegleb Edström, School of Medical Sciences, Örebro University, Örebro, Sweden

Background

Clinical reasoning (CR) is both a complex and core ability that health professions students are expected to learn. Despite the importance of CR, recent studies found that it is not explicitly or longitudinally taught in health professions curricula [1, 2]. However, CR teaching is crucial to improve diagnostic and therapeutic reasoning and reduce errors in patient care [3]. A recent survey among a broad range of international educators (n=313) showed a need for such a longitudinal CR curriculum including a train-the-trainer (TTT) course for educators on how to teach CR. In this investigation, only 28% of participants reported the existence of a longitudinal CR curriculum while 85% expressed the need for such a longitudinal CR curriculum. Participants reported a lack of awareness of the importance of CR teaching, lack of guidelines on how to teach CR, and lack of qualified educators to teach CR as the three most important barriers for implementing explicit CR curricula [2].

To address this shortcoming, we implemented the EU-funded project “Developing, implementing, and disseminating an adaptive clinical reasoning curriculum for healthcare students and educators” (DID-ACT) [4]. In this project we aimed to conceptualize and implement a curriculum on clinical reasoning that is (1) suitable for interprofessional teaching, (2) international, (3) adaptable to different types of instruction and curricula, and (4) supports educators to teach the curriculum through train-the-trainer courses. Our project consortium includes 46 partners from six European countries (Germany, Malta, Poland, Slovenia, Sweden, Switzerland) and the USA, representing 12 healthcare education institutions and three healthcare professions: medicine, nursing, and physiotherapy, as well as healthcare educators and researchers.

Curriculum development

We based our curriculum development process on the six steps of the Kern cycle [5]. This cycle describes the necessary steps from needs assessment to evaluation. The evaluation results obtained in the last step can serve as a starting point for a repeated needs assessment and another cycle. We will describe each step in the following sections and Figure 1 provides an overview about the steps and our implementation.

Problem identification and specific needs assessment

Based on the results from the pre-project needs analysis [2], we implemented an in-depth evaluation based on 29 semi-

structured interviews to identify potential topics and barriers for implementing such a longitudinal CR curriculum and TTT course. These interviews revealed a variety of barriers, which we grouped into the following categories: Time, Culture, Motivation, Clinical Reasoning as a Concept, Teaching, Assessment, and Infrastructure [6]. We discussed these barriers and developed and prioritized measures to address and overcome them in an (virtual) ideation workshop. For example, the heterogeneous definitions and understanding of clinical reasoning led us to define CR for this project as the following: “Clinical Reasoning encompasses health professionals thinking and acting in assessment, diagnostic, and management processes in clinical situations taking into account the patient’s specific circumstances and preferences.”

While addressing all these barriers we identified is beyond the scope of our project, we focused on addressing barriers in the Teaching, Assessment, and Concept categories, which include aspects such as a disbelief in explicit CR teaching, lack of awareness of teaching and assessing CR, lack of guidance, and lack of qualified educators. Table 1 provides an overview of the barriers and how we addressed them in our curriculum development process.

Goals and objectives

As a next step, we constructed overarching learning objectives for the curriculum and the train-the-trainer course and categorized these objectives into themes. We identified these CR-related themes and learning objectives




Figure 1: Overview of the curriculum development process with the six steps of the Kern cycle.

Table 1: Overview of identified barriers and how we addressed them in our curriculum development process.

Category	Barrier	Addressed
Teaching	Disbelief in explicit CR teaching	TTT learning units highlighting the importance of explicit CR teaching & assessment
	Lack of awareness of methods	TTT learning units on CR teaching & assessment; teaching and assessment methods, resources, and references provided for all learning units
	Lack of competency frameworks	Publication of curricular blueprint including themes and overarching learning outcomes and competency levels
	No specific guidance	TTT and student learning units with freely available resources, providing an integration guideline
	Lack of qualified educators	TTT learning units to qualify educators and facilitate networking
Assessment	Unawareness and implementation issues	TTT learning units on importance of explicit CR teaching & assessment
Motivation	Lack of incentives	Provision of a participant certificate for the TTT and student courses
Concept	Awareness of importance	TTT learning units on importance of explicit CR teaching & assessment
Time	Lack of time in the curriculum	Provision of an integration guideline

from eight national learning objective catalogs of health professions education from our partner countries (Germany, Poland, Sweden, Switzerland, USA) and a European catalog. In addition, we performed a scoping literature review on CR teaching frameworks [7, 8]. We extracted the relevant learning objectives, translated them into English, and implemented a group consensus process to develop a comprehensive list of learning objectives grouped in themes. We described the details of this process in a previous article [9].

Overall, we defined 35 overarching learning objectives and grouped them into the following 11 themes: (1) Theories of clinical reasoning, (2) Gathering, interpreting, and synthesizing information, (3) Generating differential diagnoses, (4) Developing a treatment/management plan, (5) Patient perspective, (6) (Interprofessional) collaboration (7) Ethical aspects, (8) Self-Reflection & Attitudes, (9) Errors and Biases (10) Teaching clinical reasoning, and (11) Decision making.

Educational strategies

Once we had agreed on the themes and overarching learning objectives, we defined the structure of the DID-ACT curriculum and learning units based on these learning objectives. The DID-ACT curriculum was designed as a series of learning units based on our defined themes that can be implemented longitudinally (i.e. over several years) in undergraduate education. The applied teaching strategies in the learning units include (spaced) repetition, progression of depth and complexity, and opportunities for deliberate practice. Also, the learning units are adaptable to different settings, health profession curricula, and resources available at the schools [10].

Next, we decided on three basic pedagogical principles for the curriculum: learner-centeredness, blended-learning, and case-based learning. (1) A learner-centered approach emphasizes learning as the result of a learner's active engagement and responsibility in learning activities. It places the learner's experiences and development of knowledge and meaning in the center of the learning process. The teacher's role is to support and facilitate the learning process and provide feedback [11]. (2) Blended learning is a meaningful combination of asynchronous/online and synchronous/face-to-face learning activities [12]. This allows teachers and learners to use the synchronous sessions for discussions or knowledge application instead of instructor-led teaching of knowledge. Considering the current COVID-19 pandemic we also include recommendations on how these synchronous sessions can be conducted in a virtual environment. (3) Research has shown that students enjoy case-based learning [13] and virtual patient cases can improve clinical reasoning skills [14]. Therefore, cases and virtual patients are core components especially of the student curriculum and most of the learning and assessment activities are based on them.

Implementation

Based on the 11 themes and learning objectives we planned 25 learning units for undergraduate students (on a novice, intermediate, and advanced levels) and seven TTT units. Figure 2 shows a general overview, and an interactive version is available on our website [4].

In small interprofessional teams we described the structure and content for each learning unit in a template [4]. This template includes general learning unit aspects such as title, prerequisites, specific (measurable) learning

Theme	Novice Level	Intermediate Level	Advanced Level	Virtual patients	Teacher Level
● What is Clinical Reasoning (Integration Example)	What is clinical reasoning and how can theories be put into practice (Integration Example)			SP (Integration Example)	● What is Clinical Reasoning and Models (Integration example) ● Clinical Reasoning: teaching and assessment (Integration example) ● Evaluation of Clinical Reasoning (Integration example)
● Dual Process Theory					
● Using the Outcome Present State Test Model					
● Illness Scripts					
● Health profession roles in clinical reasoning (Integration Example)	Collaboration of health professions in Clinical Reasoning (Integration Example)	Collaborate with others in clinical reasoning (Integration Example)			● Differences and similarities in clinical reasoning among health professions (Integration example) ● Person-centered approach and the role of patients (Integration example) ● Information gathering, Generating differential diagnoses, Decision making, and Treatment planning (Integration example)
● Person-centered approach to clinical reasoning (Integration Example)	Shared Decision Making in Clinical Reasoning (Integration Example)				
● Biomedical Knowledge and Clinical Reasoning					
● Collect and prioritize key clinical findings/problems					
● Generating differential diagnoses and deciding about final diagnosis (Integration Example)	Decision Support Systems (Integration Example)	Decision Support Systems (Integration Example)			
● Developing a treatment plan	Ethical aspects - patient management and treatment (Integration Example)				
● Biases and cognitive errors - an Introduction			Biases and cognitive errors (Integration Example)		● Discussing and teaching about cognitive errors and biases (Integration example)
●	Uncertainty (Integration Example)	Uncertainty (Integration Example)			
● Metacognition, reflection and models for reflection			Metacognition, reflection and models for reflection (Integration Example)		
● Analyzing and avoiding errors			Analyzing and avoiding errors (Integration Example)		
●					DID-ACT clinical reasoning curriculum (Integration Example)

Explanation

- Theories of Clinical Reasoning
- Self-Reflection & Attitudes
- Errors & Biases
- Gathering, interpreting & synthesising information
- Decision Making
- Generating differential diagnoses
- Ethical Aspects
- Teaching Clinical Reasoning
- Developing a treatment plan
- (Interprofessional) Collaboration
- Patient Perspective

Figure 2: Curricular blueprint with the learning units in the four competency levels (columns) and themes (colored circles).

objectives, level of competence (novice, intermediate, and advanced), required time, group size, and description. Depending on the learning objectives each learning unit is then divided into several synchronous and asynchronous sessions and described in detail with instructional methods, required time, and alternative approaches.

After project members completed the review of a learning unit outline, we implemented it in our learning management system Moodle [15]. This step included providing, and if needed, developing videos, designing activities such as quizzes or assignments with immediate feedback, and developing and/or adapting cases. For the

facilitators of the learning unit, we uploaded all required resources, the detailed description of the course outline, and if applicable also sample answers for the assignments and group tasks. With these resources facilitators can prepare their teaching and if needed adapt the course outline.

All material is available under a Creative Commons (CC) license, and we used open educational resources (OERs). Access to Moodle is free, but logging in is required using either institutional credentials or self-registration. We have included an example outline of the learning unit for novice students on the health profession roles in CR, which serves as a guide for teachers (see Supplementary File 1). Additionally, this learning unit (as implemented in Moodle), is shown in Supplementary File 2.

Evaluation and feedback

We implemented and evaluated nine train-the-trainer and eight novice and intermediate piloted learning units from October 2021 until January 2022 with a total of 198 participating students and 98 educators. The piloted learning units covered five different topics from the student curriculum and five topics from the TTT courses (Table 2). We selected these learning units through a group consensus process during a team meeting where we focused on the following three aspects: (1) local needs assessment (e.g., preference of basic over advanced TTT courses), (2) opportunities for integration of the learning units in local curricula and (3) comparing evaluation outcomes of the same learning units at different institutions.

To evaluate selected pilot learning units, we developed two questionnaires to capture student and facilitator experience and satisfaction with a learning unit. The questionnaires are based on the “Evaluation of Technology-Enhanced Learning Materials” (E TELM) tool [16] and are available on the DID-ACT website.

Overall, we received 199 completed questionnaires from students and facilitators. Table 3 shows a summary of the most relevant results.

In open-ended questions students endorsed the virtual patients, cases, the engagement of the facilitators, and the small-group group discussions (often conducted in multi-national and interprofessional teams) which broadened their views on clinical reasoning. Students also identified challenges (both technical and navigation issues) with the learning management system Moodle. Additionally, some participants suggested modifications of the content for a better representativeness of the diverse array of health professions. Facilitators commented that the TTT pilots

Table 2: Overview of pilots.

Type	Learning unit	Institutions	Profession	n	Comments on implementation
STU	What is clinical reasoning - an introduction	UAU, UBERN, MFUM	M	34	Extracurricular blended-learning for 1st & 2nd year students of medicine with additional participants from Karolinska Institutet, university of porto, university of Zurich.
STU	Person-centered approach and the role of the patient	EDU, JU	M	59	EDU: 2nd year medical students (“module 6”); JU: 3rd year medical students as part of the “clinical laboratory training of clinical skills 2/4” course.
STU	Health professionals roles in clinical reasoning (novice)	UAU, UBERN, MFUM	M	34	Extracurricular blended-learning for 1st & 2nd year students of medicine with additional participants from Karolinska Institutet, university of porto, university of Zurich.
STU	Generating differential diagnoses and deciding about final diagnoses	UBERN, JU, MFUM	M	51	MFUM: Extracurricular pilot for 3rd–5th year students of medicine; UBERN: Pediatric clerkship students in their 4th–5th year; JU: 2nd year medical students as part of the “introduction to clinical sciences” course.
STU	Health professionals roles in clinical reasoning (intermediate)	ORU, JU	M, N	20	Extracurricular synchronous online event; ORU: 2nd and 3rd year students of nursing. JU: 3rd year nursing and 5th year medicine. Additional participation of 3rd year nursing students from berner bildungszentrum pflege (Switzerland).
TTT	What is clinical reasoning & how to put theories into practice	JU, UBERN	M, N, Pa	32	JU: Blended learning faculty development at the DPM; UBERN: online course for participants of the MME program.
TTT	Information gathering, generating differential diagnoses, decision making, and treatment planning	JU, UBERN, MFUM	M, N	19	JU: online faculty development at the DPM; UBERN: Hybrid course for consultants in pediatric emergency medicine; MFUM: online faculty development event.
TTT	Person-centered approach and the role of the patient	EDU	M	7	Blended learning faculty development event.
TTT	Health professionals’ roles in clinical reasoning	UAU, ORU	B, M, N, ph	18	UAU: Regular workshop within the faculty development program with; ORU: Synchronous online faculty development event meeting with additional participation of teachers from Karolinska Institutet, mälardalen and sophiahemmet universities in Sweden.
TTT	Application of clinical reasoning teaching and assessment methods	UBERN	M	22	Online course for participants of the MME program.

Type: STU, student curriculum; TTT, train-the-trainer course; (Partner) Institution: EDU, Malta; MFUM, University of Maribor; JU, Jagiellonian University; ORU, Orebro University; UAU, University of Augsburg; UBERN, University of Bern; Prof, Profession: B, biomedical sciences/analyst; M, medicine, N, nursing; Pa, paramedics; Ph, physical therapy; Implementation: DME, department of medical education; MME, master of medical education.

Table 3: Summary of mean (standard deviation) values of selected responses from participants and facilitators of the student and educator learning units (7-item Likert scale, 1=strongly disagree, 7=strongly agree).

	Student course		Train-the-trainer course	
	Participants	Facilitators	Participants	Facilitators
Responses (response rate).	125 (63%)	6 (33%)	56 (57%)	12 (86%)
This learning unit will improve my clinical reasoning (teaching) skills.	5.8 (1.5)	–	5.9 (1.5)	–
The educational activities encouraged engagement with learning unit materials/content.	5.8 (1.2)	6.0 (1.3)	6.0 (1.2)	5.5 (1.2)
The learning unit effectively blended online and face-to-face elements.	5.8 (1.4)	5.3 (1.5)	5.9 (1.4)	6.0 (0.6)
The learning unit technologies and media supported the learning objectives.	5.9 (1.1)	4.8 (1.6)	5.6 (1.3)	5.6 (1.2)
The overall quality of this learning unit was excellent.	5.5 (1.4)	5.0 (1.3)	5.5 (1.5)	5.6 (0.9)

sometimes required a high workload which resulted in challenges with their limited time for faculty development.

Based on the evaluation results, we identified, discussed, and implemented several areas for technical and content improvements. These improvements included more

technical guidance on how to navigate on the learning platform Moodle, more detailed instructions and examples for facilitators, and more elaborate feedback for users with the asynchronous learning activities. Moreover, we developed and published an integration guideline on our website,

describing how the learning units can be integrated into existing health profession curricula and faculty development programs.

The evaluation was exempted from a detailed ethical review by the Institutional Review Board of the University of Bern, Switzerland (decision Req-2020-00074).

Challenges

One of our initial challenges was the heterogeneous terminology within and across professions [17]. Therefore, we dedicated several meetings to discussing our perspectives and developing our CR definition as a foundation for the DID-ACT curriculum. Our definition resonated with professions present on our team and in the needs analysis as well as contemporary CR literature including diagnostic, management, caring and rehabilitation perspectives [18, 19].

Another initial challenge was an emphasis on physician perspectives in our curriculum development process. Despite being a multiprofessional project team, including physicians, nurses, and physiotherapists, the number of physicians was higher, resulting in some of the small group curriculum development teams being unequally staffed. In such groups, we may have missed opportunities for more in-depth interprofessionalism, although all partners were open-minded and deeply interested in interprofessional clinical reasoning.

Lastly, integrating the new themes into existing curricula is a long-term process that requires several years for completion. Our developed learning units are available for immediate use, however, considering already overloaded healthcare curricula we anticipate gradual replacement of old content with new content over time will likely occur. Another important and sometimes overlooked need is aligning curricular assessment with newly integrated content to facilitate the evaluation of learning outcomes beyond the level of satisfaction and self-efficacy.

As part of the project, we also developed plans for sustainability. However, the realization of those plans will be an ongoing mission for the upcoming years. We believe that the need for explicit and longitudinal clinical reasoning curricula to include a TTT course will facilitate a sustained integration and further dissemination of the DID-ACT curriculum.

Conclusions

Our curriculum development process followed a similar approach described by Singh et al. in which they embedded

CR into a medical curriculum in the UK as a monoprofessional longitudinal theme including TTT learning units [20]. In both approaches, the strongest enabler of implementing a CR curriculum is the investment in faculty development to train educators motivated to implement explicit CR teaching techniques. However, one of the main identified barriers in implementing CR teaching [6] and noticed also in the feedback we received during our piloting of learning units was the limited time and availability of educators. Overcoming this requires institutional changes, such as protected time for educators and incentives to facilitate and prioritize their participation in faculty development courses. For example, creating recognizable certificates for professional development in this area and/or participation in the training as part of one's regular hours could mitigate this barrier.

A strength of the DID-ACT curriculum in comparison to other longitudinal CR curricula [20–22] is the international and interprofessional approach and the pilot implementation of the curriculum at several universities across five European countries. The emphasis on interprofessional collaboration and the recognition of patient participation in clinical reasoning of all health professions enabled us to have a broad perspective on clinical reasoning [7].

The challenges we encountered during our curriculum development process led to many fruitful and inspiring discussions which enabled us to learn from each other and develop a joint understanding of CR and the different goals of involved health professionals. Therefore, we recommend establishing a multiprofessional team and dedicating as much time as possible for sharing and discussing the different perspectives if one is planning to implement interprofessional (CR) teaching. This requires an open and respectful atmosphere that promotes equal contribution of knowledge and experience by all professionals to the discussion, and a sustainable curriculum implementation plan.

Acknowledgments: We would like to thank all our colleagues who are part of the project and contributed significantly to the project's success. Also, we want to thank all students, educators, and healthcare professionals for their valuable and meaningful feedback on our work.

Research funding: This work is part of the Erasmus + Knowledge Alliance DID-ACT (612454-EPP-1-2019-1-DE-EPPKA2-KA).

Author contributions: All authors have accepted responsibility for the entire content of this manuscript and approved its submission.

Competing interests: Authors state no conflict of interest.

Informed consent: Informed consent was obtained from all individuals included in this study.

Ethical approval: The evaluation was exempted from a detailed ethical review by the Institutional Review Board of the University of Bern, Switzerland (decision Req-2020-00074).

References

- Rencic J, Trowbridge RL Jr., Fagan M, Szauter K, Durning S. Clinical reasoning education at US medical schools: results from a national survey of internal medicine clerkship directors. *J Gen Intern Med* 2017; 32:1242–6.
- Kononowicz AA, Hege I, Edelbring S, Sobocan M, Huwendiek S, Durning SJ. The need for longitudinal clinical reasoning teaching and assessment: results of an international survey. *Med Teach* 2020;42: 457–62.
- World Health Organization (WHO). Diagnostic errors – technical series on safer primary care; 2016. Available from: <https://apps.who.int/iris/bitstream/handle/10665/252410/9789241511636-eng.pdf> [Accessed 2 Dec 2022].
- DID-ACT. Project website [Online]. Available from: <http://www.did-act.eu> [Accessed 2 Dec 2022].
- Thomas PA, Kern DE, Hughes MT, Chen BY, editors. Curriculum development for medical education: a six-step approach, 3rd ed. Baltimore, MD: Johns Hopkins University Press; 2016.
- Sudacka M, Adler M, Durning SJ, Edelbring S, Frankowska A, Hartmann D, et al. Why is it so difficult to implement a longitudinal clinical reasoning curriculum? A multicenter interview study on the barriers perceived by European health professions educators. *BMC Med Educ* 2021;21:575.
- Elvén M, Welin E, Wiegleb Edström D, Petreski T, Szopa M, Durning SJ, et al. Clinical reasoning curricula in health professions education: a scoping review. *J Med Educ Curric Dev* [Manuscript submitted for publication].
- Elvén M, Welin E, Edström DW, Petreski T, Szopa M, Durning SJ, et al. How can clinical reasoning teaching change from a ‘black-box phenomenon’ to a structured clinical reasoning curriculum? Insights from a scoping review. In: 5th montreal international conference on clinical reasoning. Montreal: Canada; 2022.
- Parodis I, Andersson L, Durning SJ, Hege I, Knez J, Kononowicz AA, et al. Clinical reasoning needs to be explicitly addressed in health professions curricula: recommendations from a European consortium. *Int J Environ Res Publ Health* 2021;18:11202.
- Quirk M, Chumley H. The adaptive medical curriculum: a model for continuous improvement. *Med Teach* 2018;40:786–90.
- Wright GB. Student-centered learning in higher education. *Int J Learn High Educ* 2011;23:92–7.
- Rowe M, Frantz J, Bozalek V. The role of blended learning in the clinical education of healthcare students: a systematic review. *Med Teach* 2012;34:e216–21.
- Thistlethwaite JE, Davies D, Ekeocha S, Kidd JM, MacDougall C, Matthews P, et al. The effectiveness of case-based learning in health professional education. A BEME systematic review: BEME guide no. 23. *Med Teach* 2012;34:e421–44.
- Kononowicz AA, Woodham LA, Edelbring S, Stathakarou N, Davies D, Saxena N, et al. Virtual patient simulations in health professions education: systematic review and meta-analysis by the digital health education collaboration. *J Med Internet Res* 2019;21:e14676.
- DID-ACT project consortium. DID-ACT learning management system moodle [Online]. Available from: <https://did-act.instruct.eu> [Accessed 2 Dec 2022].
- Cook DA, Ellaway RH. Evaluating technology-enhanced learning: a comprehensive framework. *Med Teach* 2015;37:961–70.
- Young M, Thomas A, Gordon D, Gruppen L, Lubarsky S, Rencic J, et al. The terminology of clinical reasoning in health professions education: implications and considerations. *Med Teach* 2019;41:1277–84.
- Higgs J, Jensen GM, Loftus S, Christensen N. Clinical reasoning in the health professions, 4th ed. Edinburgh, UK: Elsevier; 2019.
- Cook DA, Sherbino J, Durning SJ. Management reasoning: beyond the diagnosis. *JAMA* 2018;319:2267–8.
- Singh M, Collins L, Farrington R, Jones M, Thampy H, Watson P, et al. From principles to practice: embedding clinical reasoning as a longitudinal curriculum theme in a medical school programme. *Diagnosis* 2021;92:184–94.
- Connor DM, Narayana S, Dhaliwal G. A clinical reasoning curriculum for medical students: an interim analysis. *Diagnosis* 2021;9:265–73.
- Rowat J, Suneja M. Longitudinal clinical reasoning theme embedded across four years of a medical school curriculum. *Diagnosis* 2022;9: 468–75.

Supplementary Material: This article contains supplementary material (<https://doi.org/10.1515/dx-2022-0103>).