Marital stability, satisfaction and well-being in old age

Variability and continuity in very long-term continuously married older persons

Margelisch Katja¹, Schneewind Klaus A.², Violette Jeanine¹, Perrig-Chiello Pasqualina¹

¹Department of Psychology, University of Bern, Bern, Switzerland

²Departement of Psychology, Ludwig-Maximilians-University of Munich, Munich, Germany

Correspondence to:

Katja Margelisch, MSc, University of Bern, Department of Psychology, Fabrikstrasse 8, 3012 Bern, Switzerland, phone: +41 31 631 45 75, fax: +41 31 631 82 12, Email: katja.margelisch@psy.unibe.ch

This work was supported by the Swiss National Science Foundation /LIVES Grant (CRSII1_129922) and is part of the research work conducted at the Swiss National Centre of Competence in Research LIVES

Abstract

Objectives: Recent research shows that the well-documented positive effects of marital stability on well-being and health outcomes are conditional upon the quality of marriage. To date few studies have explored the relationship between marital satisfaction, well-being and health among very long-term married individuals. This study aims at identifying groups of long-term married persons with respect to marital satisfaction and comparing them longitudinally concerning their well-being outcomes, marital stressors, personality and socio-demographic variables.

Method: Data are derived from a survey (data collection 2012 and 2014) with 374 continuously married individuals at wave 1 (mean age: 74.2 years, length of marriage: 49.2 years) and 252 at wave 2. Cluster analyses were performed comparing the clusters with regard to various well-being outcomes. The predictive power of cluster affiliation and various predictors at wave 1 on well-being outcomes at wave 2 was tested using regression analyses.

Results: Two groups were identified, one happily the other unhappily married, with the happily married scoring higher on all well-being and health outcomes. Regression analyses revealed that group affiliation at wave 1 was not any longer predictive of health, emotional loneliness and hopelessness two years later, when taking into account sociodemographic variables, psychological resilience and marital strain, whereas it remained an important predictor of life satisfaction and social loneliness.

Conclusion: Marital satisfaction is associated with health and well-being in older couples over time, whereas psychological resilience and marital strain are major predictors explaining the variance of these outcomes.

Key words: marital stability, marital satisfaction, marital status, well-being, old age

Introduction

In research as well as in everyday life a long term and enduring marriage is often considered a major life goal and a key indicator not only for marital success, but also for well-being and health (Proulx, Helms, & Buehler, 2007; Schoenborn, 2004). Marital stability usually indicates increased well-being, whereas marital changes are amongst the most stressful life events (Hughes & Waite, 2009; Carr & Springer, 2010). Although the positive association between stable marital status, well-being and health is well-established, recent research suggests that this effect depends primarily on the quality of the marriage and not on marital status per se (Carr, Freedman, Cornman, & Schwarz, 2014). There is a large body of literature on marital satisfaction and well-being outcomes during different stages of marriage. However, little is known on this regard in long-term continuously married older individuals (Acitelli, 1992; Lawrence, Nylen, & Cobb, 2007). Additionally, generalisations drawn from studies with younger persons for older age groups are problematic because of the very different challenges of the specific life stage (Cohen, Geron, & Farchi, 2010; Schmitt, 2000). In older age, developmental and role changes due to the limited future time horizon and the decline of contact with friends and former colleagues may contribute to a convergence in the salience for marital quality for well-being (Carr et al., 2014).

Therefore, the aim of this study is to identify groups of long-term continuously married individuals in terms of marital satisfaction and to compare them longitudinally with regard to various well-being outcomes, marital stressors, vulnerabilities, adaptive behaviour and socio-demographic variables. Given current trends towards longer life expectancy and considering the increasing divorce rates among older adults, understanding later life, marriage and its impact on mental health is an important pursuit (see also Carr et al., 2014).

Marital stability and marital satisfaction

In the last two decades a few studies began to address the issue of long-term marriages and marital satisfaction (Charles & Carstensen, 2002; Fine & Harvey, 2013). Some study results revealed a relatively high marital satisfaction in long-term marriages (Levenson, Carstensen, & Gottman, 1993; Schmitt & Re, 2004). It has also been suggested that relationship satisfaction follows a curvilinear pattern over the life course, declining in the earlier years of marriage and increasing through the later years (Charles & Carstensen, 2002). In turn, other study results revealed that marital happiness tends to decline over time, and that marital quality is stronger and consistently associated with age than with marital duration (Umberson, Williams, Pows, Liu, & Needham, 2005). More recent studies suggest that the long-term married are generally very heterogeneous (Kamp Dush & Taylor, 2011), with subgroups reporting a low subjective assessment of relationship quality despite the stability of their relationships (Duba, Hughey, Lara, & Burke, 2012). These findings demonstrate the potential schism between relationship stability and relationship satisfaction (Hawkins & Booth, 2005). It is also relevant because staying in an unhappy marriage has been shown to be associated with low values in overall happiness, satisfaction with life, self-esteem and health as well as a higher likelihood of various psychological distresses (Hawkins & Booth, 2005).

The relationship between martial satisfaction and well-being: variations and explanations

Marital satisfaction is one of the most important predictors of subjective well-being and health (Diener, 1984; Kamp Dush, Taylor, & Kroeger, 2008). A meta-analysis by Proulx et al. (2007) found that higher levels of marital quality were positively related both concurrently and over time with better subjective well-being, whereas the association was stronger over time for long-term married persons. Inversely, marital problems are negatively associated with lower self-rated health (Hawkins & Booth, 2005; Umberson et al, 2006), lower life satisfaction (Whisman, Uebelacker, Tolejko, Chatav, & McKelvie, 2006), increased depressive symptoms (Walker, Isherwood, Burton, Kitwe-Magambo, & Luszcz, 2013), and more feelings of loneliness (Dykstra & Fokkema, 2007).

Despite empirical evidence for a positive association between marital stability, marital satisfaction and subjective well-being, the effects can vary across individuals, groups, and living contexts (Proulx et al., 2007). However, to date, integrative work exploring the contexts and processes that influence marital satisfaction and subjective well-being by taking marital stability into account is rare (for an exception, see Proulx et al, 2007). The present paper intends to address this gap by presenting research framed by an extended vulnerability-stress-adaptation model (Karney & Bradbury, 1995). We extend this model by introducing several well-being outcomes which are thought to be a function of marital satisfaction, but also of vulnerabilities, stressful events and adaptive behaviour.

In this research, we conceptualize *marital satisfaction* as a multidimensional construct encompassing a general measure of partnership satisfaction as well as two domain-specific satisfaction measures: (1) the possibility of individual development and reaching personal goals within the partnership, and (2) sexual satisfaction. Studies consistently demonstrate a positive correlation between marital satisfaction and sexual satisfaction (Heiman et al., 2011; Lindau et al., 2007), as well as the possibility of individual development within the partnership (Brandtstädter & Felser, 2003).

Vulnerabilities: personality traits are known to influence relationship satisfaction. A significant body of research suggests that specific personality traits such as neuroticism may facilitate less adaptive and more problematic behaviours, leading to increased marital discord (Claxton, O'Rouke, Smith & DeLongis, 2013; Jerskey et al., 2010). In turn, especially extraversion was found to be positively associated with positive interactions and with global evaluations of the marriage (O'Rourke, Claxton, Chou, Smith, & Hadjistavropoulos, 2011; Rosowsky, King, Coolidge, Roades, & Segal, 2012). However, since most research has been

carried out with younger couples, these findings may not be applicable to older, long-married couples (Parker & Commerford, 2014).

Adaptive behaviour: as an important indicator of adaptive behavior that emerged in more recent studies is psychological resilience. Psychological resilience refers to the ability to maintain relatively stable, healthy levels of psychological and physical function in the face of stressful events (Bonanno, Wortman, & Nesse, 2004). Although psychological resilience has been reported to be a stress protective factor in marital life (Patterson, 2002; Canary, Stafford, & Semic, 2002) it has hardly been studied in long-term married couples.

Stressful events: apart from marital conflicts, which have deleterious effects on mental and physical health (Fincham, 2003), there is empirical evidence suggesting that a *bad health status* of a partner can be seen as an important risk factor for marital stress (Rapp, 2012), especially in older age groups (Walker & Luszcz, 2009). In general, it has been shown that the association between marital quality and personal well-being is stronger for women than for men (Proulx et al., 2007).

Research questions

- What kind of groups can be identified among long-term continuously married couples in terms of marital satisfaction, sexual satisfaction and satisfaction with development within the partnership?
- 2. What are the differences between the identified groups concerning well-being outcomes (i.e., life satisfaction, depressive symptoms, emotional and social loneliness, subjective health), vulnerabilities (personality traits), and adaptive behaviour (psychological resilience)?
- 3. How stable are well-being outcomes for the identified groups over time (i.e., T1-T2)?

4. What is the role of group affiliation at T1 in predicting well-being and subjective health two years later (T2), when considering demographics, vulnerabilities, adaptive behaviour (psychological resilience), and marital stressors (relationship stress and health of partner)?

We expect:

- In accordance with empirical work (Wunderer, Schneewind, Grandegger, & Schmid, 2001; Cohen et al., 2010) at least two different groups with regard to marital satisfaction, namely happily and unhappily married.
- 2. According to the Vulnerability-Stress-Adaptation-model that the identified groups differ from each other with regard to the individuals' well-being outcomes, vulnerabilities and adaptive behaviour, i.e. the happily married with the most positive outcomes, less vulnerability (low neuroticism, high extraversion), and better adaptive behaviour, i.e. higher scores in psychological resilience.
- 3. Given the fact that older age is associated with increasing fragility and more stressors and losses, the happily married are better able than the unhappily married to cope with these and to maintain their well-being level over two years.
- 4. Based on hypothesis 3, we can expect that group affiliation at T1 remains a significant predictor of all T2-well-being outcomes even when considering marital stressors, personality traits and demographic variables.

Method

Study context and participants

Data come from a longitudinal survey carried out in 2012 and 2014 in Switzerland.¹ This study aims at gaining insights about intimate relationships and marital break-up in middle and old age (40 – 90 years old). Participants were recruited using a random sample supplied by the Federal Office of Statistics stratified by age, gender, and marital status. In this research, we focus on the subsample of continuously married individuals aged between 60 and 89 and married for at least 40 years. These criteria resulted in a sub-sample of 374 participants surveyed in 2012 (186 women, 188 men, mean age for women and men: 74.34 years; married on average for 49.1 years). Out of this sample, 252 persons (127 women, 125 men) took part at the second survey two years later. The dropout rate at T2 was 33%, (2/3 non-response, 1/3 health problems or change in marital status). There were no significant differences between droppers and completers with regard to sex ($\chi 2(1) = 0.084$, p = .77), and age (U = 15,252, p = .07). However, droppers showed higher values of hopelessness (U = 18,355, p < .05) and lower values of psychological resilience (U = 13,079, p < .05).

Measures

Marital satisfaction: In order to have a comprehensive view of marital satisfaction, a general and two domain specific measures of marital satisfaction were taken into account:

Marital satisfaction was assessed with the 10-item "Marital Satisfaction Inventory, Revised (MSI-R)" (Klann, Hahlweg, Limbird, & Snyder, 2006; Whisman, Snyder, & Beach, 2009) with answer options (1 = true, 2 = false). Cronbach's alpha was α = .82.

Satisfaction with development within partnership was assessed with two self-generated items, the first inquiring whether one could develop according own wishes, the second

¹ The study has been approved by the ethical committee of the University of Bern.

whether the partner was supportive of self-development. The correlation between both rankings was quite strong (Spearman r = .71, p < .01. The answers were evaluated on a 5-point scale (1 = yes to 5 = no).

Sexual satisfaction was assessed with a self-developed single item (How satisfied are you with the quality of your sexual relation with your partner?). Responses were evaluated on a 5-point scale (1 = very unsatisfied to 5 = very satisfied).

Well-being and health

Life satisfaction was assessed with the five-item "Satisfaction with Life Scale (Diener, Emmons, Larsen, & Griffin, 1985; Schumacher, 2003) with answers on a 7-point scale (1 = completely disagree to 7 = completely agree). The

Cronbach's alpha was $\alpha = .89$.

Hopelessness was measured with the 10 item version of the Hopelessness Scale (Beck, Weissman, Lester, & Trexler, 1974). Response options range from "very correct" to "very false". Internal consistency was $\alpha = .79$.

Loneliness was measured with the short version of the "De Jong Gierveld Loneliness Scales" (De Jong Gierveld & Van Tilburg, 2006), which assesses social and emotional loneliness (three items each). The answers are evaluated on a 5-point scale (1 = yes to 5 = no); Cronbach's alpha: social loneliness α = .81, emotional loneliness α =.82.

Subjective health was assessed with the widely used question *How are you presently doing health-wise?* The answer options range from 1 = very good to 5 = very badly.

Enduring vulnerabilities: Personality was assessed with the "Big Five Inventory" (BFI-10, Rammstedt & John, 2007) consisting of two items for each of the five personality dimensions: neuroticism, agreeableness, consciousness, openness and extraversion. Items are scored on a scale from 1 = strongly disagree to 5 = completely agree.

Adaptive behaviour: Psychological resilience was measured with the brief version of the Resilience Scale (Wagnild and Young, 1993; Schumacher, Leppert, Gunzelmann, Strauss, & Brähler, 2005), a one-dimensional scale consisting of 11 items. Answer options range from 1 = I don't agree to 7 = I agree completely (Cronbach's $\alpha = .81$).

Stressful events: Relationship stress was measured by a self-developed item: "Have you experienced very conflictual times in your relationship?" Responses were evaluated on a scale from 1 = never to 5 = very often. *Health status of the partner* was also assessed through a self-developed item. The answers were scored on a scale from 1 = very well to 5 = very bad (i.e. in need of care).

Socio-demographic variables: The analyses were controlled for respondents' age, gender, education ($1 = compulsory \ school$ to 3 = University), and self-declared financial situation ($1 = I \ do \ not \ have \ enough \ money \ to \ support \ myself$, to $3 = I \ have \ more \ than \ enough \ money \ to \ support \ myself$).

Analytical strategy

First, a two-step cluster-analysis based on the three marital satisfaction variables (general marital satisfaction, development in the relationship and sexual satisfaction) was performed. The method is based on a distance measure that enables data with both continuous and categorical attributed to be clustered (Chiu, Fang, Chen, Wang, & Jeris, 2001). Second, we compared the clusters regarding well-being outcomes, vulnerabilities (neuroticism, extraversion) and adaptive behaviour (psychological resilience). Third, repeated measures ANOVAs were computed to test the stability of well-being and subjective health among the clusters over time (group-by-time interaction). Fourth, using hierarchical regression analyses, we examined the predictive power of group affiliation along with vulnerabilities, adaptive behaviour and marital stressors at T1 on health and wellbeing at T2. All analyses were carried out using IBM SPSS Statistics 22.0.

Results

Sample description

The study sample consisted of 374 participants at T1 (2012) (186 women and 188 men, average age: 74.2 years, SD = 7.4) and 252 participants at T2 (2014) (125 women and 127 men, average age: 76.3 years, SD = 7.2). Participants were married on average for 49.2 years (SD = 5.9), a majority were Swiss citizens (89%), 95.5% indicated having children, and 96% assessed their financial situation as being sufficiently good.

Cluster analysis and comparison of the clusters

The two-step cluster analysis revealed two distinct clusters. The first included 221 individuals (59% of the sample, i.e. 106 women, 115 men) and the second 153 individuals (41% of the sample, i.e. 80 women, 73 men). Individuals belonging to the larger cluster ("happily married") showed an overall higher marital satisfaction than the smaller one ("unhappily married"), i.e., higher marital satisfaction values (U = 31,295, p <.001), higher ratings in development in the relationship (U = 29,728, p <.001), and on sexual satisfaction (U = 25,866, p <.001) (Figure 1). The groups did not differ regarding age (U = 17346.5, p = .67), sex ($\chi^2(1) = 0.676, p = .24$), length of marriage (U = 8834, p = .06), education (U = 16710.5, p = .718), financial status (U = 17659.5, p = .10) and whether or not they had children ($\chi^2(1) = 0.382, p = .60$).

Table 1 shows comparisons between both clusters concerning well-being, health, personality and psychological resilience at T1 and T2. At both time points, the happily married persons rated their health as well as their life satisfaction better than the unsatisfied persons. Members of the happily married cluster additionally reported consistently lower values with regard to hopelessness, social and emotional loneliness. Furthermore, the satisfied persons showed lower values of neuroticism at T1 and higher values of psychological resilience at T2

compared to the unhappily married. However, over time there is no significant difference in neuroticism values between the happily and the unhappily married persons.

Stability of wellbeing and health in happily and unhappily married persons

To compare the stability of individuals' well-being and health in both clusters over two years, repeated measures of ANOVA were conducted with time as a within-subject factor and group as a between-subject factor, with the different well-being indicators as dependent variables. The ANOVA investigating differences in *hopelessness* showed a significant effect of group ($F_{1,249} = 16.70$, p < .001; partial $\eta = 0.06$), but no effect of time ($F_{1,249} = 0.02$, p=.90), and no group–by-time interaction ($F_{1,249} = 3.44$, p = .07). Happily married persons showed less hopelessness than unhappily married persons at both time points.

Upon investigating differences in *life satisfaction*, ANOVA showed a significant effect of group (F _{1,246} = 40.96, p <.001; partial η = 0.14), but no main effects of time (*F*_{1,246} = 1.15, *p* =.29) or group by time interaction (*F*_{1,246} = 0.09, *p* =.77). As expected, happily married persons showed higher life satisfaction than unhappily married persons at both time points.

With regard to *social loneliness* the ANOVA showed a significant effect of group (F1,248 = 13.10, p <.001; partial $\eta = 0.05$), but no main effects of time ($F_{1,248} = 1.38$, p=.24) or group by time interaction ($F_{1,248} = 0.03$, p =.87). Unhappily married persons consistently showed higher values of social loneliness when compared to happily married persons. Results from the ANOVA with *emotional loneliness* as dependent variable showed a significant effect of group ($F_{1,237} = 14.91$, p <.001; partial $\eta = 0.06$) and a main effect of time ($F_{1,237} = 4.86$, p<.05; partial $\eta = 0.02$), but no group by time interaction ($F_{1,237} = 0.32$, p =.57). Unhappily married persons showed higher values of emotional loneliness compared to happily married persons at both time points, whereas emotional loneliness increased significantly over time in both groups. Regarding *subjective health*, results from the ANOVA revealed a significant effect of group ($F_{1,245} = 10.95$, p < .001; partial $\eta = 0.04$), but no main effects of time ($F_{1,245} = 0.88$, p = .35) or group by time interaction ($F_{1,245} = 0.17$, p = .68). At both time points, happily married persons reported better health than unhappily married persons.

Predicting Health and Well-being

Hierarchical regression analyses were performed to investigate the contribution of group belonging (happily vs. unhappily married persons), vulnerabilities (neuroticism, extraversion), adaptive behaviour (psychological resilience), and marital stressors at T1 to various well-being outcomes (life satisfaction, emotional and social loneliness, hopelessness), and health at T2. Cluster membership was entered in a first step, followed by demographic variables (age, sex, financial situation; step 2). Vulnerabilities (neuroticism, extraversion) and adaptive behaviour (psychological resilience) were entered in a 3rd step, and marital stress (stressful times, partner's health) as step 4.

Table 2 shows the results from the regression analysis with *subjective health* as criterion. Cluster affiliation at T1 was initially predictive for subjective health two years later. However the association was attenuated when entering socio-demographic variables, personality and psychological resilience. After controlling for relationship variables, cluster affiliation at T1 did not further add significantly to the prediction of subjective health in T2. In the final model, explaining 22% of the variance, good subjective health was best predicted by younger age and high psychological resilience, followed by gender (being male), higher extraversion, and better health status of the partner.

Regarding *emotional loneliness* (Table 3), cluster belonging accounted for 2% of the variance. However, when personality traits and marital stressors were added this association disappeared. Higher values of neuroticism predicted more emotional loneliness. None of the other variables exerted a significant effect. With regard to *social loneliness* cluster

membership was a significant predictor (predicting 3% of the variance). All other predictors did not add significantly to the prediction of emotional loneliness.

Cluster belonging initially accounted for 4% of the variance in *hopelessness* (Table 4), however this association was attenuated by entering demographic variables and psychological resilience, and disappeared totally as soon as marital stressors were entered. In the final model, which explained 35% of the variance, high psychological resilience was the best predictor for lower levels of hopelessness, followed by age (being younger), gender (being male), sufficient financial resources, less relationship stress and a healthy partner.

Finally, with regard to *life satisfaction* (Table 4), cluster belonging initially accounted 10% of the variance. In the final model, higher levels of life satisfaction were best predicted by higher values of resilience and less relationship stress, followed by cluster belonging (happily married), a good financial situation, and good health of the partner. The final model explained 30% of the variance in life satisfaction.

Discussion

Marital quality has far-reaching implications for health and well-being of older adults (Bookwala, 2012). Additionally, self-rated health and well-being have been found to be significant predictors of morbidity and mortality in old age (DaSalvo, Bloser, Reynolds, & Muntner, 2006; Tilvis, Laitala, Routasalo, Strandberg, & Pitkala et al., 2012). In this context the aims of this study were to explore patterns of marital satisfaction in long-term married older persons, and to determine whether marital satisfaction clusters are predictive for well-being and health two years later, taking into account demographics, vulnerabilities, adaptive behaviour and marital stressors. The results of this study support and extend the literature it details in several ways. First, most studies on marital satisfaction and well-being have focused on early years of marriage (Birditt & Antonucci, 2008). In addition, most of the few studies on long-term married persons are cross-sectional (Miller, Hollist, Olsen, & Law, 2013). To

our knowledge, this is the first report which explores contexts and processes influencing marital satisfaction, well-being and health in a larger sample of *very* long-term and *continuously* married persons in an integrative manner.

Upon using empirical clustering procedures we demonstrated that there is diversity of quality in long-term partnerships. In line with findings by Wunderer and colleagues (2001) as well as Cohen and associates (2010), there exist clearly definable happily and unhappily married couples in long-term partnerships. As predicted according the Vulnerability-Stress-Adaptation model (Karney & Bradbury, 1995), happily married persons showed better health and well-being in comparison with unhappily married persons at both time points. The protective effects of high-quality marriages are widely documented (Umberson et al, 2006; Carr et al., 2014). A meta-analysis from Robles and associates (2014) found that greater marital quality was related to better health, regardless of study design, marital quality measure and year of publication. In contrast, marital unhappiness may signal a failure of the marriage to meet emotional and other needs for one or both spouses, resulting finally in distress and disappointment (Waite, Luo, & Lewin, 2009).

Because of the cumulative influence of related stress variables in unhappy marriages, we expected a higher stability in well-being outcomes for the happily married over two years. However, the differences between happily and unhappily married persons concerning health and well-being remained the same during the investigated time period. It is possible that 2 years is a too short period to see different trajectories of well-being in low and high quality marriages. A new survey in 2016 (T3) will give us further insights into the development of physical and psychological outcomes associated with marital quality.

Nevertheless, as we expected, group affiliation (happily vs. unhappily married) at T1 remained a significant predictor of well-being and health when considering demographics, personality traits and adaptive behaviour. In long-term marriages, when the future time horizons of the spouses become more limited and individuals' extended friendship networks

may diminish (Dykstra & Gierveld, 2004; Kulik, 2002), spouses may grow increasingly and co-reliant on one another, and therefore marital quality plays a very significant role for their overall well-being (Proulx et al., 2007) and health (Robles et al., 2014).

Interestingly, as relationship strain and health status of the partner also were taken into account, marital quality no longer made a significant contribution to the prediction of hopelessness, emotional loneliness and subjective health, whereas marital quality remained a significant predictor of social loneliness and life satisfaction. However, marital strain often becomes a chronic stressor which could have a cumulative effect on health over time (Umberson et al., 2006), conceivably causing issues with tissue and organ systems as well as potentially altering the progression and development of disease (Robles & Kiecolt-Glaser, 2003). Additionally, marital distress has both concurrent and longitudinal associations with psychological distress (Proulx et al., 2007). In contrast, marital support may serve as a buffer against the impact of a variety of stressors on health behaviours and also increase personal resources like self-regulatory capacity and resilience (DiMatteo, 2004).

In our data, psychological resilience, was associated with better health, less hopelessness and more life satisfaction after two years. According to the findings of Ong and colleagues (2006), higher levels of trait resilience seem to be associated with more positive and less negative emotions. This effect was shown to be particularly evident on days characterized by heightened stress, possibly evoked by poor health of the partner or marital strain. Psychological resilience and personality traits play an important role in the emotional regulation of couple interactions and are also viewed as key factors in links between marital quality, well-being and health (Iveniuk, Waite, Laumann, McClintock, & Tiedt, 2014; Snyder, Simpson, & Hughes, 2006). Our findings showed that extraversion predicts better health and that neuroticism is associated with greater loneliness two years later. Neuroticism appears to be a particularly problematic factor in marital stability (Schmitt, Kliegel, & Shapiro, 2007). Based on the long-term marriage in our sample and the lack of major personality trait

differences between happily and unhappily married individuals, it is unsurprising that personality traits made only a limited contribution to well-being and health values two years later.

Whereas in other studies the association between marital quality and subjective wellbeing is typically stronger among women than men (Bookwala, 2012; Whisman, 2001), gender revealed mixed results in predicting well-being two years later in our study. Developmental and role shifts over the course of an individual's life may contribute to a convergence in the salience of marital quality for husbands' and wives' overall well-being. Previous studies with young couples or those with children still living at home demonstrate a strong association between marital quality and well-being among woman relative to men (Bookwala, 2012; Whisman, 2001), which may reflect distinctive aspects of marital roles for relationships in young and mid-adulthood. These analyses do not reflect distinctive aspects of older adults' social roles, relationships and psychological development. Our findings are in line with Carr and colleagues (2014), who also found that the magnitude of the associations between marital quality and well-being might not necessarily differ significantly by gender.

Despite various strengths of the present study there are still some limitations to be considered. Firstly, self-reported data are well-known to have severe limits, especially when individuals are reporting highly personal material. Secondly, the omission of a complete partnership perspective, given that only one partner answered the questions and not both partners as a couple, has the consequence that there is no possibility to explore associations among own, spouse's and combined appraisals of marital quality. However, there is some evidence that marital quality assessments of partners are typically correlated (Bulanda, 2011; Carr & Boerner, 2009). Happily married persons may be motivated to provide support and encouragement to their partners, thereby enhancing the happiness and well-being of their partner. Thus, one partner's marital (dis)satisfaction may be linked to the emotional wellbeing of the other (Carr et al., 2014).

Notwithstanding these limitations, our findings could be relevant to researchers and clinicians in different ways: Firstly, our study provides a usefully broadened framework, based on an extended Vulnerability-Stress-Adaptation model, for refining theories of how marital quality impacts health and well-being in short and long term. Secondly, and even more importantly, our results show the potential for improving marital relationships by relationship education interventions (e.g., by promoting strengths of the partnership, improving interaction and effective communication) and by fostering resilience.

References

- Acitelli, L. K. (1992). Gender differences in relationship awareness and marital satisfaction among young married couples. *Personality and Social Psychology Bulletin*, 18(1), 102-110. doi: 10.1177/0146167292181015
- Beck, A. T., Weissman, A., Lester, D., & Trexler, L. (1974). The measurement of pessimism:
 the hopelessness scale. *Journal of consulting and clinical psychology*, 42(6), 861-865.
 doi: 10.1037/h0037562
- Birditt, K., & Antonucci, T. C. (2008). Life sustaining irritations? Relationship quality and mortality in the context of chronic illness. *Social science & medicine*, 67(8), 1291-1299. doi:10.1016/j.socscimed.2008.06.029
- Bonanno, G. A., Wortman, C. B., & Nesse, R. M. (2004). Prospective patterns of resilience and maladjustment during widowhood. *Psychological Aging*, 19(2), 260-271. doi: 10.1037/0882-7974.19.2.260
- Bookwala, J. (2012). Marriaga and other partnered relationships in middle and late adulthood.
 In R. Blieszner & V.H. Bedford (Eds.), *Handbook of aging and the family* (2nd ed., pp. 91-124). Santa Barbara, CA: ABC-CLIO.
- Brandtstädter, J., & Felser, G. (2003). Entwicklung in Partnerschaften. Bern: Huber.
- Bulanda, J.R. (2011). Gender, marital power, and marital quality in later life. *Journal of Women & Aging*, 23, 2-22- doi:10.1080/08952841
- Canary, D. J., Stafford, L. and Semic, B. A. (2002), A panel study of the associations between maintenance strategies and relational characteristics. *Journal of Marriage and Family*, 64, 395–406. doi: 10.1111/j.1741-3737.2002.00395.x
- Carr, D., & Boerner, K. (2009). Do spousal discrepancies in marital quality assessments affect psychological adjustment to widowhood? *Journal of Marriage and Family*, 71, 495-509. doi:10.1111/j.1741-3737.2009.00615

- Carr, D., Freedman, V.A., Cornman, J.C., & Schwarz, N. (2014). Happy marriage, happy life? Marital quality and subjective well-being in later life. *Journal of Marriage and Family*, 76, 930-648. doi:10.1111/jomf.12133
- Carr, D., & Springer, K. W. (2010). Advances in families and health research in the 21st century. *Journal of Marriage and Family*, 72(3), 743-761. doi: 10.1007/978-1-4020-8356-3_32
- Charles, S. T., & Carstensen, L. L. (2002). Marriage in old age. In: M. Yalom & L.L.
 Carstensen (Eds.), *Inside the American couple: New insights, new challenges* (pp. 236-254). Los Angeles, LA: University of California Press.
- Chiu, T., Fang, D., Chen, J., Wang, Y., & Jeris, C. (2001). A robust and scalable clustering algorithm for mixed type attributes in large database environment. Paper presented at the Proceedings of the Seventh Association for Computing Machinery Special Interest Group Knowledge Discovery and Data Mining International Conference on Knowledge Discovery and Data Mining, San Francisco, CA.
- Claxton, A., O'Rourke, N., Smith, J.A.Z., & DeLongis, A. (2013). Personality traits and marital satisfaction within enduring relationships: An intra-couple discrepancy approach. *Journal of Social and Personal Relationships*, 29(3), 375-396. doi: 10.1177/0265407511431183
- Cohen, Geron, & Farchi. (2010). A typology of marital quality of enduring marriages in Israel. *Journal of Family Issues*, *31*(6), 727-747. doi: 10.1177/0192513X09358566
- De Jong Gierveld, J., & Van Tilburg, T. (2006). A 6-Item scale for overall, emotional, and social loneliness. Confirmatory tests on survey data. *Research on Aging*, 28(5), 582-598. doi: 10.1177/0164027506289723
- DaSalvo, K.B., Bloser, N., Reynolds, K., He, J., & Muntner, P. (2006). Mortality prediction with a single general self-rated health question: a meta-analysis. *Journal of General Internal Medicine*, 21, 267-275. doi: 10.1111/j.1525-1497.2005.00291.x

- Diener, E. (1984). Subjective well-being. *Psychological bulletin*, 95(3), 542-575. doi: 10.1037/0033-2909.95.3.542
- Diener, E., Emmons, R. A., Larsen, R. J., & Griffin, S. (1985). The satisfaction with life scale. *Journal of Personality Assessment*, 49(1), 71-75. doi: 10.1207/s15327752jpa4901_13
- DiMatteo, M.R. (2004). Social support and patient adherence to medical tretment: A metaanalysis. *Health Psycholgy*, 23, 207-218. doi: 10.1037/0278-6133.23.2.207
- Duba, J. D., Hughey, A. W., Lara, T., & Burke, M. G. (2012). Areas of marital dissatisfaction among long term couples. *Adultspan Journal*, 11(1), 39-54. doi: 10.1002/j.2161-0029.2012.00004.x
- Dykstra, P.A., & Gierveld, J. (2004). Gender and marital history differences in emotional and social loneliness among Dutch older adults. *Canadian Journal on Aging*, 23, 141-155. doi:10.1353/cja.2004.0018
- Fincham, F. D. (2003). Marital conflict: correlates, structure, and context. *Current Directions in Psychological Science*, 12(1), 23-27. doi:10.1111/&1467-8721.01215
- Fine, M. A., & Harvey, J. H. (Eds.). (2013). Handbook of divorce and relationship dissolution. New York, NY: Taylor & Francis Group.
- Hawkins, D. N., & Booth, A. (2005). Unhappily ever after: Effects of long-term, low-quality marriages on well-being. *Social Forces*, *84*(1), 451-471. doi: 10.1353/sof.2005.0103
- Heiman, J. R., Long, J. S., Smith, S. N., Fisher, W. A., Sand, M. S., & Rosen, R. C. (2011).
 Sexual satisfaction and relationship happiness in midlife and older couples in five countries. *Archives of sexual behavior*, 40(4), 741-753. doi: 10.1007/s10508-010-9703-3
- Hughes, M.E., & Waite, L.J. (2009). Marital biography and health at mid-life. *Journal of Health and Social Behavior, 50*, 344-358. doi:10.1177/002214650905000307

- Iveniuk, J., Waite, L. J., Laumann, E., McClintock, M. K., & Tiedt, A. D. (2014). Marital conflict in older couples: Positivity, personality, and health. *Journal of Marriage and Family*, 76(1), 130-144. doi: 10.1111/jomf.12085
- Jerskey, B. A., Panizzon, M. S., Jacobson, K. C., Neale, M. C., Grant, M. D., Schultz, M., ... & Lyons, M. J. (2010). Marriage and divorce: A genetic perspective. *Personality and individual differences*, 49(5), 473-478. doi:10.1016/j.paid.2010.05.007
- Kamp Dush, C. M., & Taylor, M. G. (2011). Trajectories of marital conflict across the life course: Predictors and interactions with marital happiness trajectories. *Journal of family issues*, 33, 341-368. doi: 10.1177/0192513X11409684-
- Kamp Dush, C. M., Taylor, M. G., & Kroeger, R. A. (2008). Marital happiness and psychological well-being across the life course. *Family Relations*, 57, 211-226. doi: 10.1111/j.1741-3729.2008.00495.x
- Karney, B. R., & Bradbury, T. N. (1995). The longitudinal course of marital quality and stability: A review of theory, methods, and research. *Psychological bulletin*, *118*(1), 3-34. doi: 10.1037/0033-2909.118.1.3
- Klann, N., Hahlweg, K., Limbird, C., & Snyder, D. (2006). Einschätzung von Partnerschaft und Familie. Deutsche Form des Marital Satisfaction Inventory – Revised von Douglas K. Snyder. Göttingen, DE: Hogrefe.
- Kulik, L. (2002). His and her marriage: Differences in spousal preceptions of marital life in late adulthood. In S.P. Shohov (Ed.), *Advances in psychology research* (pp. 21-32). Huntington, NY: Nova Science.
- Lawrence, E., Nylen, K., & Cobb, R. J. (2007). Prenatal expectations and marital satisfaction over the transition to parenthood. *Journal of Family Psychology*, 21(2), 155-164. doi: 10.1037/0893-3200.21.2.155

- Levenson, R.W., Carstensen, L.L. & Gottman, J.M. (1993). Long-term marriage: Age, gender, and satisfaction. *Psychology and Aging*, 8(2), 301-313. doi:10.1037/0882-7974.8.2.301
- Lindau, S. T., Schumm, L. P., Laumann, E. O., Levinson, W., O'Muircheartaigh, C. A., &
 Waite, L. J. (2007). A study of sexuality and health among older adults in the United
 States. *New England Journal of Medicine*, *357*(8), 762-774. doi:
 10.1056/NEJMoa067423
- Miller, R.B., Hoillist, C.S., Olsen, J., & Law, D. (2013). Marital quality and health over 20 years: A growth curve analysis. *Journal of Marriage and Family*, 73(3), 667-680. doi: 10.1111/jomf.12025
- Ong, A.D., Bergeman, C.S., Bisconti, T.L., Wallance, K.A. (2006). Psychological resilience, positive emotions, and successful adaptation to stress in later life. *Journal of Personality and Social Psychology*, 91(4), 730-749. doi:10.1037/0022-3514.91.4.730
- O'Rourke, N., Claxton, A., Chou, P., Smith, J. Z., & Hadjistavropoulos, T. (2011). Personality trait levels within older couples and between-spouse trait differences as predictors of marital satisfaction. *Aging & Mental Health*, *15*(3), 344-353. doi: 10.1080/13607863.2010.519324
- Parker, R., & Commerford, J. (2014). Lasting couple relationships: recent research findings. Child Family Community Australia, Australian Institute of Family Studies, retrieved from http://apo.org.au/node/39994
- Patterson, J. M. (2002), Understanding family resilience. *Journal of Clinical Psychology*, 58, 233–246. doi: 10.1002/jclp.10019
- Proulx, C. M., Helms, H. M. and Buehler, C. (2007). Marital quality and personal well-being:
 A meta-analysis. *Journal of Marriage and Family*, 69, 576–593. doi: 10.1111/j.1741-3737.2007.00393.x

- Rammstedt, B., & John, O. P. (2007). Measuring personality in one minute or less: A 10-item short version of the Big Five Inventory in English and German. *Journal of Research in Personality*, 41, 203–212. doi: 10.1016/j.jrp.2006.02.001
- Rapp, I. (2012). In Gesundheit und Krankheit? Der Zusammenhang zwischen dem Gesundheitszustand und der Ehestabilität. Kölner Zeitschrift für Soziologie und Sozialpsychologie, 64, 783-803. doi:10.1007/s11577-012-0184-3
- Robles, T. F., & Kiecolt-Glaser, J. K. (2003). The physiology of marriage: Pathways to health. *Physiology & behavior*, 79(3), 409-416. doi: 10.1016/S0031-9384(03)00160-4
- Robles, T. F., Slatcher, R. B., Trombello, J. M., & McGinn, M. M. (2014). Marital quality and health: A meta-analytic review. *Psychological bulletin*, 140(1), 140-187. doi: 10.1037/a0031859
- Rosowsky, E., King, K. D., Coolidge, F. L., Roades, C. S., & Segal, D. L. (2012). Marital satisfaction and personality traits in long-term marriages: an exploratory study. *Clinical Gerontologist*, 32(2), 77-87. doi: 10.1080/07317115.2011.639855
- Schmitt, M. (2000). Ehequalität in langjährigen Beziehungen. In P. Martin, M. Martin, M.
 Schmitt, & U. Sperling (Eds.), *Forschungsberichte aus dem DZFA*, Nr. 8 (Juli 2000)
 Interdisziplinäre Längsschnittstudie des Erwachsenenalters (ILSE). Abschlussbericht
 über den 2. Untersuchungsdurchgang. Heidelberg, DE: Deutsches Zentrum für
 Alternsforschung.
- Schmitt, M., Kliegel, M, & Shapiro, A. (2007). Marital interaction in middle and old age: A predictor of marital satisfaction? *International Journal of Aging & Human Development*, 65, 283-300. doi: 10.2190/AG.65.4.a
- Schmitt, M. & Re, S. (2004). Partnerschaften im höheren Erwachsenenalter. In A. Kruse &M. Martin (Hrsg.), *Enzyklopädie der Gerontologie* (pp. 373-386). Bern, CH: Huber
- Schoenborn, C.A. (2004). Marital status and health: United States, 1999-2002. Advance Data from Vital and Health Statistics, 351. Hyattsville, MD: Center of Health Statistics.

- Schumacher, J. (2003). SWLS. Satisfaction with Life Scale. In J. Schumacher, A. Klaiberg, &
 E. Brähler (Eds.), *Diagnostische Verfahren zu Lebensqualität und Wohlbefinden* (pp. 305-308). Göttingen, DE: Hogrefe.
- Schumacher, J., Leppert, K., Gunzelmann, T., Strauss, B., & Brähler, E. (2005). Die
 Resilienzskala Ein Fragebogen zur Erfassung der psychischen Widerstandsfähigkeit
 als Personmerkmal. Zeitschrift für Klinische Psychologie, Psychiatrie und
 Psychotherapie, 53, 16-39.
- Snyder, D.K., Simpson, J.A., & Hughes, J.N (Eds.). (2006). Emotion regulation in couples and famlies: Pathways to dysfunction and health. Washington, DC: American Psychological Association.
- Tilvis, R. S., Laitala, V., Routasalo, P., Strandberg, T. E., & Pitkala, K. H. (2012). Positive life orientation predicts good survival prognosis in old age. *Archives of gerontology* and geriatrics, 55(1), 133-137. doi:10.1016/j.archger.2011.06.030
- Umberson, D., Williams, K., Powers, D.A., Liu, H., & Needham, B. (2006). You make me sick: Marital quality and health over the life course. *Journal of Health and Social Behavior*, 47, 1-16. doi:10.1177/002214650604700101
- Wagnild, G. M., & Young, H. M. (1993). Development and psychometric evaluation of the resilience scale. *Journal of Nursing Measurement*, 1(2), 165-178.
- Waite, L.J., Luo, Y., & Lewin, A.C. (2009). Marital happiness and marital stability:
 Consequences for psychological well-being. *Social Science Research*, *38*, 201-212.
 doi: 10.1016/j.ssresearch.2008.07.001
- Walker, R., Isherwood, L., Burton, C., Kitwe-Magambo, K., & Luszcz, M. (2013). Marital satisfaction among older couples: the role of satisfaction with social networks and psychological well-being. *The International Journal of Ageing and Human Development*, 76(3), 123-139. doi: 10.2190/AG.76.2.b

- Walker, R.B., & Luszcz, M.A. (2009). The health and relationship dynamics in late-life couples: A systematic review of the literature. *Ageing and Society*, 29(3), 455-480. doi: 10.1017/S0144686X08007903
- Whisman, M.A. (2001). The association between depression and marital dissatisfaction. In
 S.R.H. Beach (Ed.), *Marital and family processes in depression: A scientific foundation for clinical practice* (pp. 3–24). Washington, DC: American Psychological
 Association.
- Whisman, M. A., Snyder, D. K., & Beach, S. R. H. (2009). Screening for marital and relationship discord. *Journal of Family Psychology*, 23(2), 247-254. doi: 10.1037/a0014476
- Whisman, M. A., Uebelacker, L. A., Tolejko, N., Chatav, Y., & McKelvie, M. (2006). Marital discord and well-being in older adults: Is the association confounded by personality? *Psychology and aging*, 21(3), 626-631. doi: 10.1037/0882-7974.21.3.626
- Wunderer, E., Schneewind, K. A., Grandegger, C., & Schmid, G. (2001). Ehebeziehungen: eine Typologie auf Basis von Paarklima-Skalen. Zeitschrift für Familienforschung, 13(3), 74-95.



Figure 1. Partnership satisfaction in happily and unhappily married (z-standardized means)

	Happily married	Unhappily married	U	
Variables	M (SD)	M (SD)		
Subjective health				
Time 1 (<i>n</i> =374) ¹	3.91 (0.65)	3.62 (0.77)	20,077***	
Time 1 (<i>n</i> =252) ²	3.92 (0.61)	3.62 (0.80)	6,000**	
Time 2 (<i>n</i> =252)	3.89 (0.72)	3.62 (0.68)	6,911**	
Hopelessness				
Time 1 (<i>n</i> =374)	2.64 (0.55)	2.98 (0.54)	34,205***	
Time 1 (<i>n</i> =252)	2.61 (0.51)	2.91 (0.50)	9,948***	
Time 2 (<i>n</i> =252)	2.66 (0.58)	2.86 (0.58)	10,822**	
Life satisfaction				
Time 1 (<i>n</i> =374)	5.84 (0.73)	5.26 (0.73)	24,417***	
Time 1 (<i>n</i> =252)	5.85 (0.74)	5.28 (0.76)	4,419***	
Time 2 (<i>n</i> =252)	5.78 (0.84)	5.16 (0.93)	5,100***	
Social loneliness				
Time 1 (<i>n</i> =374)	0.15 (0.27)	0.27 (0.35)	14.033***	
Time 1 (<i>n</i> =252)	0.15 (0.29)	0.28 (0.38)	8,967***	
Time 2 (<i>n</i> =252)	0.13 (0.26)	0.27 (0.40)	10,575**	

Table 1. Descriptives of the Clusters at Time 1 and Time 2

Emotional loneliness

Time 1 (<i>n</i> =374)	0.05 (0.14)	0.16 (0.29)	13,369***
Time 1 (<i>n</i> =252)	0.04 (0.13)	0.17 (0.31)	9,100***
Time 2 (<i>n</i> =252)	0.08 (0.20)	0.18 (0.29)	9,943***
Extraversion			
Time 1 (<i>n</i> =374)	3.27 (1.02)	3.07 (0.95)	18,411
Time 1 (<i>n</i> =252)	3.27 (1.03)	3.02 (0.92)	6,586
Time 2 (<i>n</i> =252)	3.39 (0.62)	3.32 (0.72)	8,278
Neuroticism			
Time 1 (<i>n</i> =374)	2.61 (0.95)	2.82 (0.92)	14,249*
Time 1 (<i>n</i> =252)	2.62 (0.92)	2.77 (0.89)	8,035
Time 2 (<i>n</i> =252)	2.97 (0.69)	2.86 (0.67)	7,766
Resilience			
Time 1 (<i>n</i> =374)	5.56 (0.83)	5.53 (0.94)	15,095
Time 1 (<i>n</i> =252)	5.63 (0.77)	5.44 (0.87)	6,676
Time 2 (<i>n</i> =252)	5.39 (0.88)	5.32 (1.00)	7,749*

Note. *p < .05, **p < .01, ***p < .001, U = Mann-Whitney-U-Test; 1= sample at time point 1, 2 = sample at time point 1 and 2

Variables	Step 1	Step 2	Step 3	Step 4
Group (unhappily married)	178**	150*	127*	062
Gender (male)		.195**	.164**	.142*
Age		332***	283***	255***
Financial situation		134**	133*	107
Resilience			.219***	.211**
Extraversion			.146*	.151*
Neuroticism			.006	.012
Relationship strain				069
Health status of the partner				159*
R	0.178	0.400	0.475	0.503
Adujsted R^2	0.028	0.146	0.202	0.224
F for change in R^2	7.723**	11.823***	6.433***	4.244*

	Emotional loneliness			Social lone	Social loneliness			
Variables	Step 1	Step 2	Step 3	Step 4	Step	1 Step 2	Step 3	Step 4
Group (unhappily married)	.160*	.153*	.146*	.088	.187*	* .187**	.176*	.139*
Gender (male)		056	042	014		041	028	016
Age		099	.054	.045		039	065	083
Financial situation		007	014	014		.116	.114	.101
Resilience			131	120			108	103
Extraversion			075	071			117	122
Neuroticism			.140*	.137*			.065	.060
Relationship strain				.115				.027
Health status of the partner				.100				.101
R	0.160	0.190	0.271	0.310	0.187	0.227	0.278	0.295
Adjusted R^2	0.021	0.019	0.045	0.060	0.031	0.035	0.049	0.051
<i>F</i> for change in R^2	6.093**	0.835	3.028*	2.786	8.538*	** 1.336	2.115	1.215

Table 3. Predictors of emotional and social loneliness

Table 4. Predictors of hopelessness and life satisfaction

	Hopelessness				Life satisfaction			
Variables	Step 1	Step 2	Step 3	Step 4	Step 1	Step 2	Step 3	Step 4
Group (unhappily married)	.200**	.171**	.148*	.068	316***	302**	282***	180**
Gender (male)		209**	165**	128*		.191**	.155*	.103
Age		.346***	.220***	.205**		136*	049	039
Financial situation		.202**	.185**	.149**		223***	215**	169**
Resilience			376***	362***			.588***	.269***
Extraversion			.032	.037			.006	007
Neuroticism			.073	.067			.018	.011
Relationship strain				.153**				229***
Health status of the partner				.143*				155*
R	0.200	0.446	0.578	0.614	0.316	0.426	0.507	0.275
Adjusted R^2	0.036	0.185	0.314	0.352	0.096	0.167	0.234	0.304
<i>F</i> for change in R^2	9.762**	15.352***	15.490***	7.722**	21.919***	7.657***	7.708***	12.421***